


BALDOR • MASKA



V-Belt Drive Selection Handbook


$$\begin{aligned} \text{RPM} &= 15,500 / \sqrt{DF} \\ \frac{\text{RPM}_1}{\text{RPM}_2} &= \frac{D_2}{D_1} \\ \text{HP} &= \frac{T [\text{lb-in}] \times \text{RPM}}{63,000} \\ \text{RPM} &= 15,500 / \sqrt{DF} \\ \text{Pulley Diameter [in]} &= \pi \times \text{RPM} \times \frac{1}{12} [\text{ft/in}] \end{aligned}$$

BALDOR

**THE BALDOR • MASKA®
SELECTION HANDBOOK**

Introduction

This reference guide for selecting V-Belt drive components is for those that prefer, or need to do, a manual selection. Engineers, designers, mechanics, distributors - all will be able to rapidly find a drive for their application.

Is it a new engineering drive? Or does a piece of equipment need to be redesigned? Or a distributor simply needs to verify replacement parts? The Baldor•Maska® Reference Booklet provides all the necessary information to define the required parts.

NOTE: An original aspect of this guide pertains to the power rating calculation. The basic power rating is evaluated according to the size of the sheave & the speed of the drive. A length correction factor and an arc correction factor have to be applied to adjust this basic power rating depending on the ratio and the center distance. In the Drive Selection Tables, the adjusted power rating is presented including both correction factors, compared to existing tables that only show basic horsepower values.

You will find the following herein:

- Selection Tips
- Most commonly used engineering formulas in the PT Industry (Ratio, Rim speed, Power, Torque and Dynamic Balancing)
- Drive selection tables for Classical (A, B, C, D) and Narrow (3V, 5V, 8V) V-belts
- Other useful information on Baldor•Maska® V-belt sheaves (pertaining to QD bushings, face width, standard number of grooves)

Choosing the correct Baldor•Maska® sheaves and belts for your drive application will be more accurate and easier!



For on-line use, please try our "Drive Selection Program". Build your own Drive Selection directly on our web site or download the program onto your computer.

www.maskapulley.com

TABLE OF CONTENTS

| | |
|-----------------------------------|----------------|
| QUICK SELECTION GUIDELINES | 4 |
| ENGINEERING FORMULAS | 4 - 5 |
| DESIGN FACTORS | 6 - 7 |
| USEFUL INFORMATION | 8 - 13 |
| PRODUCT NOMENCLATURE | 14 - 15 |
| CHECKING GROOVES FOR WEAR | 16 |
| DRIVE SELECTION TABLES | |
| POWER RATING NOTICE | 18 |
| A & AX BELTS | 19 |
| B & BX BELTS | 36 |
| C & CX BELTS | 48 |
| D BELTS | 54 |
| 3V & 3VX BELTS | 57 |
| 5V & 5VX BELTS | 63 |
| 8V & 8VX BELTS | 72 |



Quick Selection Guidelines

This Handbook has been put together to serve as a Quick Reference Guide in identifying the components required for a cost-efficient and precise V-belt drive application. To evaluate a selection quickly, simply go through these steps.

- 1 Determine your drive requirements. How much power do you need to transmit and at what speed?
- 2 Based on Table 1 (pg. 6), choose the Service Factor for your particular application.
- 3 Determine the design horsepower using the Design Horsepower formula (see below).
- 4 Based on your results, determine which belt section would be appropriate for your drive according to Figure 1 or Figure 2 (pg. 7). Narrow belt sheaves are more compact than Classical belt sheaves.
- 5 Determine the ratio of your drive application based on the Ratio formula (see pg. 5) and find the closest value in the Drive Selection Tables for your selected belt section (see Index). A centre distance has been pre-selected based on the drive size (see pg. 18).
- 6 Find the number of belts required by dividing the design horsepower by the belt/HP listed in the table.
- 7 Verify the validity of this drive by consulting the number of grooves available in these sheave sizes in Table 8 (pg. 13).
- 8 Verify if dynamic balancing is needed for each sheave based on the Dynamic or Two-Plane Balancing formula (pg. 5). Note that Standard Face Width dimensions can be found in Table 9 (pg. 13).
- 9 Consult our "Useful Information" section for complementary helpful details concerning V-belt drive applications. Should you desire additional information concerning your selection, please try our Drive Selection Program software available online at www.maskapulleys.com or contact our Technical Support Department at 1-800-463-8928, (418) 883-3322.

Engineering formulas

Design Horsepower

Adding a Service Factor to the required power to be transmitted, called nominal horsepower, ensures the efficiency of a drive. This nominal horsepower refers to the motor horsepower or required horsepower for the application.

A Service Factor takes into account such situations as power losses due to vibration, shocks, heat and other related factors caused by the motor and the application. The Design Power is calculated based on these considerations thus producing more accurate results to ensure that the drive will function more efficiently.

$$HP' = SF \times HP$$

SF is service factor
HP is basic horsepower
HP' is design horsepower

Engineering formulas

A ratio is a proportional factor between two similar objects of different sizes. In a belt drive system, a ratio is used to determine the speed relation between two v-belt pulleys. The speed ratio would be stable if slippage did not occur; however as belt slip is inevitable, the ratio varies and is therefore only theoretical. If the speed ratio is < 1 (ex. 1:4), we refer to a speed up system; if the ratio is > 1 (ex. 4:1), it's a speed reduction system. In both cases, the ratio is obtained using the dimensions of the input drive (driver) pulley and the output (driven) pulley.

In the following ratio, RS is the speed ratio, D1 the diameter of the driver pulley, D2 the diameter of the driven pulley:

$$R_s = \frac{RPM_1}{RPM_2} = \frac{D_2}{D_1}$$

Speed & Velocity

With reference to a belt drive system, the formula to find rim speed, or belt speed, is:

$$\text{Rim Speed [ft/min]} = \text{Pulley Diameter [in]} \times \pi \times \text{RPM} \times \frac{1}{12} \text{ [ft/in]}$$

OR

$$\text{FPM} = \text{Pulley Diameter [in]} \times 0.2618 \times \text{RPM}$$

Power

In mechanical engineering, power is a measure of performance or capacity and is defined as the amount of work performed in a given time. The most work accomplished in the least amount of time, equals greater power. This formula also shows the relation between torque and HP.

Power in hp (HP) can be calculated using the following formulas:

$$HP = \frac{T[\text{lb}\cdot\text{in}]\text{RPM}}{63025}$$

OR

$$HP = \frac{T[\text{lb}\cdot\text{ft}]\text{RPM}}{5252}$$

HP can be converted to kilowatts as follows:

$$\text{HP} = \text{Kilowatts} \times 1.341$$

Dynamic or Two-Plane Balancing

Dynamic balancing is strongly recommended in applications running at high speeds.

To determine whether dynamic balancing is advisable, perform the following calculation.

$$RPM = 15,500 / \sqrt{(DF)}$$

D is Diameter in inches

F is Face Width in inches

$$RPM = 25.4 \times 15,500 / \sqrt{(DF)}$$

D is Diameter in millimeters

F is Face Width in millimeters

The resultant RPM is the maximum recommended operating RPM for a sheave or pulley with a single plane balance.

Note: If the sheave or pulley is to be operated at a higher speed, a two plane balance is recommended.

DESIGN FACTORS

According to **RMA Standards**

The selection of a V-belt drive for any application should be based on the nature of the load and the type of driving unit. Service Factors for different kinds of driven machines combined with different types of driving units are shown in Table 1 below. The driven machines are representative examples only. Select a driven machine whose load characteristics most closely resemble those of the machine being considered.

Multiply the rated motor power or power demand of the driven unit by the selected service factor to obtain the “design power”.

TABLE 1: SUGGESTED SERVICE FACTORS FOR V-BELT DRIVES

| TYPE OF DRIVEN MACHINES | TYPE OF DRIVING UNITS | | | | | |
|--|--|-----------------------------------|--|---|-----------------------------------|--|
| | AC Motors: Normal Torque, Squirrel Cage, Synchronous and Split Phase. DC Motors: Shunt Wound, Multiple Cylinder Internal Combustion Engines. | | | AC Motors: High Torque, High Split, Repulsion-Induction, Single Phase Series Wound and Compound Wound, Single Cylinder Internal Combustion Engines. Line Shafts. Clutches | | |
| | Intermittent Service (3-5 Hours Daily or Seasonal) | Normal Service (8-10 Hours Daily) | Continuous Service (16-24 Hours Daily) | Intermittent Service (3-5 Hours Daily or Seasonal) | Normal Service (8-10 Hours Daily) | Continuous Service (16-24 Hours Daily) |
| Agitators for Liquids Blowers and Exhausters Centrifugal Pumps and Compressors Fans up to 10 HP Light Duty Conveyors | 1.0 | 1.1 | 1.2 | 1.1 | 1.2 | 1.3 |
| Belt Conveyor for Sand, Grain, etc. Dough Mixers Fans Over 10 HP Generators Line Shafts Laundry Machinery Machine Tools Punches-Presses-Shears Printing Machinery Positive Displacement Rotary Pumps Revolving and Vibrating Screens | 1.1 | 1.2 | 1.3 | 1.2 | 1.3 | 1.4 |
| Brick Machinery Bucket Elevators Exciters Piston Compressors Conveyors (Drag-Pan-Screw) Hammer Mills Paper Mill Beaters Piston Pumps Positive Displacement Blowers Pulverizers Saw Mill and Woodworking Machinery Textile Machinery | 1.2 | 1.3 | 1.4 | 1.4 | 1.5 | 1.6 |
| Crushers (Gyratory-Jaw-Roll) Mills (Ball-Rod-Tube) Hoists Rubber Calenders-Extruders-Mills | 1.3 | 1.4 | 1.5 | 1.5 | 1.6 | 1.8 |

Note 1. The use of a service factor of 2.0 is recommended for equipment subject to choking.

DESIGN FACTORS

According to RMA Standards

FIGURE 1: CLASSICAL V-BELTS





FIGURE 2: NARROW V-BELTS



USEFUL INFORMATION

“A” Sheaves are for light duty applications only and are available with a fixed bore or with a QD bushing “L”.

“A - B Combination” Sheaves can also be used in light duty applications and are available with a fixed bore or with a QD bushing “L”.

Consult the **BALDOR•MASKA®** product catalog for additional information.

TABLE 2: QD BUSHING TABLE FOR “A-B” COMBINATION SHEAVES

| O.D. | Datum | | Number of grooves | | | | | | | | | | | | | | | | | |
|-------|-------|------|-------------------------------|---|---|-------------------------------|---|---|---|----------------------------|--|-----------------------------|--|--|----------------------------|--|--|--|--|--|
| | A | B | 1 | 2 | 3 | 4 | 5 | 6 | 8 | 10 | | | | | | | | | | |
| 3.75 | 3.0 | 3.4 | SH 1/2" to 1 11/16" | | | SD 1/2" to 2" | | | | | | | | | | | | | | |
| 3.95 | 3.2 | 3.6 | | | | | | | | | | | | | | | | | | |
| 4.15 | 3.4 | 3.8 | | | | | | | | | | | | | | | | | | |
| 4.35 | 3.6 | 4.0 | | | | | | | | | | | | | | | | | | |
| 4.55 | 3.8 | 4.2 | | | | | | | | | | | | | | | | | | |
| 4.75 | 4.0 | 4.4 | SDS 1/2" to 2" | | | SK 1/2" to 2 5/8" | | | | | | | | | | | | | | |
| 4.95 | 4.2 | 4.6 | | | | | | | | | | | | | | | | | | |
| 5.15 | 4.4 | 4.8 | | | | | | | | | | | | | | | | | | |
| 5.35 | 4.6 | 5.0 | | | | | | | | | | | | | | | | | | |
| 5.55 | 4.8 | 5.2 | | | | | | | | | | | | | | | | | | |
| 5.75 | 5.0 | 5.4 | | | | | | | | | | | | | | | | | | |
| 5.95 | 5.2 | 5.6 | | | | | | | | | | | | | | | | | | |
| 6.15 | 5.4 | 5.8 | | | | | | | | | | | | | | | | | | |
| 6.35 | 5.6 | 6.0 | | | | | | | | | | | | | | | | | | |
| 6.55 | 5.8 | 6.2 | | | | | | | | | | | | | | | | | | |
| 6.75 | 6.0 | 6.4 | SK 1/2" to 2 5/8" | | | SF 1/2" to 2 15/16" | | | | | | | | | | | | | | |
| 6.95 | 6.2 | 6.6 | | | | | | | | | | | | | | | | | | |
| 7.15 | 6.4 | 6.8 | | | | | | | | | | | | | | | | | | |
| 7.35 | 6.6 | 7.0 | | | | | | | | | | | | | | | | | | |
| 7.75 | 7.0 | 7.4 | | | | | | | | | | | | | | | | | | |
| 8.35 | 7.6 | 8.0 | | | | | | | | | | | | | | | | | | |
| 8.95 | 8.2 | 8.6 | | | | | | | | | | | | | | | | | | |
| 9.35 | 8.6 | 9.0 | | | | | | | | | | | | | | | | | | |
| 9.75 | 9.0 | 9.4 | | | | | | | | | | | | | | | | | | |
| 11.35 | 10.6 | 11.0 | | | | | | | | | | SK 1/2" to 2 5/8" | | | E 7/8" to 3 1/2" | | | | | |
| 12.75 | 12.0 | 12.4 | | | | | | | | | | | | | | | | | | |
| 13.95 | 13.2 | 13.6 | | | | | | | | | | | | | | | | | | |
| 15.75 | 15.0 | 15.4 | | | | | | | | | | | | | | | | | | |
| 16.35 | 15.6 | 16.0 | | | | | | | | | | | | | | | | | | |
| 18.75 | 18.0 | 18.4 | | | | | | | | | | | | | | | | | | |
| 20.35 | 19.6 | 20.0 | | | | | | | | | | | | | | | | | | |
| 25.35 | 24.6 | 25.0 | E 7/8" to 3 1/2" | | | F 1" to 4" | | | | | | | | | | | | | | |
| 30.35 | 29.6 | 30.0 | | | | | | | | | | | | | | | | | | |
| 38.35 | 37.6 | 38.0 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | J 1 7/16" to 4 1/2" | | | | | | | | | | |

USEFUL INFORMATION

TABLE 3: QD BUSHING TABLE FOR "C" SHEAVES

| O.D. | Datum | Number of grooves | | | | | | | | | |
|------|-------|-------------------|---|------------------------------------|---|---|---|---|----|------------------------|--|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 8 | 10 | 12 | |
| 5.4 | 5.0 | | | SD 1/2" to 2" or SK 1/2" to 2 5/8" | | | | | | | |
| 6.0 | 5.6 | | | SD 1/2" to 2" | | | | | | | |
| 6.4 | 6.0 | | | SF 1/2" to 2 15/16" | | | | | | | |
| 7.4 | 7.0 | | | | | | | | | | |
| 7.9 | 7.5 | | | E 7/8" to 3 1/2" | | | | | | | |
| 8.4 | 8.0 | | | | | | | | | | |
| 8.9 | 8.5 | | | F 1" to 4" | | | | | | J 1 7/16" to 4 1/2" | |
| 9.4 | 9.0 | | | | | | | | | | |
| 9.9 | 9.5 | | | M 2" to 5 1/2" | | | | | | | |
| 10.4 | 10.0 | | | | | | | | | | |
| 10.9 | 10.5 | | | M 2" to 5 1/2" | | | | | | | |
| 11.4 | 11.0 | | | | | | | | | | |
| 12.4 | 12.0 | | | | | | | | | | |
| 13.4 | 13.0 | | | | | | | | | | |
| 14.4 | 14.0 | | | | | | | | | | |
| 16.4 | 16.0 | | | | | | | | | | |
| 18.4 | 18.0 | | | | | | | | | | |
| 20.4 | 20.0 | | | | | | | | | | |
| 24.4 | 24.0 | | | | | | | | | | |
| 27.4 | 27.0 | | | | | | | | | | |
| 30.4 | 30.0 | | | | | | | | | | |
| 36.4 | 36.0 | | | | | | | | | | |
| 44.4 | 44.0 | | | | | | | | | | |
| 50.4 | 50.0 | | | | | | | | | | |

TABLE 4: QD BUSHING TABLE FOR "D" SHEAVES

| O.D. | Datum | Number of grooves | | | | | | |
|------|-------|-------------------------|---|---|---|---|----|----|
| | | 3 | 4 | 5 | 6 | 8 | 10 | 12 |
| 12.6 | 12.0 | F 1" to 4" | | | | | | |
| 13.6 | 13.0 | | | | | | | |
| 14.1 | 13.5 | J 1 7/16" to 4 1/2" | | | | | | |
| 14.6 | 14.0 | | | | | | | |
| 15.1 | 14.5 | M 1 15/16" to 5 1/2" | | | | | | |
| 15.6 | 15.0 | | | | | | | |
| 16.1 | 15.5 | | | | | | | |
| 16.6 | 16.0 | | | | | | | |
| 17.6 | 17.0 | | | | | | | |
| 18.6 | 18.0 | | | | | | | |
| 20.6 | 20.0 | | | | | | | |
| 22.6 | 22.0 | | | | | | | |
| 27.6 | 27.0 | | | | | | | |
| 33.6 | 33.0 | | | | | | | |
| 40.6 | 40.0 | N 2 3/4" to 6" | | | | | | |
| 48.6 | 48.0 | | | | | | | |
| 58.6 | 58.0 | P 2 15/16" to 7" | | | | | | |
| | | | | | | | | |

USEFUL INFORMATION

For additional information and all dimensions,
refer to our hard copy Catalog or
our E-Catalog, both available at
www.maskapulleys.com

TABLE 5: QD BUSHING TABLE FOR "3V" SHEAVES

| O.D. | Datum | Number of grooves | | | | | | | | | | | | | | | |
|-------|-------|-------------------------------|---|---|---|---|---|---|----|-------------------------------|--|--|--|--|--|--|--|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 8 | 10 | | | | | | | | |
| 2.20 | 2.15 | JA 1/2" to 1 1/4" | | | | | | | | | | | | | | | |
| 2.35 | 2.30 | | | | | | | | | | | | | | | | |
| 2.50 | 2.45 | | | | | | | | | | | | | | | | |
| 2.65 | 2.60 | | | | | | | | | | | | | | | | |
| 2.80 | 2.75 | | | | | | | | | | | | | | | | |
| 3.00 | 2.95 | | | | | | | | | | | | | | | | |
| 3.15 | 3.10 | | | | | | | | | | | | | | | | |
| 3.35 | 3.30 | SH 1/2" to 1 11/16" | | | | | | | | | | | | | | | |
| 3.65 | 3.60 | | | | | | | | | | | | | | | | |
| 4.12 | 4.07 | | | | | | | | | | | | | | | | |
| 4.50 | 4.45 | | | | | | | | | | | | | | | | |
| 4.75 | 4.70 | | | | | | | | | SDS 1/2" to 2" | | | | | | | |
| 5.00 | 4.95 | | | | | | | | | | | | | | | | |
| 5.30 | 5.25 | | | | | | | | | | | | | | | | |
| 5.60 | 5.55 | | | | | | | | | | | | | | | | |
| 6.00 | 5.95 | SK 1/2" to 2 5/8" | | | | | | | | | | | | | | | |
| 6.50 | 6.45 | | | | | | | | | | | | | | | | |
| 6.90 | 6.85 | | | | | | | | | | | | | | | | |
| 8.00 | 7.95 | | | | | | | | | | | | | | | | |
| 10.60 | 10.55 | | | | | | | | | SF 1/2" to 2 15/16" | | | | | | | |
| 14.00 | 13.95 | | | | | | | | | | | | | | | | |
| 19.00 | 18.95 | E 7/8" to 3 1/2" | | | | | | | | | | | | | | | |
| 25.00 | 24.95 | | | | | | | | | | | | | | | | |
| 33.50 | 33.45 | | | | | | | | | | | | | | | | |

USEFUL INFORMATION

| TABLE 6: QD BUSHING TABLE FOR "5V" SHEAVES | | | | | | | | |
|--|-------|-------------------------|---|---|---------------------|---|---|----|
| O.D. | Datum | Number of grooves | | | | | | |
| | | 2 | 3 | 4 | 5 | 6 | 8 | 10 |
| 4.40 | 4.30 | *SH | | | | | | |
| 4.65 | 4.55 | SDS 1/2" to 2" | | | SD 1/2" to 2" | | | |
| 4.90 | 4.80 | | | | | | | |
| 5.20 | 5.10 | | | | | | | |
| 5.50 | 5.40 | | | | | | | |
| 5.90 | 5.80 | | | | | | | |
| 6.30 | 6.20 | SK 1/2" to 2 5/8" | | | | | | |
| 6.70 | 6.60 | | | | | | | |
| 7.10 | 7.00 | | | | | | | |
| 7.50 | 7.40 | SF 1/2" to 2 15/16" | | | E 7/8" to 3 1/2" | | | |
| 8.00 | 7.90 | | | | | | | |
| 8.50 | 8.40 | | | | | | | |
| 9.00 | 8.90 | | | | | | | |
| 9.25 | 9.15 | | | | | | | |
| 9.75 | 9.65 | | | | | | | |
| 10.30 | 10.20 | | | | | | | |
| 10.90 | 10.80 | | | | | | | |
| 11.30 | 11.20 | | | | | | | |
| 11.80 | 11.70 | | | | | | | |
| 12.50 | 12.40 | SF 1/2" to 2 15/16" | | | | | | |
| 13.20 | 13.10 | | | | | | | |
| 14.00 | 13.90 | | | | | | | |
| 15.00 | 14.90 | | | | | | | |
| 16.00 | 15.90 | | | | | | | |
| 18.70 | 18.60 | F 1" to 4" | | | | | | |
| 21.20 | 21.10 | | | | | | | |
| 23.60 | 23.50 | | | | | | | |
| 28.00 | 27.90 | J 1 7/16" to 4 1/2" | | | | | | |
| 31.50 | 31.40 | | | | | | | |
| 37.50 | 37.40 | | | | | | | |
| 50.00 | 49.90 | M 1 15/16" to 5 1/2" | | | | | | |
| | | | | | | | | |

*SH 1/2" to 1 11/16"

USEFUL INFORMATION

| TABLE 7: QD BUSHING TABLE FOR "8V" SHEAVES | | | | | | | |
|--|-------|--------------------------------|---|---|---|----|----|
| O.D. | Datum | Number of grooves | | | | | |
| | | 4 | 5 | 6 | 8 | 10 | 12 |
| 12.5 | 12.3 | F 1" to 4" | | | | | |
| 13.2 | 13.0 | | | | | | |
| 14.0 | 13.8 | | | | | | |
| 15.0 | 14.8 | | | | | | |
| 16.0 | 15.8 | | | | | | |
| 17.0 | 16.8 | | | | | | |
| 18.0 | 17.8 | J 1 7/16" to 4 1/2" | | | | | |
| 19.0 | 18.8 | | | | | | |
| 20.0 | 19.8 | | | | | | |
| 21.2 | 21.0 | M 1 15/16" to 5 1/2" | | | | | |
| 22.4 | 22.2 | | | | | | |
| 24.8 | 24.6 | | | | | | |
| 30.0 | 29.8 | | | | | | |
| 35.5 | 35.3 | N 2 3/4" to 6" | | | | | |
| 40.0 | 39.8 | | | | | | |
| 44.5 | 44.3 | | | | | | |
| 53.0 | 52.8 | P 2 15/16" to 7" | | | | | |
| 58.0 | 57.8 | | | | | | |
| 63.0 | 62.8 | | | | | | |
| 71.0 | 70.8 | | | | | | |
| | | W 4 7/16" to 8 1/2" | | | | | |
| | | | | | | | |

USEFUL INFORMATION

TABLE 8: STANDARD NUMBER OF GROOVES AVAILABLE FROM STOCK

| Section | Number of grooves |
|---------|-------------------------|
| A | 1, 2 |
| AB | 1,2,3,4,5,6,7,8,10 |
| C | 1,2,3,4,5,6,7,8,9,10,12 |
| D | 3,4,5,6,8,10,12 |
| | |
| 3V | 1,2,3,4,5,6,8,10 |
| 5V | 2,3,4,5,6,7,8,9,10 |
| 8V | 4,5,6,8,10,12 |

TABLE 9: STANDARD SHEAVE FACE WIDTHS (in inches)

| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | Distance between 2 grooves |
|-----------|--------|-------|-------|-------|-------|-------|--------|--------|-------|--------|--------|--------|----------------------------|
| A | 0.75 | 1.375 | 2 | 2.625 | 3.25 | 3.875 | 4.5 | 5.125 | 5.75 | 6.375 | 7 | 7.625 | 0.63 |
| B | *1 | 1.75 | 2.5 | 3.25 | 4 | 4.75 | 5.5 | 6.25 | 7 | 7.75 | 8.5 | 9.25 | 0.75 |
| C | 1.375 | 2.375 | 3.375 | 4.375 | 5.375 | 6.375 | 7.375 | 8.375 | 9.375 | 10.375 | 11.375 | 12.375 | 1 |
| D | 1.75 | 3.187 | 4.625 | 6.062 | 7.5 | 8.937 | 10.375 | 11.813 | 13.25 | 14.688 | 16.125 | 17.563 | 1.44 |
| 3V | *0.812 | 1.093 | 1.5 | 1.906 | 2.312 | 2.718 | 3.125 | 3.531 | 3.937 | 4.344 | 4.75 | 5.156 | 0.41 |
| 5V | 1 | 1.687 | 2.375 | 3.062 | 3.75 | 4.437 | 5.125 | 5.812 | 6.5 | 7.187 | 7.875 | 8.562 | 0.69 |
| 8V | 1.5 | 2.625 | 3.75 | 4.875 | 6 | 7.125 | 8.25 | 9.375 | 10.5 | 11.625 | 12.75 | 13.875 | 1.125 |

*B: 7/8 up to 7.15 O.D. and 1 in. thereafter

*3V: 11/16 up to 10.6 O.D. and 13/16 in. thereafter




Non standard products

PRODUCT NOMENCLATURE

Classical A - B - C - D "QD" Sheaves

3B110


(Listed under "B" column - SK)



Narrow 3V-5V-8V "QD" Sheaves

12-8V44.5

(Listed under "B" column - P)




Note that for 3V - 5V - 8V P.D. = O.D.

WARNING:

Excessive sheave RIM speed may cause sheave failure resulting in injury to personnel and/or equipment damage.

PRODUCT NOMENCLATURE



OUTSIDE LENGTH CALCULATION FROM BELT NUMBER

A Section: Up to belt number 210 add 2 to obtain outside length in inches


B Section: Up to belt number 210 add 3 to obtain outside length in inches

C Section: Up to belt number 210 add 4 to obtain outside length in inches

D Section: Up to belt number 210 add 5 to obtain outside length in inches

Note: The belt number corresponds to the belt inside length.

Example: VBC120 → inside length = 120 inches
outside length = 120 + 4 = 124 inches



OUTSIDE LENGTH CALCULATION FROM BELT NUMBER

3V-5V-8V Section: Divide the belt number by 10 to obtain the belt outside length.

Example: VB5V1250 → outside length = 1250/10 = 125 inches

“So often, customers just replace belts and don’t think about looking for worn sheaves as the problem”.

– Pete Kalgreen, Akron Bearing Company

Importance of checking Sheave Grooves in a V-belt drive

When V-belt drive applications are well-designed and installed properly with adequate tensioning, in many cases they are the near-perfect power transmission system – quiet, smooth and minimum maintenance for years. Occasional inspection however, will ensure optimal drive efficiency, and one sign of wear to look for, that is often overlooked, is the rounding or deepening of V-belt pulley (hereafter referred to as sheaves) grooves.

Signs to look for:



One sign of worn grooves is that it cause one or more belts to ride lower than the others, known as “differential driving”, resulting in premature wearing of belts and reduced performance levels (Image 1). Are one or more of the belts slack, while others are tight in a proper tensioned drive? This is a sign some may be riding higher than others due to rounded grooves.

Or, is the bottom of the groove shiny? Then this indicates that the sheave, the belt or both are very worn and the belt is “bottoming”. Belts, depending on the type, can ride at or above the highest point of the sheave, but they should never be allowed to touch the bottom of the groove. If they do, the sheave should be replaced immediately.

How to be sure?

A handy, inexpensive tool to have on hand is a Sheave Gage (Part #006346). For use with all classical, narrow and A/B combination sheaves, choose the proper key based on the belt section and the size of the sheave. Insert it into the groove (Image 2) until the rim touches the flange, and if there is more than 1/32" of wear, the time has come to replace the part. If the wearing is premature, it could be caused by misalignment between the sheaves, thus forcing the belts in and out at an angle to the groove.

The cost of replacing the sheave is soon offset by the number of belts that will be quickly ruined if the sheave sidewalls are rounded, if they “touch bottom” and slip or burn, or through decreased performance levels as a result of reduced wedging action and less gripping power.



DRIVE SELECTION TABLES

DRIVE SELECTION TABLES

POWER RATING NOTICE

In the following tables, the power rating calculation is based on RMA/MPTA standards. Here are some considerations when consulting the tables.

Adjusted power rating

The basic power rating is evaluated according to the size of the sheaves and the speed of the drive. A length correction factor and an arc correction factor have to be applied to adjust this basic power rating depending on the ratio and the center distance. In the following tables, the adjusted power rating is presented, including both correction factors, compared to other existing tables that only show basic horsepower values.

When different center distances than those suggested (*)

To simplify these tables, a typical center distance has been evaluated for each sheave combination. For other center distances than those suggested in the tables, here are certain factors that should be taken into consideration:

Longer center distances mean slightly higher power ratings and inversely, shorter center distances mean lower power ratings. For high ratio drives, small center distance changes may affect the power rating considerably.

Minimum recommended diameter

According to the RMA, there are minimum recommended sheave diameters depending on the belt used. Drives not adhering to this standard have been calculated but are shown with a shaded area for practical purposes.

Maximum sheave rim speed

Standard Maska sheaves are designed to operate up to 6,500 FPM as per industry standards. Drives exceeding this speed require a ductile iron construction and are shown with a “-” sign in the table. In such cases, please contact our Technical Support Department for assistance at 1-800-463-8928.

For more detailed drive calculations and possibilities, please run our Drive Selection Program software available online at www.maskapulleys.com or contact our Technical Support Department at 1-800-463-8928.

| A & AX BELTS | | | | | | | | | | | |
|--------------|-------|--------------|--------------|-----------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | A | AX | RPM | A | AX | |
| 1 | 1.00 | 2.55 | 2.55 | 8.65 | 1750 | 1.12 | 1.64 | 3500 | 1.44 | 2.31 | 24 |
| 2 | 1.00 | 2.80 | 2.80 | 9.25 | 1750 | 1.47 | 2.00 | 3500 | 2.04 | 2.91 | 26 |
| 3 | 1.00 | 3.00 | 3.00 | 9.94 | 1750 | 1.77 | 2.30 | 3500 | 2.54 | 3.41 | 28 |
| 4 | 1.00 | 3.20 | 3.20 | 10.13 | 1750 | 2.06 | 2.58 | 3500 | 3.02 | 3.88 | 29 |
| 5 | 1.00 | 3.50 | 3.50 | 11.16 | 1750 | 2.52 | 3.04 | 3500 | 3.77 | 4.64 | 32 |
| 6 | 1.00 | 3.70 | 3.70 | 11.84 | 1750 | 2.84 | 3.36 | 3500 | 4.27 | 5.14 | 34 |
| 7 | 1.00 | 4.00 | 4.00 | 12.37 | 1750 | 3.29 | 3.80 | 3500 | 4.99 | 5.87 | 36 |
| 8 | 1.00 | 4.20 | 4.20 | 13.06 | 1750 | 3.62 | 4.12 | 3500 | 5.49 | 6.37 | 38 |
| 9 | 1.00 | 4.50 | 4.50 | 13.59 | 1750 | 4.08 | 4.58 | 3500 | 6.18 | 7.09 | 40 |
| 10 | 1.00 | 4.70 | 4.70 | 14.27 | 1750 | 4.41 | 4.90 | 3500 | 6.67 | 7.60 | 42 |
| 11 | 1.00 | 5.00 | 5.00 | 15.30 | 1750 | 4.90 | 5.39 | 3500 | 7.38 | 8.35 | 45 |
| 12 | 1.00 | 5.20 | 5.20 | 15.49 | 1750 | 5.20 | 5.69 | 3500 | 7.81 | 8.80 | 46 |
| 13 | 1.00 | 5.50 | 5.50 | 16.52 | 1750 | 5.70 | 6.18 | 3500 | 8.49 | 9.54 | 49 |
| 14 | 1.00 | 5.70 | 5.70 | 17.20 | 1750 | 6.04 | 6.51 | 3500 | 8.93 | 10.02 | 51 |
| 15 | 1.00 | 6.00 | 6.00 | 17.73 | 1750 | 6.51 | 6.97 | 3500 | 9.53 | 10.69 | 53 |
| 16 | 1.00 | 6.20 | 6.20 | 18.42 | 1750 | 6.84 | 7.30 | 3500 | 9.93 | 11.16 | 55 |
| 17 | 1.00 | 6.50 | 6.50 | 18.45 | 1750 | 7.28 | 7.72 | 3500 | 10.43 | 11.75 | 56 |
| 18 | 1.00 | 6.70 | 6.70 | 20.13 | 1750 | 7.67 | 8.12 | 3500 | 10.89 | 12.31 | 60 |
| 19 | 1.00 | 7.00 | 7.00 | 20.66 | 1750 | 8.14 | 8.58 | 3500 | 11.38 | 12.92 | 62 |
| 20 | 1.00 | 7.50 | 7.50 | 21.88 | 1750 | 8.93 | 9.36 | - | - | - | 66 |
| 21 | 1.00 | 7.75 | 7.75 | 22.48 | 1750 | 9.32 | 9.75 | - | - | - | 68 |
| 22 | 1.00 | 8.00 | 8.00 | 23.09 | 1750 | 9.71 | 10.13 | - | - | - | 70 |
| 23 | 1.00 | 8.50 | 8.50 | 24.81 | 1750 | 10.50 | 10.93 | - | - | - | 75 |
| 24 | 1.00 | 8.75 | 8.75 | 25.91 | 1750 | 10.91 | 11.34 | - | - | - | 78 |
| 25 | 1.00 | 9.00 | 9.00 | 25.52 | 1750 | 11.22 | 11.65 | - | - | - | 78 |
| 26 | 1.00 | 9.50 | 9.50 | 26.74 | 1750 | 11.95 | 12.40 | - | - | - | 82 |
| 27 | 1.00 | 9.75 | 9.75 | 27.84 | 1750 | 12.34 | 12.80 | - | - | - | 85 |
| 28 | 1.00 | 10.00 | 10.00 | 27.95 | 1750 | 12.66 | 13.13 | - | - | - | 86 |
| 29 | 1.00 | 10.50 | 10.50 | 29.17 | 1750 | 13.35 | 13.85 | - | - | - | 90 |
| 30 | 1.00 | 10.75 | 10.75 | 28.77 | 1750 | 13.62 | 14.14 | - | - | - | 90 |
| 31 | 1.00 | 11.00 | 11.00 | 28.38 | 1750 | 13.89 | 14.43 | - | - | - | 90 |
| 32 | 1.00 | 11.75 | 11.75 | 34.70 | 1750 | 15.13 | 15.76 | - | - | - | 105 |
| 33 | 1.00 | 12.00 | 12.00 | 34.31 | 1750 | 15.38 | 16.04 | - | - | - | 105 |
| 34 | 1.00 | 13.00 | 13.00 | 36.24 | 1750 | 16.52 | 17.34 | - | - | - | 112 |
| 35 | 1.02 | 10.50 | 10.75 | 28.97 | 1710 | 13.38 | 13.89 | - | - | - | 90 |
| 36 | 1.02 | 10.75 | 11.00 | 28.58 | 1711 | 13.65 | 14.18 | - | - | - | 90 |
| 37 | 1.02 | 11.75 | 12.00 | 34.51 | 1714 | 15.16 | 15.79 | - | - | - | 105 |
| 38 | 1.03 | 5.50 | 5.70 | 16.36 | 1691 | 5.75 | 6.23 | 3382 | 8.60 | 9.65 | 49 |
| 39 | 1.03 | 6.00 | 6.20 | 18.07 | 1696 | 6.59 | 7.05 | 3391 | 9.67 | 10.85 | 54 |
| 40 | 1.03 | 6.50 | 6.70 | 18.29 | 1700 | 7.32 | 7.77 | 3399 | 10.52 | 11.85 | 56 |
| 41 | 1.03 | 7.50 | 7.75 | 21.68 | 1695 | 8.97 | 9.41 | - | - | - | 66 |
| 42 | 1.03 | 7.75 | 8.00 | 22.79 | 1697 | 9.40 | 9.83 | - | - | - | 69 |
| 43 | 1.03 | 8.50 | 8.75 | 24.61 | 1701 | 10.54 | 10.97 | - | - | - | 75 |
| 44 | 1.03 | 8.75 | 9.00 | 25.72 | 1703 | 10.95 | 11.38 | - | - | - | 78 |
| 45 | 1.03 | 9.50 | 9.75 | 26.54 | 1706 | 11.98 | 12.44 | - | - | - | 82 |
| 46 | 1.03 | 9.75 | 10.00 | 28.15 | 1707 | 12.40 | 12.87 | - | - | - | 86 |
| 47 | 1.04 | 2.45 | 2.55 | 8.22 | 1688 | 1.02 | 1.55 | 3375 | 1.30 | 2.17 | 23 |
| 48 | 1.04 | 4.50 | 4.70 | 13.93 | 1679 | 4.16 | 4.67 | 3359 | 6.35 | 7.27 | 41 |
| 49 | 1.04 | 5.00 | 5.20 | 15.14 | 1686 | 4.96 | 5.45 | 3372 | 7.50 | 8.47 | 45 |
| 50 | 1.04 | 6.70 | 7.00 | 19.89 | 1678 | 7.74 | 8.18 | 3355 | 11.03 | 12.44 | 60 |

* See page 18

A & AX BELTS

| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | A | AX | | RPM | A | |
| 51 | 1.05 | 3.50 | 3.70 | 11.00 | 1661 | 2.60 | 3.12 | 3323 | 3.92 | 4.79 | 32 |
| 52 | 1.05 | 4.00 | 4.20 | 12.71 | 1671 | 3.38 | 3.90 | 3343 | 5.16 | 6.05 | 37 |
| 53 | 1.05 | 5.70 | 6.00 | 16.96 | 1666 | 6.11 | 6.58 | 3332 | 9.08 | 10.18 | 51 |
| 54 | 1.05 | 6.20 | 6.50 | 18.68 | 1672 | 6.94 | 7.40 | 3344 | 10.12 | 11.36 | 56 |
| 55 | 1.05 | 9.00 | 9.50 | 26.13 | 1660 | 11.35 | 11.79 | - | - | - | 80 |
| 56 | 1.05 | 9.50 | 10.00 | 27.84 | 1665 | 12.11 | 12.57 | - | - | - | 85 |
| 57 | 1.05 | 10.00 | 10.50 | 29.56 | 1669 | 12.84 | 13.33 | - | - | - | 90 |
| 58 | 1.05 | 10.50 | 11.00 | 28.77 | 1672 | 13.41 | 13.91 | - | - | - | 90 |
| 59 | 1.06 | 3.00 | 3.20 | 9.78 | 1649 | 1.85 | 2.38 | 3297 | 2.71 | 3.58 | 28 |
| 60 | 1.06 | 4.70 | 5.00 | 14.53 | 1650 | 4.51 | 5.02 | 3300 | 6.88 | 7.82 | 43 |
| 61 | 1.06 | 5.20 | 5.50 | 16.25 | 1659 | 5.34 | 5.83 | 3317 | 8.05 | 9.06 | 48 |
| 62 | 1.06 | 7.50 | 8.00 | 21.98 | 1644 | 9.04 | 9.48 | - | - | - | 67 |
| 63 | 1.06 | 8.00 | 8.50 | 23.20 | 1650 | 9.82 | 10.25 | - | - | - | 71 |
| 64 | 1.06 | 8.50 | 9.00 | 24.41 | 1655 | 10.58 | 11.01 | - | - | - | 75 |
| 65 | 1.07 | 2.80 | 3.00 | 9.10 | 1642 | 1.56 | 2.09 | 3285 | 2.22 | 3.09 | 26 |
| 66 | 1.07 | 4.20 | 4.50 | 13.32 | 1639 | 3.73 | 4.25 | 3279 | 5.71 | 6.61 | 39 |
| 67 | 1.07 | 6.50 | 7.00 | 20.05 | 1629 | 7.50 | 7.96 | 3259 | 10.82 | 12.17 | 60 |
| 68 | 1.07 | 7.00 | 7.50 | 20.77 | 1637 | 8.26 | 8.71 | 3274 | 11.62 | 13.17 | 63 |
| 69 | 1.07 | 10.00 | 10.75 | 29.36 | 1631 | 12.87 | 13.35 | - | - | - | 90 |
| 70 | 1.07 | 11.00 | 11.75 | 27.79 | 1641 | 13.96 | 14.51 | - | - | - | 90 |
| 71 | 1.08 | 3.70 | 4.00 | 11.60 | 1626 | 2.94 | 3.46 | 3253 | 4.47 | 5.35 | 34 |
| 72 | 1.08 | 5.70 | 6.20 | 17.31 | 1614 | 6.17 | 6.65 | 3229 | 9.20 | 10.31 | 52 |
| 73 | 1.08 | 6.00 | 6.50 | 17.84 | 1620 | 6.64 | 7.11 | 3241 | 9.79 | 10.97 | 54 |
| 74 | 1.08 | 6.20 | 6.70 | 18.52 | 1624 | 6.97 | 7.44 | 3248 | 10.19 | 11.43 | 56 |
| 75 | 1.08 | 8.75 | 9.50 | 25.32 | 1615 | 11.01 | 11.45 | - | - | - | 78 |
| 76 | 1.08 | 9.00 | 9.75 | 25.93 | 1619 | 11.38 | 11.82 | - | - | - | 80 |
| 77 | 1.08 | 9.75 | 10.50 | 27.75 | 1628 | 12.46 | 12.92 | - | - | - | 86 |
| 78 | 1.08 | 12.00 | 13.00 | 33.52 | 1618 | 15.47 | 16.13 | - | - | - | 105 |
| 79 | 1.08 | 13.00 | 14.00 | 35.45 | 1627 | 16.60 | 17.42 | - | - | - | 112 |
| 80 | 1.09 | 2.55 | 2.80 | 8.45 | 1607 | 1.22 | 1.75 | 3213 | 1.66 | 2.54 | 24 |
| 81 | 1.09 | 3.20 | 3.50 | 10.39 | 1610 | 2.19 | 2.72 | 3220 | 3.26 | 4.14 | 30 |
| 82 | 1.09 | 5.20 | 5.70 | 16.09 | 1603 | 5.38 | 5.87 | 3206 | 8.14 | 9.15 | 48 |
| 83 | 1.09 | 5.50 | 6.00 | 16.62 | 1610 | 5.84 | 6.33 | 3220 | 8.77 | 9.83 | 50 |
| 84 | 1.09 | 7.75 | 8.50 | 22.89 | 1600 | 9.49 | 9.93 | - | - | - | 70 |
| 85 | 1.09 | 8.00 | 8.75 | 23.50 | 1604 | 9.88 | 10.31 | - | - | - | 72 |
| 86 | 1.09 | 10.75 | 11.75 | 27.98 | 1604 | 13.72 | 14.24 | - | - | - | 90 |
| 87 | 1.09 | 11.00 | 12.00 | 35.09 | 1607 | 14.45 | 15.01 | - | - | - | 105 |
| 88 | 1.10 | 4.70 | 5.20 | 14.38 | 1589 | 4.56 | 5.06 | 3179 | 6.97 | 7.91 | 43 |
| 89 | 1.10 | 5.00 | 5.50 | 15.41 | 1598 | 5.05 | 5.54 | 3196 | 7.67 | 8.65 | 46 |
| 90 | 1.10 | 7.00 | 7.75 | 20.57 | 1586 | 8.29 | 8.74 | 3172 | 11.69 | 13.24 | 63 |
| 91 | 1.10 | 9.50 | 10.50 | 27.45 | 1587 | 12.15 | 12.61 | - | - | - | 85 |
| 92 | 1.10 | 9.75 | 10.75 | 27.55 | 1591 | 12.47 | 12.94 | - | - | - | 86 |
| 93 | 1.10 | 10.00 | 11.00 | 29.16 | 1594 | 12.89 | 13.37 | - | - | - | 90 |
| 94 | 1.10 | 11.75 | 13.00 | 33.72 | 1585 | 15.23 | 15.87 | - | - | - | 105 |
| 95 | 1.11 | 4.20 | 4.70 | 13.16 | 1573 | 3.77 | 4.29 | 3146 | 5.80 | 6.70 | 39 |
| 96 | 1.11 | 4.50 | 5.00 | 14.19 | 1583 | 4.26 | 4.77 | 3167 | 6.53 | 7.46 | 42 |
| 97 | 1.11 | 6.00 | 6.70 | 18.18 | 1574 | 6.70 | 7.17 | 3147 | 9.90 | 11.08 | 55 |
| 98 | 1.11 | 8.50 | 9.50 | 25.52 | 1571 | 10.72 | 11.16 | - | - | - | 78 |
| 99 | 1.11 | 8.75 | 9.75 | 25.12 | 1575 | 11.03 | 11.47 | - | - | - | 78 |
| 100 | 1.11 | 9.00 | 10.00 | 26.23 | 1579 | 11.43 | 11.87 | - | - | - | 81 |

* - See page 18

| A & AX BELTS | | | | | | | | | | | |
|--------------|-------|--------------|--------------|-----------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | A | AX | RPM | A | AX | |
| 101 | 1.11 | 10.75 | 12.00 | 27.78 | 1571 | 13.73 | 14.25 | - | - | - | 90 |
| 102 | 1.12 | 4.00 | 4.50 | 12.47 | 1566 | 3.45 | 3.97 | 3132 | 5.31 | 6.20 | 37 |
| 103 | 1.12 | 5.50 | 6.20 | 16.46 | 1560 | 5.87 | 6.36 | 3120 | 8.83 | 9.89 | 50 |
| 104 | 1.12 | 6.20 | 7.00 | 18.28 | 1557 | 7.01 | 7.48 | 3114 | 10.28 | 11.52 | 56 |
| 105 | 1.12 | 6.70 | 7.50 | 20.00 | 1569 | 7.84 | 8.29 | 3139 | 11.23 | 12.66 | 61 |
| 106 | 1.12 | 8.00 | 9.00 | 23.30 | 1561 | 9.90 | 10.34 | - | - | - | 72 |
| 107 | 1.12 | 10.50 | 11.75 | 28.18 | 1568 | 13.46 | 13.97 | - | - | - | 90 |
| 108 | 1.13 | 2.45 | 2.80 | 8.53 | 1549 | 1.13 | 1.66 | 3098 | 1.50 | 2.39 | 24 |
| 109 | 1.13 | 2.80 | 3.20 | 8.94 | 1547 | 1.62 | 2.15 | 3094 | 2.34 | 3.22 | 26 |
| 110 | 1.13 | 3.50 | 4.00 | 11.26 | 1544 | 2.69 | 3.22 | 3088 | 4.10 | 4.99 | 33 |
| 111 | 1.13 | 3.70 | 4.20 | 11.95 | 1553 | 3.00 | 3.53 | 3107 | 4.60 | 5.49 | 35 |
| 112 | 1.13 | 5.00 | 5.70 | 15.25 | 1544 | 5.08 | 5.58 | 3088 | 7.74 | 8.72 | 46 |
| 113 | 1.13 | 5.70 | 6.50 | 17.07 | 1543 | 6.21 | 6.69 | 3085 | 9.29 | 10.40 | 52 |
| 114 | 1.13 | 7.50 | 8.50 | 22.08 | 1550 | 9.13 | 9.57 | - | - | - | 68 |
| 115 | 1.13 | 7.75 | 8.75 | 22.69 | 1556 | 9.51 | 9.95 | - | - | - | 70 |
| 116 | 1.13 | 9.50 | 10.75 | 27.75 | 1551 | 12.20 | 12.66 | - | - | - | 86 |
| 117 | 1.13 | 9.75 | 11.00 | 27.35 | 1556 | 12.49 | 12.96 | - | - | - | 86 |
| 118 | 1.14 | 3.20 | 3.70 | 10.23 | 1528 | 2.23 | 2.76 | 3057 | 3.36 | 4.25 | 30 |
| 119 | 1.14 | 7.00 | 8.00 | 20.87 | 1538 | 8.35 | 8.80 | 3076 | 11.79 | 13.35 | 64 |
| 120 | 1.14 | 8.50 | 9.75 | 25.32 | 1531 | 10.74 | 11.18 | - | - | - | 78 |
| 121 | 1.14 | 8.75 | 10.00 | 25.92 | 1537 | 11.11 | 11.55 | - | - | - | 80 |
| 122 | 1.14 | 10.50 | 12.00 | 27.98 | 1536 | 13.47 | 13.98 | - | - | - | 90 |
| 123 | 1.15 | 3.00 | 3.50 | 10.04 | 1517 | 1.95 | 2.49 | 3033 | 2.90 | 3.79 | 29 |
| 124 | 1.15 | 4.50 | 5.20 | 14.03 | 1525 | 4.29 | 4.80 | 3050 | 6.60 | 7.53 | 42 |
| 125 | 1.15 | 5.20 | 6.00 | 15.85 | 1526 | 5.42 | 5.91 | 3052 | 8.23 | 9.24 | 48 |
| 126 | 1.15 | 6.50 | 7.50 | 19.65 | 1524 | 7.56 | 8.02 | 3048 | 10.95 | 12.31 | 60 |
| 127 | 1.15 | 6.70 | 7.75 | 19.80 | 1520 | 7.86 | 8.31 | 3041 | 11.28 | 12.71 | 61 |
| 128 | 1.15 | 9.50 | 11.00 | 27.55 | 1517 | 12.21 | 12.67 | - | - | - | 86 |
| 129 | 1.15 | 13.00 | 15.00 | 38.66 | 1520 | 16.90 | 17.74 | - | - | - | 120 |
| 130 | 1.16 | 2.55 | 3.00 | 8.79 | 1508 | 1.29 | 1.83 | 3015 | 1.79 | 2.68 | 25 |
| 131 | 1.16 | 4.00 | 4.70 | 12.82 | 1503 | 3.51 | 4.04 | 3005 | 5.41 | 6.32 | 38 |
| 132 | 1.16 | 4.70 | 5.50 | 14.64 | 1507 | 4.63 | 5.14 | 3013 | 7.10 | 8.06 | 44 |
| 133 | 1.16 | 6.00 | 7.00 | 17.94 | 1509 | 6.73 | 7.20 | 3017 | 9.97 | 11.16 | 55 |
| 134 | 1.16 | 7.50 | 8.75 | 22.39 | 1507 | 9.18 | 9.62 | - | - | - | 69 |
| 135 | 1.16 | 7.75 | 9.00 | 22.99 | 1514 | 9.56 | 10.01 | - | - | - | 71 |
| 136 | 1.16 | 9.00 | 10.50 | 26.33 | 1506 | 11.49 | 11.94 | - | - | - | 82 |
| 137 | 1.16 | 12.00 | 14.00 | 35.23 | 1504 | 15.66 | 16.33 | - | - | - | 110 |
| 138 | 1.17 | 2.35 | 2.80 | 8.10 | 1492 | 1.01 | 1.54 | 2984 | 1.31 | 2.21 | 23 |
| 139 | 1.17 | 5.50 | 6.50 | 16.72 | 1491 | 5.93 | 6.42 | 2981 | 8.95 | 10.02 | 51 |
| 140 | 1.17 | 5.70 | 6.70 | 17.41 | 1498 | 6.27 | 6.75 | 2996 | 9.38 | 10.50 | 53 |
| 141 | 1.17 | 8.50 | 10.00 | 25.12 | 1494 | 10.75 | 11.19 | - | - | - | 78 |
| 142 | 1.17 | 10.00 | 11.75 | 28.56 | 1495 | 12.92 | 13.41 | - | - | - | 90 |
| 143 | 1.18 | 4.20 | 5.00 | 13.42 | 1483 | 3.84 | 4.37 | 2967 | 5.94 | 6.85 | 40 |
| 144 | 1.18 | 5.20 | 6.20 | 16.19 | 1479 | 5.47 | 5.97 | 2957 | 8.32 | 9.34 | 49 |
| 145 | 1.18 | 8.00 | 9.50 | 24.40 | 1481 | 10.02 | 10.47 | - | - | - | 75 |
| 146 | 1.18 | 11.00 | 13.00 | 34.30 | 1486 | 14.49 | 15.05 | - | - | - | 105 |
| 147 | 1.19 | 3.50 | 4.20 | 11.10 | 1475 | 2.73 | 3.26 | 2949 | 4.18 | 5.06 | 33 |
| 148 | 1.19 | 5.00 | 6.00 | 15.01 | 1470 | 5.11 | 5.61 | 2940 | 7.81 | 8.80 | 46 |
| 149 | 1.19 | 6.50 | 7.75 | 19.45 | 1477 | 7.58 | 8.04 | 2953 | 10.99 | 12.35 | 60 |
| 150 | 1.19 | 6.70 | 8.00 | 20.10 | 1474 | 7.91 | 8.37 | 2948 | 11.37 | 12.80 | 62 |

* - See page 18

A & AX BELTS

| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | A | AX | | RPM | A | |
| 151 | 1.19 | 7.50 | 9.00 | 22.18 | 1466 | 9.19 | 9.64 | - | - | - | 69 |
| 152 | 1.19 | 8.75 | 10.50 | 25.52 | 1465 | 11.13 | 11.57 | - | - | - | 80 |
| 153 | 1.19 | 9.00 | 10.75 | 26.13 | 1472 | 11.49 | 11.95 | - | - | - | 82 |
| 154 | 1.19 | 11.75 | 14.00 | 32.92 | 1474 | 15.26 | 15.90 | - | - | - | 105 |
| 155 | 1.20 | 2.45 | 3.00 | 8.37 | 1454 | 1.17 | 1.70 | 2908 | 1.60 | 2.49 | 24 |
| 156 | 1.20 | 3.70 | 4.50 | 11.71 | 1455 | 3.05 | 3.58 | 2911 | 4.70 | 5.59 | 35 |
| 157 | 1.20 | 4.70 | 5.70 | 14.48 | 1456 | 4.65 | 5.16 | 2912 | 7.15 | 8.10 | 44 |
| 158 | 1.20 | 6.20 | 7.50 | 17.88 | 1456 | 7.05 | 7.52 | 2913 | 10.37 | 11.62 | 56 |
| 159 | 1.20 | 9.75 | 11.75 | 28.76 | 1458 | 12.64 | 13.12 | - | - | - | 90 |
| 160 | 1.20 | 10.00 | 12.00 | 28.36 | 1464 | 12.93 | 13.41 | - | - | - | 90 |
| 161 | 1.20 | 10.75 | 13.00 | 34.49 | 1453 | 14.22 | 14.77 | - | - | - | 105 |
| 162 | 1.21 | 4.50 | 5.50 | 14.29 | 1446 | 4.35 | 4.87 | 2891 | 6.71 | 7.65 | 43 |
| 163 | 1.21 | 5.50 | 6.70 | 17.06 | 1448 | 5.98 | 6.47 | 2896 | 9.03 | 10.11 | 52 |
| 164 | 1.21 | 7.00 | 8.50 | 20.97 | 1450 | 8.41 | 8.86 | 2900 | 11.91 | 13.48 | 65 |
| 165 | 1.21 | 8.00 | 9.75 | 24.20 | 1444 | 10.03 | 10.48 | - | - | - | 75 |
| 166 | 1.22 | 3.00 | 3.70 | 9.88 | 1440 | 1.99 | 2.52 | 2880 | 2.97 | 3.86 | 29 |
| 167 | 1.22 | 4.20 | 5.20 | 13.26 | 1429 | 3.87 | 4.39 | 2858 | 5.98 | 6.90 | 40 |
| 168 | 1.22 | 5.70 | 7.00 | 17.67 | 1436 | 6.32 | 6.81 | 2872 | 9.48 | 10.60 | 54 |
| 169 | 1.22 | 6.50 | 8.00 | 19.75 | 1432 | 7.62 | 8.09 | 2864 | 11.07 | 12.44 | 61 |
| 170 | 1.22 | 7.75 | 9.50 | 23.09 | 1436 | 9.62 | 10.06 | - | - | - | 72 |
| 171 | 1.22 | 8.75 | 10.75 | 25.82 | 1432 | 11.16 | 11.61 | - | - | - | 81 |
| 172 | 1.22 | 9.00 | 11.00 | 25.93 | 1439 | 11.50 | 11.95 | - | - | - | 82 |
| 173 | 1.23 | 2.55 | 3.20 | 8.63 | 1420 | 1.33 | 1.87 | 2841 | 1.87 | 2.77 | 25 |
| 174 | 1.23 | 2.80 | 3.50 | 9.70 | 1423 | 1.71 | 2.25 | 2847 | 2.50 | 3.40 | 28 |
| 175 | 1.23 | 3.20 | 4.00 | 10.49 | 1421 | 2.30 | 2.84 | 2841 | 3.49 | 4.38 | 31 |
| 176 | 1.23 | 5.00 | 6.20 | 15.85 | 1424 | 5.19 | 5.69 | 2849 | 7.94 | 8.94 | 48 |
| 177 | 1.23 | 8.50 | 10.50 | 24.71 | 1424 | 10.76 | 11.20 | - | - | - | 78 |
| 178 | 1.23 | 9.50 | 11.75 | 28.95 | 1422 | 12.35 | 12.82 | - | - | - | 90 |
| 179 | 1.23 | 9.75 | 12.00 | 28.55 | 1429 | 12.64 | 13.12 | - | - | - | 90 |
| 180 | 1.23 | 10.50 | 13.00 | 27.17 | 1420 | 13.48 | 13.99 | - | - | - | 90 |
| 181 | 1.24 | 4.00 | 5.00 | 12.58 | 1417 | 3.55 | 4.07 | 2833 | 5.49 | 6.39 | 38 |
| 182 | 1.24 | 5.20 | 6.50 | 15.95 | 1413 | 5.49 | 5.99 | 2826 | 8.37 | 9.39 | 49 |
| 183 | 1.24 | 6.00 | 7.50 | 18.04 | 1411 | 6.79 | 7.27 | 2823 | 10.09 | 11.29 | 56 |
| 184 | 1.24 | 6.20 | 7.75 | 19.68 | 1411 | 7.19 | 7.67 | 2822 | 10.59 | 11.86 | 60 |
| 185 | 1.24 | 7.00 | 8.75 | 21.27 | 1410 | 8.45 | 8.91 | 2819 | 11.98 | 13.56 | 66 |
| 186 | 1.24 | 8.00 | 10.00 | 24.00 | 1409 | 10.04 | 10.48 | - | - | - | 75 |
| 187 | 1.24 | 12.00 | 15.00 | 34.42 | 1406 | 15.66 | 16.34 | - | - | - | 110 |
| 188 | 1.25 | 2.35 | 3.00 | 8.44 | 1400 | 1.06 | 1.60 | 2800 | 1.41 | 2.31 | 24 |
| 189 | 1.25 | 3.70 | 4.70 | 12.05 | 1396 | 3.10 | 3.63 | 2793 | 4.78 | 5.68 | 36 |
| 190 | 1.25 | 4.50 | 5.70 | 14.13 | 1397 | 4.37 | 4.88 | 2794 | 6.75 | 7.69 | 43 |
| 191 | 1.25 | 7.75 | 9.75 | 22.89 | 1400 | 9.62 | 10.07 | - | - | - | 72 |
| 192 | 1.25 | 8.75 | 11.00 | 26.12 | 1400 | 11.20 | 11.65 | - | - | - | 82 |
| 193 | 1.26 | 4.70 | 6.00 | 14.74 | 1386 | 4.70 | 5.21 | 2772 | 7.24 | 8.20 | 45 |
| 194 | 1.26 | 5.50 | 7.00 | 16.82 | 1388 | 6.00 | 6.49 | 2776 | 9.07 | 10.15 | 52 |
| 195 | 1.26 | 6.70 | 8.50 | 20.20 | 1390 | 7.96 | 8.42 | 2780 | 11.47 | 12.91 | 63 |
| 196 | 1.26 | 7.50 | 9.50 | 22.28 | 1391 | 9.24 | 9.68 | - | - | - | 70 |
| 197 | 1.26 | 8.50 | 10.75 | 25.51 | 1392 | 10.83 | 11.27 | - | - | - | 80 |
| 198 | 1.26 | 9.50 | 12.00 | 28.75 | 1393 | 12.35 | 12.82 | - | - | - | 90 |
| 199 | 1.27 | 3.50 | 4.50 | 11.36 | 1382 | 2.78 | 3.32 | 2763 | 4.28 | 5.18 | 34 |
| 200 | 1.27 | 11.00 | 14.00 | 33.49 | 1382 | 14.49 | 15.06 | - | - | - | 105 |

* - See page 18

| A & AX BELTS | | | | | | | | | | | |
|--------------|-------|--------------|--------------|-----------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | A | AX | RPM | A | AX | |
| 201 | 1.27 | 11.75 | 15.00 | 34.61 | 1377 | 15.42 | 16.06 | - | - | - | 110 |
| 202 | 1.28 | 2.45 | 3.20 | 8.71 | 1370 | 1.22 | 1.75 | 2739 | 1.68 | 2.58 | 25 |
| 203 | 1.28 | 4.00 | 5.20 | 12.91 | 1365 | 3.59 | 4.12 | 2729 | 5.56 | 6.48 | 39 |
| 204 | 1.28 | 5.20 | 6.70 | 16.29 | 1372 | 5.53 | 6.03 | 2745 | 8.44 | 9.47 | 50 |
| 205 | 1.28 | 6.00 | 7.75 | 17.83 | 1367 | 6.80 | 7.28 | 2734 | 10.11 | 11.31 | 56 |
| 206 | 1.28 | 6.20 | 8.00 | 19.48 | 1368 | 7.20 | 7.68 | 2736 | 10.62 | 11.89 | 60 |
| 207 | 1.28 | 7.00 | 9.00 | 21.07 | 1372 | 8.46 | 8.91 | 2743 | 12.00 | 13.58 | 66 |
| 208 | 1.28 | 7.75 | 10.00 | 22.69 | 1366 | 9.62 | 10.07 | - | - | - | 72 |
| 209 | 1.29 | 3.20 | 4.20 | 10.83 | 1357 | 2.34 | 2.88 | 2713 | 3.57 | 4.47 | 32 |
| 210 | 1.29 | 4.20 | 5.50 | 13.52 | 1354 | 3.91 | 4.44 | 2709 | 6.07 | 6.99 | 41 |
| 211 | 1.29 | 5.00 | 6.50 | 15.60 | 1361 | 5.20 | 5.71 | 2722 | 7.98 | 8.97 | 48 |
| 212 | 1.29 | 6.70 | 8.75 | 20.50 | 1351 | 8.00 | 8.46 | 2703 | 11.53 | 12.98 | 64 |
| 213 | 1.29 | 7.50 | 9.75 | 22.58 | 1356 | 9.27 | 9.72 | - | - | - | 71 |
| 214 | 1.29 | 8.50 | 11.00 | 25.31 | 1361 | 10.83 | 11.27 | - | - | - | 80 |
| 215 | 1.29 | 10.00 | 13.00 | 27.55 | 1354 | 12.92 | 13.41 | - | - | - | 90 |
| 216 | 1.30 | 2.80 | 3.70 | 9.54 | 1351 | 1.73 | 2.27 | 2703 | 2.56 | 3.46 | 28 |
| 217 | 1.30 | 4.70 | 6.20 | 15.07 | 1343 | 4.74 | 5.25 | 2686 | 7.31 | 8.28 | 46 |
| 218 | 1.30 | 5.70 | 7.50 | 17.77 | 1344 | 6.37 | 6.86 | 2687 | 9.58 | 10.71 | 55 |
| 219 | 1.30 | 6.50 | 8.50 | 19.85 | 1350 | 7.67 | 8.13 | 2700 | 11.16 | 12.53 | 62 |
| 220 | 1.30 | 8.00 | 10.50 | 23.59 | 1343 | 10.04 | 10.48 | - | - | - | 75 |
| 221 | 1.30 | 9.00 | 11.75 | 26.83 | 1349 | 11.60 | 12.05 | - | - | - | 85 |
| 222 | 1.30 | 10.75 | 14.00 | 33.68 | 1351 | 14.22 | 14.77 | - | - | - | 105 |
| 223 | 1.31 | 3.00 | 4.00 | 10.14 | 1338 | 2.04 | 2.58 | 2676 | 3.07 | 3.97 | 30 |
| 224 | 1.32 | 3.50 | 4.70 | 11.70 | 1326 | 2.82 | 3.36 | 2652 | 4.35 | 5.25 | 35 |
| 225 | 1.32 | 4.50 | 6.00 | 14.39 | 1330 | 4.41 | 4.93 | 2660 | 6.83 | 7.77 | 44 |
| 226 | 1.32 | 5.00 | 6.70 | 15.94 | 1322 | 5.24 | 5.75 | 2644 | 8.04 | 9.04 | 49 |
| 227 | 1.32 | 6.00 | 8.00 | 17.63 | 1326 | 6.80 | 7.28 | 2652 | 10.13 | 11.32 | 56 |
| 228 | 1.32 | 7.50 | 10.00 | 22.88 | 1323 | 9.30 | 9.75 | - | - | - | 72 |
| 229 | 1.32 | 9.00 | 12.00 | 27.12 | 1321 | 11.63 | 12.08 | - | - | - | 86 |
| 230 | 1.33 | 2.35 | 3.20 | 8.28 | 1319 | 1.09 | 1.62 | 2638 | 1.46 | 2.37 | 24 |
| 231 | 1.33 | 3.70 | 5.00 | 12.30 | 1317 | 3.14 | 3.68 | 2633 | 4.87 | 5.77 | 37 |
| 232 | 1.33 | 5.20 | 7.00 | 16.05 | 1316 | 5.54 | 6.04 | 2631 | 8.46 | 9.49 | 50 |
| 233 | 1.33 | 6.50 | 8.75 | 20.15 | 1313 | 7.70 | 8.17 | 2625 | 11.22 | 12.59 | 63 |
| 234 | 1.33 | 6.70 | 9.00 | 20.29 | 1315 | 8.00 | 8.46 | 2630 | 11.54 | 12.99 | 64 |
| 235 | 1.33 | 8.00 | 10.75 | 23.39 | 1313 | 10.04 | 10.48 | - | - | - | 75 |
| 236 | 1.33 | 8.75 | 11.75 | 25.51 | 1313 | 11.19 | 11.64 | - | - | - | 82 |
| 237 | 1.33 | 9.75 | 13.00 | 27.74 | 1321 | 12.63 | 13.11 | - | - | - | 90 |
| 238 | 1.33 | 10.50 | 14.00 | 33.87 | 1320 | 13.94 | 14.47 | - | - | - | 105 |
| 239 | 1.34 | 2.55 | 3.50 | 8.89 | 1307 | 1.38 | 1.92 | 2613 | 1.97 | 2.87 | 26 |
| 240 | 1.34 | 4.20 | 5.70 | 13.36 | 1309 | 3.92 | 4.45 | 2618 | 6.09 | 7.02 | 41 |
| 241 | 1.34 | 5.70 | 7.75 | 17.56 | 1302 | 6.37 | 6.86 | 2603 | 9.59 | 10.72 | 55 |
| 242 | 1.34 | 7.00 | 9.50 | 21.16 | 1301 | 8.49 | 8.95 | 2603 | 12.07 | 13.65 | 67 |
| 243 | 1.34 | 7.75 | 10.50 | 23.78 | 1302 | 9.72 | 10.17 | - | - | - | 75 |
| 244 | 1.35 | 4.00 | 5.50 | 13.17 | 1293 | 3.63 | 4.16 | 2587 | 5.64 | 6.56 | 40 |
| 245 | 1.35 | 5.50 | 7.50 | 17.42 | 1298 | 6.07 | 6.57 | 2597 | 9.20 | 10.29 | 54 |
| 246 | 1.36 | 4.50 | 6.20 | 14.23 | 1289 | 4.42 | 4.94 | 2578 | 6.84 | 7.79 | 44 |
| 247 | 1.36 | 4.70 | 6.50 | 14.83 | 1283 | 4.74 | 5.26 | 2567 | 7.33 | 8.30 | 46 |
| 248 | 1.36 | 6.20 | 8.50 | 19.08 | 1290 | 7.20 | 7.68 | 2580 | 10.64 | 11.91 | 60 |
| 249 | 1.36 | 8.00 | 11.00 | 24.69 | 1283 | 10.13 | 10.58 | - | - | - | 78 |
| 250 | 1.36 | 8.75 | 12.00 | 26.81 | 1286 | 11.28 | 11.74 | - | - | - | 85 |

* - See page 18

A & AX BELTS

| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | A | AX | | RPM | A | |
| 251 | 1.36 | 9.50 | 13.00 | 27.93 | 1288 | 12.34 | 12.81 | - | - | - | 90 |
| 252 | 1.36 | 11.00 | 15.00 | 32.68 | 1291 | 14.47 | 15.04 | - | - | - | 105 |
| 253 | 1.37 | 3.00 | 4.20 | 9.98 | 1278 | 2.05 | 2.59 | 2556 | 3.10 | 4.00 | 30 |
| 254 | 1.37 | 6.50 | 9.00 | 19.94 | 1277 | 7.70 | 8.17 | 2554 | 11.23 | 12.60 | 63 |
| 255 | 1.37 | 8.50 | 11.75 | 25.70 | 1276 | 10.88 | 11.33 | - | - | - | 82 |
| 256 | 1.38 | 3.20 | 4.50 | 10.59 | 1271 | 2.36 | 2.90 | 2542 | 3.61 | 4.51 | 32 |
| 257 | 1.38 | 3.70 | 5.20 | 12.14 | 1268 | 3.15 | 3.69 | 2537 | 4.89 | 5.79 | 37 |
| 258 | 1.38 | 5.00 | 7.00 | 15.70 | 1267 | 5.24 | 5.75 | 2534 | 8.06 | 9.06 | 49 |
| 259 | 1.38 | 7.00 | 9.75 | 21.46 | 1269 | 8.52 | 8.98 | 2538 | 12.12 | 13.70 | 68 |
| 260 | 1.38 | 7.75 | 10.75 | 23.58 | 1273 | 9.72 | 10.16 | - | - | - | 75 |
| 261 | 1.38 | 13.00 | 18.00 | 40.24 | 1271 | 17.16 | 18.01 | - | - | - | 128 |
| 262 | 1.39 | 2.45 | 3.50 | 8.46 | 1260 | 1.25 | 1.78 | 2520 | 1.74 | 2.64 | 25 |
| 263 | 1.39 | 2.80 | 4.00 | 9.79 | 1256 | 1.77 | 2.32 | 2512 | 2.63 | 3.54 | 29 |
| 264 | 1.39 | 5.50 | 7.75 | 17.21 | 1258 | 6.07 | 6.57 | 2516 | 9.21 | 10.30 | 54 |
| 265 | 1.39 | 5.70 | 8.00 | 17.86 | 1262 | 6.41 | 6.90 | 2524 | 9.65 | 10.78 | 56 |
| 266 | 1.39 | 7.50 | 10.50 | 22.47 | 1262 | 9.30 | 9.75 | - | - | - | 72 |
| 267 | 1.39 | 10.00 | 14.00 | 26.74 | 1259 | 12.89 | 13.37 | - | - | - | 90 |
| 268 | 1.39 | 10.75 | 15.00 | 32.87 | 1262 | 14.20 | 14.74 | - | - | - | 105 |
| 269 | 1.40 | 3.50 | 5.00 | 11.45 | 1250 | 2.83 | 3.37 | 2500 | 4.38 | 5.29 | 35 |
| 270 | 1.40 | 4.00 | 5.70 | 13.01 | 1250 | 3.63 | 4.16 | 2500 | 5.65 | 6.57 | 40 |
| 271 | 1.40 | 4.20 | 6.00 | 13.61 | 1246 | 3.96 | 4.49 | 2492 | 6.16 | 7.08 | 42 |
| 272 | 1.40 | 4.70 | 6.70 | 14.67 | 1246 | 4.75 | 5.26 | 2493 | 7.34 | 8.31 | 46 |
| 273 | 1.40 | 6.00 | 8.50 | 19.23 | 1250 | 6.93 | 7.42 | 2500 | 10.33 | 11.55 | 60 |
| 274 | 1.40 | 6.20 | 8.75 | 19.37 | 1254 | 7.23 | 7.71 | 2508 | 10.69 | 11.97 | 61 |
| 275 | 1.40 | 6.70 | 9.50 | 20.89 | 1247 | 8.06 | 8.53 | 2495 | 11.64 | 13.10 | 66 |
| 276 | 1.40 | 8.50 | 12.00 | 25.50 | 1250 | 10.87 | 11.32 | - | - | - | 82 |
| 277 | 1.41 | 2.55 | 3.70 | 8.72 | 1241 | 1.40 | 1.93 | 2481 | 2.00 | 2.90 | 26 |
| 278 | 1.41 | 7.00 | 10.00 | 21.75 | 1238 | 8.55 | 9.01 | 2476 | 12.16 | 13.75 | 69 |
| 279 | 1.41 | 7.75 | 11.00 | 23.37 | 1244 | 9.71 | 10.16 | - | - | - | 75 |
| 280 | 1.42 | 4.50 | 6.50 | 14.48 | 1231 | 4.45 | 4.97 | 2463 | 6.90 | 7.85 | 45 |
| 281 | 1.42 | 5.20 | 7.50 | 16.64 | 1231 | 5.60 | 6.11 | 2461 | 8.58 | 9.62 | 52 |
| 282 | 1.42 | 7.50 | 10.75 | 23.77 | 1233 | 9.39 | 9.84 | - | - | - | 75 |
| 283 | 1.42 | 10.50 | 15.00 | 33.06 | 1234 | 13.92 | 14.45 | - | - | - | 105 |
| 284 | 1.43 | 3.20 | 4.70 | 10.92 | 1220 | 2.39 | 2.93 | 2439 | 3.66 | 4.57 | 33 |
| 285 | 1.43 | 5.50 | 8.00 | 17.51 | 1220 | 6.10 | 6.60 | 2439 | 9.26 | 10.35 | 55 |
| 286 | 1.43 | 6.20 | 9.00 | 19.17 | 1220 | 7.23 | 7.71 | 2441 | 10.69 | 11.96 | 61 |
| 287 | 1.43 | 9.00 | 13.00 | 28.31 | 1222 | 11.72 | 12.19 | - | - | - | 90 |
| 288 | 1.43 | 9.75 | 14.00 | 26.92 | 1228 | 12.59 | 13.07 | - | - | - | 90 |
| 289 | 1.44 | 2.35 | 3.50 | 8.54 | 1213 | 1.12 | 1.66 | 2427 | 1.53 | 2.44 | 25 |
| 290 | 1.44 | 6.00 | 8.75 | 19.02 | 1215 | 6.93 | 7.42 | 2431 | 10.34 | 11.55 | 60 |
| 291 | 1.44 | 6.50 | 9.50 | 20.03 | 1212 | 7.72 | 8.19 | 2423 | 11.27 | 12.65 | 64 |
| 292 | 1.44 | 6.70 | 9.75 | 20.68 | 1216 | 8.05 | 8.52 | 2433 | 11.64 | 13.10 | 66 |
| 293 | 1.45 | 3.50 | 5.20 | 11.79 | 1204 | 2.86 | 3.40 | 2408 | 4.43 | 5.34 | 36 |
| 294 | 1.45 | 4.20 | 6.20 | 13.95 | 1207 | 3.99 | 4.52 | 2415 | 6.21 | 7.14 | 43 |
| 295 | 1.45 | 7.50 | 11.00 | 23.56 | 1206 | 9.38 | 9.84 | - | - | - | 75 |
| 296 | 1.45 | 8.00 | 11.75 | 24.07 | 1203 | 10.11 | 10.56 | - | - | - | 78 |
| 297 | 1.46 | 2.45 | 3.70 | 8.80 | 1196 | 1.27 | 1.81 | 2392 | 1.79 | 2.70 | 26 |
| 298 | 1.46 | 2.80 | 4.20 | 9.63 | 1199 | 1.78 | 2.32 | 2399 | 2.65 | 3.56 | 29 |
| 299 | 1.46 | 3.00 | 4.50 | 10.24 | 1197 | 2.08 | 2.63 | 2395 | 3.16 | 4.06 | 31 |
| 300 | 1.46 | 3.70 | 5.50 | 12.40 | 1202 | 3.18 | 3.72 | 2404 | 4.94 | 5.86 | 38 |

* - See page 18

| A & AX BELTS | | | | | | | | | | | |
|--------------|-------|--------------|--------------|-----------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | A | AX | RPM | A | AX | |
| 301 | 1.46 | 4.50 | 6.70 | 14.82 | 1196 | 4.48 | 5.00 | 2392 | 6.95 | 7.91 | 46 |
| 302 | 1.46 | 4.70 | 7.00 | 15.42 | 1195 | 4.81 | 5.33 | 2390 | 7.44 | 8.42 | 48 |
| 303 | 1.46 | 9.50 | 14.00 | 27.11 | 1197 | 12.30 | 12.76 | - | - | - | 90 |
| 304 | 1.47 | 4.00 | 6.00 | 13.26 | 1190 | 3.66 | 4.20 | 2380 | 5.71 | 6.63 | 41 |
| 305 | 1.47 | 5.20 | 7.75 | 16.43 | 1192 | 5.60 | 6.11 | 2384 | 8.58 | 9.62 | 52 |
| 306 | 1.47 | 5.70 | 8.50 | 17.45 | 1190 | 6.40 | 6.89 | 2380 | 9.65 | 10.78 | 56 |
| 307 | 1.47 | 6.70 | 10.00 | 20.98 | 1187 | 8.08 | 8.55 | 2373 | 11.69 | 13.14 | 67 |
| 308 | 1.47 | 8.75 | 13.00 | 26.49 | 1189 | 11.28 | 11.74 | - | - | - | 86 |
| 309 | 1.48 | 5.00 | 7.50 | 16.29 | 1185 | 5.30 | 5.81 | 2371 | 8.16 | 9.17 | 51 |
| 310 | 1.48 | 6.00 | 9.00 | 18.82 | 1182 | 6.93 | 7.41 | 2365 | 10.33 | 11.55 | 60 |
| 311 | 1.48 | 6.50 | 9.75 | 20.33 | 1181 | 7.75 | 8.22 | 2363 | 11.32 | 12.70 | 65 |
| 312 | 1.48 | 7.00 | 10.50 | 21.84 | 1180 | 8.57 | 9.03 | 2360 | 12.20 | 13.79 | 70 |
| 313 | 1.48 | 8.00 | 12.00 | 24.87 | 1179 | 10.17 | 10.62 | - | - | - | 80 |
| 314 | 1.49 | 10.00 | 15.00 | 33.43 | 1176 | 13.33 | 13.84 | - | - | - | 105 |
| 315 | 1.49 | 12.00 | 18.00 | 36.98 | 1175 | 15.90 | 16.59 | - | - | - | 120 |
| 316 | 1.50 | 7.75 | 11.75 | 24.26 | 1167 | 9.78 | 10.24 | - | - | - | 78 |
| 317 | 1.51 | 3.70 | 5.70 | 12.23 | 1162 | 3.18 | 3.72 | 2324 | 4.95 | 5.86 | 38 |
| 318 | 1.51 | 5.20 | 8.00 | 16.73 | 1156 | 5.63 | 6.14 | 2312 | 8.62 | 9.66 | 53 |
| 319 | 1.51 | 5.70 | 8.75 | 17.24 | 1157 | 6.39 | 6.88 | 2314 | 9.64 | 10.77 | 56 |
| 320 | 1.51 | 6.20 | 9.50 | 19.76 | 1158 | 7.28 | 7.76 | 2315 | 10.78 | 12.06 | 63 |
| 321 | 1.51 | 8.50 | 13.00 | 26.18 | 1156 | 10.93 | 11.38 | - | - | - | 85 |
| 322 | 1.52 | 2.35 | 3.70 | 8.37 | 1152 | 1.13 | 1.67 | 2304 | 1.55 | 2.46 | 25 |
| 323 | 1.52 | 2.55 | 4.00 | 9.48 | 1153 | 1.44 | 1.98 | 2306 | 2.07 | 2.99 | 28 |
| 324 | 1.52 | 3.00 | 4.70 | 10.57 | 1149 | 2.11 | 2.66 | 2298 | 3.20 | 4.11 | 32 |
| 325 | 1.52 | 3.20 | 5.00 | 11.18 | 1150 | 2.42 | 2.96 | 2300 | 3.71 | 4.62 | 34 |
| 326 | 1.52 | 4.00 | 6.20 | 13.10 | 1153 | 3.66 | 4.20 | 2306 | 5.71 | 6.63 | 41 |
| 327 | 1.52 | 4.20 | 6.50 | 13.70 | 1154 | 3.99 | 4.52 | 2307 | 6.21 | 7.14 | 43 |
| 328 | 1.52 | 5.00 | 7.75 | 16.08 | 1148 | 5.30 | 5.81 | 2297 | 8.16 | 9.17 | 51 |
| 329 | 1.52 | 5.50 | 8.50 | 17.60 | 1150 | 6.12 | 6.62 | 2300 | 9.30 | 10.40 | 56 |
| 330 | 1.52 | 6.50 | 10.00 | 20.62 | 1152 | 7.78 | 8.25 | 2305 | 11.36 | 12.74 | 66 |
| 331 | 1.52 | 7.00 | 10.75 | 22.14 | 1153 | 8.59 | 9.05 | 2307 | 12.24 | 13.84 | 71 |
| 332 | 1.52 | 11.75 | 18.00 | 37.16 | 1151 | 15.64 | 16.30 | - | - | - | 120 |
| 333 | 1.53 | 3.50 | 5.50 | 12.04 | 1141 | 2.89 | 3.43 | 2283 | 4.48 | 5.39 | 37 |
| 334 | 1.53 | 4.50 | 7.00 | 14.57 | 1147 | 4.47 | 5.00 | 2293 | 6.95 | 7.91 | 46 |
| 335 | 1.53 | 7.75 | 12.00 | 24.05 | 1143 | 9.77 | 10.22 | - | - | - | 78 |
| 336 | 1.53 | 9.75 | 15.00 | 33.62 | 1148 | 13.03 | 13.52 | - | - | - | 105 |
| 337 | 1.54 | 9.00 | 14.00 | 27.48 | 1136 | 11.68 | 12.14 | - | - | - | 90 |
| 338 | 1.55 | 5.70 | 9.00 | 19.04 | 1126 | 6.51 | 7.01 | 2251 | 9.83 | 10.98 | 60 |
| 339 | 1.55 | 6.20 | 9.75 | 19.55 | 1129 | 7.28 | 7.76 | 2258 | 10.77 | 12.05 | 63 |
| 340 | 1.55 | 6.70 | 10.50 | 21.06 | 1131 | 8.10 | 8.56 | 2263 | 11.72 | 13.18 | 68 |
| 341 | 1.55 | 7.00 | 11.00 | 21.93 | 1128 | 8.58 | 9.04 | 2256 | 12.23 | 13.82 | 71 |
| 342 | 1.55 | 7.50 | 11.75 | 22.94 | 1130 | 9.35 | 9.81 | - | - | - | 75 |
| 343 | 1.56 | 2.80 | 4.50 | 9.88 | 1124 | 1.81 | 2.35 | 2247 | 2.70 | 3.61 | 30 |
| 344 | 1.56 | 4.20 | 6.70 | 14.04 | 1121 | 4.01 | 4.54 | 2241 | 6.25 | 7.19 | 44 |
| 345 | 1.56 | 6.00 | 9.50 | 18.90 | 1122 | 6.94 | 7.43 | 2244 | 10.37 | 11.58 | 61 |
| 346 | 1.56 | 9.50 | 15.00 | 26.27 | 1119 | 12.24 | 12.71 | - | - | - | 90 |
| 347 | 1.57 | 2.45 | 4.00 | 8.55 | 1112 | 1.28 | 1.82 | 2224 | 1.81 | 2.72 | 26 |
| 348 | 1.57 | 4.70 | 7.50 | 15.51 | 1118 | 4.83 | 5.35 | 2235 | 7.48 | 8.46 | 49 |
| 349 | 1.57 | 5.00 | 8.00 | 16.38 | 1114 | 5.32 | 5.84 | 2227 | 8.20 | 9.21 | 52 |
| 350 | 1.57 | 5.50 | 8.75 | 17.39 | 1118 | 6.12 | 6.62 | 2236 | 9.30 | 10.39 | 56 |

* - See page 18

A & AX BELTS

| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | A | AX | RPM | A | AX | |
| 351 | 1.58 | 2.25 | 3.70 | 8.45 | 1108 | 1.01 | 1.55 | 2215 | 1.33 | 2.25 | 25 |
| 352 | 1.58 | 3.20 | 5.20 | 11.01 | 1108 | 2.42 | 2.96 | 2216 | 3.72 | 4.63 | 34 |
| 353 | 1.58 | 3.70 | 6.00 | 12.48 | 1106 | 3.20 | 3.75 | 2212 | 4.99 | 5.91 | 39 |
| 354 | 1.58 | 6.70 | 10.75 | 21.36 | 1106 | 8.12 | 8.59 | 2211 | 11.75 | 13.22 | 69 |
| 355 | 1.58 | 7.50 | 12.00 | 24.24 | 1107 | 9.44 | 9.90 | - | - | - | 78 |
| 356 | 1.58 | 8.75 | 14.00 | 27.67 | 1105 | 11.37 | 11.82 | - | - | - | 90 |
| 357 | 1.59 | 2.55 | 4.20 | 9.31 | 1101 | 1.44 | 1.99 | 2202 | 2.08 | 3.00 | 28 |
| 358 | 1.59 | 3.50 | 5.70 | 11.88 | 1103 | 2.89 | 3.43 | 2206 | 4.48 | 5.40 | 37 |
| 359 | 1.59 | 4.00 | 6.50 | 13.35 | 1102 | 3.69 | 4.22 | 2204 | 5.75 | 6.68 | 42 |
| 360 | 1.59 | 6.20 | 10.00 | 19.84 | 1101 | 7.30 | 7.78 | 2202 | 10.81 | 12.09 | 64 |
| 361 | 1.59 | 6.50 | 10.50 | 20.71 | 1099 | 7.79 | 8.26 | 2198 | 11.39 | 12.77 | 67 |
| 362 | 1.60 | 6.00 | 9.75 | 19.19 | 1094 | 6.97 | 7.45 | 2188 | 10.40 | 11.62 | 62 |
| 363 | 1.61 | 5.20 | 8.50 | 16.81 | 1090 | 5.65 | 6.16 | 2180 | 8.66 | 9.70 | 54 |
| 364 | 1.61 | 5.50 | 9.00 | 17.18 | 1088 | 6.11 | 6.61 | 2176 | 9.29 | 10.38 | 56 |
| 365 | 1.61 | 8.00 | 13.00 | 25.04 | 1090 | 10.18 | 10.64 | - | - | - | 82 |
| 366 | 1.62 | 2.80 | 4.70 | 9.72 | 1078 | 1.81 | 2.35 | 2157 | 2.70 | 3.61 | 30 |
| 367 | 1.62 | 3.00 | 5.00 | 10.32 | 1083 | 2.11 | 2.66 | 2167 | 3.21 | 4.12 | 32 |
| 368 | 1.62 | 4.70 | 7.75 | 15.30 | 1083 | 4.82 | 5.34 | 2166 | 7.48 | 8.45 | 49 |
| 369 | 1.62 | 6.70 | 11.00 | 21.15 | 1081 | 8.11 | 8.58 | 2162 | 11.74 | 13.20 | 69 |
| 370 | 1.62 | 11.00 | 18.00 | 33.70 | 1079 | 14.56 | 15.13 | - | - | - | 112 |
| 371 | 1.63 | 2.35 | 4.00 | 8.63 | 1071 | 1.15 | 1.69 | 2141 | 1.59 | 2.51 | 26 |
| 372 | 1.63 | 3.70 | 6.20 | 12.82 | 1072 | 3.23 | 3.77 | 2143 | 5.03 | 5.95 | 40 |
| 373 | 1.63 | 4.20 | 7.00 | 14.29 | 1074 | 4.03 | 4.57 | 2148 | 6.29 | 7.23 | 45 |
| 374 | 1.63 | 4.50 | 7.50 | 15.16 | 1073 | 4.52 | 5.05 | 2145 | 7.04 | 8.00 | 48 |
| 375 | 1.63 | 6.50 | 10.75 | 21.00 | 1074 | 7.81 | 8.29 | 2148 | 11.42 | 12.81 | 68 |
| 376 | 1.63 | 8.50 | 14.00 | 25.84 | 1075 | 10.91 | 11.37 | - | - | - | 86 |
| 377 | 1.64 | 4.00 | 6.70 | 13.68 | 1070 | 3.71 | 4.25 | 2140 | 5.79 | 6.72 | 43 |
| 378 | 1.64 | 5.70 | 9.50 | 18.62 | 1068 | 6.50 | 6.99 | 2136 | 9.81 | 10.96 | 60 |
| 379 | 1.64 | 6.00 | 10.00 | 19.49 | 1067 | 6.99 | 7.48 | 2134 | 10.44 | 11.66 | 63 |
| 380 | 1.65 | 2.45 | 4.20 | 9.39 | 1062 | 1.31 | 1.86 | 2124 | 1.86 | 2.78 | 28 |
| 381 | 1.65 | 5.20 | 8.75 | 17.11 | 1060 | 5.67 | 6.18 | 2119 | 8.70 | 9.74 | 55 |
| 382 | 1.65 | 9.00 | 15.00 | 26.64 | 1061 | 11.62 | 12.08 | - | - | - | 90 |
| 383 | 1.66 | 7.00 | 11.75 | 21.80 | 1057 | 8.58 | 9.04 | 2115 | 12.23 | 13.83 | 72 |
| 384 | 1.66 | 7.75 | 13.00 | 24.72 | 1057 | 9.82 | 10.28 | - | - | - | 81 |
| 385 | 1.66 | 10.75 | 18.00 | 33.89 | 1055 | 14.28 | 14.83 | - | - | - | 112 |
| 386 | 1.67 | 3.20 | 5.50 | 11.26 | 1050 | 2.44 | 2.99 | 2100 | 3.75 | 4.67 | 35 |
| 387 | 1.67 | 3.50 | 6.00 | 12.13 | 1050 | 2.91 | 3.45 | 2100 | 4.52 | 5.44 | 38 |
| 388 | 1.67 | 4.70 | 8.00 | 15.59 | 1050 | 4.84 | 5.37 | 2100 | 7.52 | 8.49 | 50 |
| 389 | 1.67 | 5.00 | 8.50 | 16.46 | 1050 | 5.34 | 5.85 | 2100 | 8.23 | 9.24 | 53 |
| 390 | 1.67 | 6.20 | 10.50 | 19.92 | 1050 | 7.31 | 7.79 | 2100 | 10.83 | 12.11 | 65 |
| 391 | 1.67 | 6.50 | 11.00 | 20.79 | 1050 | 7.80 | 8.27 | 2100 | 11.41 | 12.79 | 68 |
| 392 | 1.68 | 3.00 | 5.20 | 10.66 | 1044 | 2.13 | 2.68 | 2087 | 3.24 | 4.16 | 33 |
| 393 | 1.68 | 4.50 | 7.75 | 14.95 | 1039 | 4.51 | 5.04 | 2078 | 7.03 | 7.99 | 48 |
| 394 | 1.68 | 5.70 | 9.75 | 18.41 | 1041 | 6.49 | 6.98 | 2083 | 9.80 | 10.94 | 60 |
| 395 | 1.69 | 7.00 | 12.00 | 23.10 | 1036 | 8.66 | 9.13 | 2071 | 12.36 | 13.97 | 75 |
| 396 | 1.69 | 8.75 | 15.00 | 26.82 | 1033 | 11.31 | 11.76 | - | - | - | 90 |
| 397 | 1.70 | 2.25 | 4.00 | 8.70 | 1029 | 1.02 | 1.57 | 2059 | 1.37 | 2.29 | 26 |
| 398 | 1.70 | 2.55 | 4.50 | 9.57 | 1032 | 1.46 | 2.01 | 2063 | 2.12 | 3.04 | 29 |
| 399 | 1.70 | 5.20 | 9.00 | 17.40 | 1031 | 5.69 | 6.20 | 2062 | 8.73 | 9.78 | 56 |
| 400 | 1.70 | 5.50 | 9.50 | 18.77 | 1032 | 6.22 | 6.72 | 2064 | 9.45 | 10.56 | 60 |

* - See page 18

| A & AX BELTS | | | | | | | | | | | |
|--------------|-------|--------------|--------------|-----------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | A | AX | RPM | A | AX | |
| 401 | 1.70 | 10.50 | 18.00 | 33.06 | 1031 | 13.92 | 14.45 | - | - | - | 110 |
| 402 | 1.71 | 2.35 | 4.20 | 8.46 | 1022 | 1.15 | 1.69 | 2045 | 1.60 | 2.51 | 26 |
| 403 | 1.71 | 3.70 | 6.50 | 12.57 | 1024 | 3.22 | 3.76 | 2048 | 5.02 | 5.94 | 40 |
| 404 | 1.71 | 4.00 | 7.00 | 13.43 | 1026 | 3.70 | 4.24 | 2052 | 5.78 | 6.71 | 43 |
| 405 | 1.71 | 5.00 | 8.75 | 16.75 | 1021 | 5.36 | 5.88 | 2042 | 8.26 | 9.28 | 54 |
| 406 | 1.71 | 6.20 | 10.75 | 20.22 | 1026 | 7.33 | 7.81 | 2052 | 10.87 | 12.15 | 66 |
| 407 | 1.71 | 7.50 | 13.00 | 24.40 | 1024 | 9.45 | 9.91 | - | - | - | 80 |
| 408 | 1.72 | 2.80 | 5.00 | 9.97 | 1017 | 1.83 | 2.37 | 2033 | 2.74 | 3.65 | 31 |
| 409 | 1.72 | 3.20 | 5.70 | 11.09 | 1015 | 2.44 | 2.98 | 2029 | 3.75 | 4.66 | 35 |
| 410 | 1.72 | 3.50 | 6.20 | 11.96 | 1017 | 2.90 | 3.45 | 2035 | 4.52 | 5.43 | 38 |
| 411 | 1.72 | 5.70 | 10.00 | 18.70 | 1016 | 6.51 | 7.00 | 2032 | 9.83 | 10.98 | 61 |
| 412 | 1.72 | 6.00 | 10.50 | 19.57 | 1017 | 7.00 | 7.49 | 2035 | 10.46 | 11.68 | 64 |
| 413 | 1.73 | 6.70 | 11.75 | 21.52 | 1014 | 8.13 | 8.61 | 2027 | 11.79 | 13.25 | 71 |
| 414 | 1.73 | 8.00 | 14.00 | 25.70 | 1013 | 10.23 | 10.68 | - | - | - | 85 |
| 415 | 1.74 | 4.20 | 7.50 | 14.37 | 1005 | 4.05 | 4.58 | 2010 | 6.32 | 7.26 | 46 |
| 416 | 1.74 | 4.50 | 8.00 | 15.24 | 1008 | 4.54 | 5.07 | 2015 | 7.06 | 8.02 | 49 |
| 417 | 1.74 | 5.50 | 9.75 | 18.56 | 1006 | 6.21 | 6.71 | 2013 | 9.44 | 10.55 | 60 |
| 418 | 1.74 | 6.20 | 11.00 | 20.51 | 1003 | 7.35 | 7.84 | 2007 | 10.90 | 12.19 | 67 |
| 419 | 1.74 | 8.50 | 15.00 | 27.01 | 1004 | 10.99 | 11.44 | - | - | - | 90 |
| 420 | 1.76 | 2.45 | 4.50 | 9.14 | 995 | 1.31 | 1.86 | 1989 | 1.87 | 2.79 | 28 |
| 421 | 1.76 | 3.70 | 6.70 | 12.90 | 995 | 3.24 | 3.79 | 1989 | 5.06 | 5.98 | 41 |
| 422 | 1.76 | 5.00 | 9.00 | 16.54 | 993 | 5.35 | 5.86 | 1986 | 8.25 | 9.27 | 54 |
| 423 | 1.76 | 6.00 | 10.75 | 19.86 | 994 | 7.02 | 7.51 | 1989 | 10.49 | 11.72 | 65 |
| 424 | 1.76 | 6.70 | 12.00 | 21.81 | 993 | 8.15 | 8.63 | 1986 | 11.82 | 13.29 | 72 |
| 425 | 1.77 | 2.55 | 4.70 | 9.40 | 990 | 1.46 | 2.01 | 1980 | 2.12 | 3.04 | 29 |
| 426 | 1.77 | 3.00 | 5.50 | 10.91 | 989 | 2.15 | 2.70 | 1978 | 3.27 | 4.19 | 34 |
| 427 | 1.77 | 4.70 | 8.50 | 15.67 | 990 | 4.86 | 5.38 | 1980 | 7.54 | 8.52 | 51 |
| 428 | 1.78 | 2.25 | 4.20 | 8.53 | 983 | 1.02 | 1.57 | 1966 | 1.37 | 2.29 | 26 |
| 429 | 1.78 | 5.50 | 10.00 | 18.34 | 982 | 6.19 | 6.70 | 1963 | 9.42 | 10.53 | 60 |
| 430 | 1.78 | 6.50 | 11.75 | 21.16 | 984 | 7.83 | 8.30 | 1969 | 11.45 | 12.84 | 70 |
| 431 | 1.78 | 7.75 | 14.00 | 24.38 | 982 | 9.79 | 10.25 | - | - | - | 82 |
| 432 | 1.78 | 10.00 | 18.00 | 30.91 | 983 | 13.16 | 13.66 | - | - | - | 105 |
| 433 | 1.79 | 2.80 | 5.20 | 10.30 | 979 | 1.84 | 2.39 | 1959 | 2.76 | 3.68 | 32 |
| 434 | 1.79 | 5.20 | 9.50 | 16.97 | 978 | 5.67 | 6.18 | 1956 | 8.70 | 9.75 | 56 |
| 435 | 1.80 | 3.50 | 6.50 | 12.21 | 972 | 2.92 | 3.47 | 1944 | 4.55 | 5.46 | 39 |
| 436 | 1.80 | 4.20 | 7.75 | 14.16 | 973 | 4.04 | 4.57 | 1947 | 6.31 | 7.25 | 46 |
| 437 | 1.80 | 6.00 | 11.00 | 19.65 | 972 | 7.01 | 7.49 | 1944 | 10.47 | 11.70 | 65 |
| 438 | 1.81 | 3.20 | 6.00 | 11.34 | 966 | 2.45 | 3.00 | 1932 | 3.78 | 4.70 | 36 |
| 439 | 1.81 | 5.70 | 10.50 | 18.78 | 969 | 6.51 | 7.01 | 1937 | 9.85 | 10.99 | 62 |
| 440 | 1.81 | 6.50 | 12.00 | 21.45 | 964 | 7.84 | 8.32 | 1929 | 11.48 | 12.87 | 71 |
| 441 | 1.82 | 4.00 | 7.50 | 14.01 | 960 | 3.74 | 4.28 | 1919 | 5.85 | 6.78 | 45 |
| 442 | 1.82 | 4.70 | 8.75 | 15.96 | 963 | 4.88 | 5.40 | 1925 | 7.57 | 8.55 | 52 |
| 443 | 1.83 | 2.35 | 4.50 | 9.21 | 958 | 1.18 | 1.73 | 1916 | 1.64 | 2.57 | 28 |
| 444 | 1.83 | 2.45 | 4.70 | 9.47 | 955 | 1.33 | 1.88 | 1909 | 1.89 | 2.82 | 29 |
| 445 | 1.83 | 3.00 | 5.70 | 10.74 | 956 | 2.14 | 2.69 | 1912 | 3.27 | 4.19 | 34 |
| 446 | 1.83 | 5.20 | 9.75 | 16.76 | 954 | 5.66 | 6.17 | 1908 | 8.68 | 9.73 | 56 |
| 447 | 1.83 | 7.00 | 13.00 | 22.25 | 958 | 8.61 | 9.07 | 1915 | 12.28 | 13.88 | 75 |
| 448 | 1.83 | 9.75 | 18.00 | 31.09 | 959 | 12.86 | 13.35 | - | - | - | 105 |
| 449 | 1.84 | 3.70 | 7.00 | 13.15 | 953 | 3.26 | 3.81 | 1907 | 5.09 | 6.01 | 42 |
| 450 | 1.84 | 4.50 | 8.50 | 15.31 | 950 | 4.55 | 5.08 | 1900 | 7.08 | 8.04 | 50 |

* - See page 18

A & AX BELTS

| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | A | AX | RPM | A | AX | |
| 451 | 1.84 | 7.50 | 14.00 | 24.56 | 952 | 9.46 | 9.92 | - | - | - | 82 |
| 452 | 1.85 | 3.50 | 6.70 | 12.54 | 944 | 2.94 | 3.49 | 1888 | 4.58 | 5.50 | 40 |
| 453 | 1.85 | 4.20 | 8.00 | 14.95 | 944 | 4.08 | 4.63 | 1888 | 6.38 | 7.33 | 48 |
| 454 | 1.85 | 5.70 | 10.75 | 19.07 | 947 | 6.53 | 7.03 | 1893 | 9.88 | 11.03 | 63 |
| 455 | 1.85 | 8.00 | 15.00 | 25.35 | 947 | 10.20 | 10.65 | - | - | - | 86 |
| 456 | 1.86 | 5.00 | 9.50 | 17.12 | 942 | 5.39 | 5.91 | 1885 | 8.31 | 9.34 | 56 |
| 457 | 1.86 | 6.20 | 11.75 | 20.87 | 941 | 7.37 | 7.86 | 1881 | 10.94 | 12.23 | 69 |
| 458 | 1.87 | 3.20 | 6.20 | 11.67 | 936 | 2.47 | 3.02 | 1872 | 3.81 | 4.73 | 37 |
| 459 | 1.87 | 4.70 | 9.00 | 16.25 | 936 | 4.89 | 5.42 | 1873 | 7.60 | 8.59 | 53 |
| 460 | 1.87 | 5.50 | 10.50 | 18.42 | 936 | 6.20 | 6.70 | 1872 | 9.44 | 10.54 | 61 |
| 461 | 1.87 | 9.50 | 18.00 | 31.27 | 935 | 12.55 | 13.03 | - | - | - | 105 |
| 462 | 1.88 | 2.55 | 5.00 | 9.65 | 933 | 1.47 | 2.02 | 1867 | 2.14 | 3.07 | 30 |
| 463 | 1.88 | 4.00 | 7.75 | 13.80 | 930 | 3.73 | 4.27 | 1859 | 5.83 | 6.77 | 45 |
| 464 | 1.88 | 5.20 | 10.00 | 18.56 | 930 | 5.77 | 6.29 | 1861 | 8.86 | 9.92 | 60 |
| 465 | 1.89 | 2.80 | 5.50 | 10.55 | 928 | 1.86 | 2.41 | 1857 | 2.79 | 3.71 | 33 |
| 466 | 1.89 | 4.50 | 8.75 | 15.60 | 924 | 4.56 | 5.10 | 1847 | 7.11 | 8.08 | 51 |
| 467 | 1.89 | 5.70 | 11.00 | 19.36 | 926 | 6.55 | 7.05 | 1851 | 9.91 | 11.06 | 64 |
| 468 | 1.90 | 2.25 | 4.50 | 8.27 | 921 | 1.02 | 1.56 | 1842 | 1.38 | 2.29 | 26 |
| 469 | 1.90 | 2.35 | 4.70 | 9.04 | 919 | 1.18 | 1.73 | 1838 | 1.64 | 2.57 | 28 |
| 470 | 1.90 | 5.00 | 9.75 | 16.90 | 919 | 5.37 | 5.89 | 1838 | 8.30 | 9.32 | 56 |
| 471 | 1.90 | 6.20 | 12.00 | 20.66 | 921 | 7.36 | 7.85 | 1843 | 10.92 | 12.21 | 69 |
| 472 | 1.91 | 5.50 | 10.75 | 18.71 | 915 | 6.22 | 6.72 | 1830 | 9.47 | 10.58 | 62 |
| 473 | 1.91 | 6.70 | 13.00 | 22.46 | 918 | 8.19 | 8.67 | 1836 | 11.88 | 13.35 | 75 |
| 474 | 1.91 | 7.75 | 15.00 | 25.53 | 918 | 9.86 | 10.32 | - | - | - | 86 |
| 475 | 1.92 | 3.00 | 6.00 | 10.98 | 910 | 2.16 | 2.71 | 1820 | 3.29 | 4.21 | 35 |
| 476 | 1.92 | 6.00 | 11.75 | 20.01 | 911 | 7.03 | 7.52 | 1823 | 10.51 | 11.74 | 67 |
| 477 | 1.93 | 3.50 | 7.00 | 12.79 | 905 | 2.95 | 3.51 | 1810 | 4.60 | 5.53 | 41 |
| 478 | 1.94 | 2.45 | 5.00 | 9.21 | 900 | 1.33 | 1.87 | 1800 | 1.89 | 2.81 | 29 |
| 479 | 1.94 | 4.00 | 8.00 | 14.09 | 902 | 3.75 | 4.29 | 1803 | 5.86 | 6.80 | 46 |
| 480 | 1.95 | 2.55 | 5.20 | 9.47 | 899 | 1.47 | 2.02 | 1798 | 2.14 | 3.06 | 30 |
| 481 | 1.95 | 2.80 | 5.70 | 10.38 | 897 | 1.85 | 2.40 | 1794 | 2.78 | 3.70 | 33 |
| 482 | 1.95 | 4.50 | 9.00 | 15.89 | 899 | 4.58 | 5.12 | 1797 | 7.14 | 8.11 | 52 |
| 483 | 1.95 | 5.00 | 10.00 | 16.69 | 896 | 5.36 | 5.88 | 1793 | 8.28 | 9.29 | 56 |
| 484 | 1.96 | 3.20 | 6.50 | 11.92 | 894 | 2.48 | 3.04 | 1789 | 3.83 | 4.76 | 38 |
| 485 | 1.96 | 3.70 | 7.50 | 13.22 | 892 | 3.27 | 3.82 | 1784 | 5.10 | 6.03 | 43 |
| 486 | 1.96 | 5.50 | 11.00 | 19.00 | 894 | 6.24 | 6.74 | 1789 | 9.49 | 10.61 | 63 |
| 487 | 1.96 | 6.00 | 12.00 | 20.30 | 893 | 7.05 | 7.54 | 1786 | 10.54 | 11.77 | 68 |
| 488 | 1.96 | 6.50 | 13.00 | 22.61 | 892 | 7.91 | 8.40 | 1783 | 11.59 | 12.99 | 75 |
| 489 | 1.97 | 4.20 | 8.50 | 15.03 | 890 | 4.09 | 4.63 | 1780 | 6.40 | 7.35 | 49 |
| 490 | 1.97 | 4.70 | 9.50 | 16.33 | 888 | 4.90 | 5.43 | 1777 | 7.61 | 8.60 | 54 |
| 491 | 1.97 | 5.20 | 10.50 | 18.13 | 887 | 5.74 | 6.26 | 1774 | 8.82 | 9.88 | 60 |
| 492 | 1.97 | 7.00 | 14.00 | 23.91 | 890 | 8.71 | 9.18 | 1781 | 12.43 | 14.05 | 80 |
| 493 | 1.97 | 7.50 | 15.00 | 25.21 | 889 | 9.49 | 9.95 | - | - | - | 85 |
| 494 | 1.97 | 9.00 | 18.00 | 31.63 | 887 | 11.92 | 12.39 | - | - | - | 105 |
| 495 | 1.98 | 2.25 | 4.70 | 9.11 | 884 | 1.05 | 1.60 | 1768 | 1.41 | 2.34 | 28 |
| 496 | 1.98 | 3.00 | 6.20 | 11.31 | 882 | 2.17 | 2.73 | 1764 | 3.32 | 4.24 | 36 |
| 497 | 2.01 | 3.20 | 6.70 | 11.75 | 869 | 2.48 | 3.03 | 1737 | 3.82 | 4.75 | 38 |
| 498 | 2.02 | 2.35 | 5.00 | 9.29 | 867 | 1.19 | 1.74 | 1733 | 1.66 | 2.59 | 29 |
| 499 | 2.02 | 2.45 | 5.20 | 9.55 | 867 | 1.34 | 1.89 | 1734 | 1.91 | 2.84 | 30 |
| 500 | 2.02 | 4.20 | 8.75 | 14.81 | 865 | 4.08 | 4.62 | 1731 | 6.38 | 7.33 | 49 |

* - See page 18

| A & AX BELTS | | | | | | | | | | | |
|-------------------------|-------|--------------|--------------|-----------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | A | AX | RPM | A | AX | |
| 501 | 2.02 | 4.70 | 9.75 | 16.61 | 866 | 4.92 | 5.45 | 1733 | 7.64 | 8.63 | 55 |
| 502 | 2.02 | 5.20 | 10.75 | 17.91 | 867 | 5.73 | 6.24 | 1734 | 8.80 | 9.86 | 60 |
| 503 | 2.02 | 5.70 | 11.75 | 19.72 | 868 | 6.57 | 7.07 | 1735 | 9.94 | 11.10 | 66 |
| 504 | 2.03 | 3.70 | 7.75 | 13.51 | 864 | 3.28 | 3.83 | 1728 | 5.13 | 6.06 | 44 |
| 505 | 2.03 | 8.75 | 18.00 | 31.82 | 863 | 11.60 | 12.06 | - | - | - | 105 |
| 506 | 2.05 | 2.55 | 5.50 | 9.72 | 852 | 1.48 | 2.03 | 1704 | 2.16 | 3.08 | 31 |
| 507 | 2.05 | 2.80 | 6.00 | 10.62 | 854 | 1.86 | 2.42 | 1708 | 2.80 | 3.73 | 34 |
| 508 | 2.05 | 4.50 | 9.50 | 15.96 | 853 | 4.59 | 5.12 | 1705 | 7.15 | 8.12 | 53 |
| 509 | 2.05 | 5.00 | 10.50 | 18.28 | 855 | 5.46 | 5.98 | 1709 | 8.43 | 9.46 | 60 |
| 510 | 2.05 | 6.20 | 13.00 | 21.31 | 852 | 7.40 | 7.88 | 1704 | 10.97 | 12.27 | 72 |
| 511 | 2.05 | 6.70 | 14.00 | 23.11 | 854 | 8.23 | 8.70 | 1707 | 11.93 | 13.41 | 78 |
| 512 | 2.06 | 4.00 | 8.50 | 14.66 | 850 | 3.78 | 4.33 | 1700 | 5.92 | 6.86 | 48 |
| 513 | 2.06 | 5.20 | 11.00 | 18.20 | 848 | 5.75 | 6.26 | 1696 | 8.83 | 9.89 | 61 |
| 514 | 2.06 | 5.70 | 12.00 | 20.01 | 850 | 6.59 | 7.09 | 1700 | 9.97 | 11.13 | 67 |
| 515 | 2.07 | 3.50 | 7.50 | 12.86 | 847 | 2.96 | 3.51 | 1694 | 4.61 | 5.54 | 42 |
| 516 | 2.07 | 4.70 | 10.00 | 16.90 | 845 | 4.94 | 5.47 | 1690 | 7.67 | 8.66 | 56 |
| 517 | 2.08 | 3.00 | 6.50 | 11.56 | 843 | 2.18 | 2.74 | 1685 | 3.34 | 4.27 | 37 |
| 518 | 2.08 | 4.20 | 9.00 | 15.10 | 842 | 4.10 | 4.64 | 1684 | 6.41 | 7.36 | 50 |
| 519 | 2.09 | 3.70 | 8.00 | 13.80 | 838 | 3.30 | 3.85 | 1676 | 5.15 | 6.09 | 45 |
| 520 | 2.09 | 5.50 | 11.75 | 19.36 | 839 | 6.26 | 6.77 | 1677 | 9.53 | 10.64 | 65 |
| 521 | 2.09 | 8.50 | 18.00 | 31.99 | 839 | 11.27 | 11.73 | - | - | - | 105 |
| 522 | 2.10 | 2.25 | 5.00 | 8.85 | 833 | 1.04 | 1.59 | 1667 | 1.41 | 2.34 | 28 |
| 523 | 2.10 | 2.35 | 5.20 | 9.11 | 835 | 1.19 | 1.74 | 1670 | 1.66 | 2.58 | 29 |
| 524 | 2.10 | 3.20 | 7.00 | 11.99 | 833 | 2.49 | 3.05 | 1666 | 3.84 | 4.77 | 39 |
| 525 | 2.10 | 5.00 | 10.75 | 18.06 | 835 | 5.44 | 5.97 | 1670 | 8.41 | 9.44 | 60 |
| 526 | 2.10 | 7.00 | 15.00 | 24.05 | 832 | 8.71 | 9.18 | 1664 | 12.43 | 14.05 | 82 |
| 527 | 2.11 | 2.80 | 6.20 | 10.95 | 828 | 1.88 | 2.43 | 1655 | 2.82 | 3.75 | 35 |
| 528 | 2.11 | 4.50 | 9.75 | 16.25 | 831 | 4.60 | 5.14 | 1663 | 7.18 | 8.15 | 54 |
| 529 | 2.11 | 6.50 | 14.00 | 23.26 | 829 | 7.95 | 8.43 | 1658 | 11.64 | 13.05 | 78 |
| 530 | 2.12 | 4.00 | 8.75 | 14.45 | 826 | 3.77 | 4.32 | 1653 | 5.90 | 6.84 | 48 |
| 531 | 2.12 | 6.00 | 13.00 | 20.94 | 825 | 7.08 | 7.57 | 1651 | 10.59 | 11.83 | 71 |
| 532 | 2.13 | 2.45 | 5.50 | 9.79 | 822 | 1.35 | 1.90 | 1643 | 1.92 | 2.86 | 31 |
| 533 | 2.13 | 2.55 | 5.70 | 10.05 | 824 | 1.49 | 2.05 | 1647 | 2.18 | 3.11 | 32 |
| 534 | 2.13 | 3.50 | 7.75 | 13.15 | 820 | 2.98 | 3.53 | 1641 | 4.64 | 5.57 | 43 |
| 535 | 2.13 | 5.50 | 12.00 | 19.64 | 821 | 6.27 | 6.78 | 1643 | 9.55 | 10.67 | 66 |
| 536 | 2.14 | 3.00 | 6.70 | 11.39 | 818 | 2.18 | 2.74 | 1637 | 3.33 | 4.26 | 37 |
| 537 | 2.14 | 5.00 | 11.00 | 17.84 | 817 | 5.43 | 5.95 | 1633 | 8.39 | 9.42 | 60 |
| 538 | 2.16 | 4.50 | 10.00 | 16.54 | 811 | 4.62 | 5.16 | 1622 | 7.20 | 8.18 | 55 |
| 539 | 2.17 | 4.70 | 10.50 | 16.46 | 806 | 4.91 | 5.44 | 1612 | 7.63 | 8.62 | 56 |
| 540 | 2.18 | 2.25 | 5.20 | 9.18 | 803 | 1.05 | 1.60 | 1606 | 1.42 | 2.36 | 29 |
| 541 | 2.18 | 4.00 | 9.00 | 14.73 | 804 | 3.79 | 4.33 | 1608 | 5.93 | 6.87 | 49 |
| 542 | 2.19 | 4.20 | 9.50 | 15.16 | 799 | 4.10 | 4.64 | 1597 | 6.42 | 7.37 | 51 |
| 543 | 2.19 | 6.70 | 15.00 | 23.25 | 798 | 8.22 | 8.70 | 1595 | 11.93 | 13.41 | 80 |
| 544 | 2.20 | 2.45 | 5.70 | 9.61 | 794 | 1.34 | 1.89 | 1588 | 1.92 | 2.85 | 31 |
| 545 | 2.20 | 3.50 | 8.00 | 12.93 | 795 | 2.97 | 3.52 | 1591 | 4.62 | 5.55 | 43 |
| 546 | 2.20 | 5.20 | 11.75 | 18.56 | 795 | 5.76 | 6.28 | 1590 | 8.86 | 9.92 | 63 |
| 547 | 2.21 | 2.35 | 5.50 | 9.36 | 791 | 1.20 | 1.75 | 1583 | 1.67 | 2.60 | 30 |
| 548 | 2.21 | 2.80 | 6.50 | 10.69 | 791 | 1.87 | 2.42 | 1581 | 2.81 | 3.74 | 35 |
| 549 | 2.21 | 6.20 | 14.00 | 21.95 | 792 | 7.43 | 7.92 | 1584 | 11.02 | 12.32 | 75 |
| 550 | 2.21 | 8.00 | 18.00 | 24.73 | 791 | 10.10 | 10.55 | - | - | - | 90 |

* - See page 18

A & AX BELTS

| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | A | AX | RPM | A | AX | |
| 551 | 2.22 | 3.70 | 8.50 | 13.87 | 790 | 3.30 | 3.86 | 1580 | 5.16 | 6.10 | 46 |
| 552 | 2.22 | 4.70 | 10.75 | 16.24 | 788 | 4.89 | 5.42 | 1575 | 7.61 | 8.59 | 56 |
| 553 | 2.23 | 2.55 | 6.00 | 10.29 | 784 | 1.50 | 2.06 | 1568 | 2.19 | 3.13 | 33 |
| 554 | 2.23 | 3.00 | 7.00 | 11.63 | 784 | 2.19 | 2.75 | 1569 | 3.35 | 4.28 | 38 |
| 555 | 2.23 | 5.70 | 13.00 | 20.14 | 786 | 6.59 | 7.09 | 1572 | 9.97 | 11.13 | 69 |
| 556 | 2.25 | 3.20 | 7.50 | 12.06 | 779 | 2.49 | 3.05 | 1558 | 3.85 | 4.78 | 40 |
| 557 | 2.25 | 4.20 | 9.75 | 15.45 | 779 | 4.12 | 4.66 | 1558 | 6.44 | 7.40 | 52 |
| 558 | 2.25 | 5.20 | 12.00 | 18.84 | 779 | 5.78 | 6.30 | 1557 | 8.88 | 9.95 | 64 |
| 559 | 2.26 | 4.50 | 10.50 | 16.60 | 773 | 4.62 | 5.16 | 1547 | 7.21 | 8.19 | 56 |
| 560 | 2.26 | 6.50 | 15.00 | 23.39 | 775 | 7.94 | 8.43 | 1549 | 11.63 | 13.04 | 80 |
| 561 | 2.27 | 4.70 | 11.00 | 18.05 | 770 | 5.00 | 5.54 | 1540 | 7.77 | 8.78 | 60 |
| 562 | 2.28 | 2.80 | 6.70 | 11.02 | 768 | 1.88 | 2.44 | 1536 | 2.83 | 3.76 | 36 |
| 563 | 2.28 | 3.70 | 8.75 | 13.64 | 768 | 3.29 | 3.84 | 1536 | 5.15 | 6.08 | 46 |
| 564 | 2.28 | 6.00 | 14.00 | 22.09 | 768 | 7.14 | 7.64 | 1535 | 10.69 | 11.94 | 75 |
| 565 | 2.28 | 7.75 | 18.00 | 24.91 | 767 | 9.77 | 10.22 | - | - | - | 90 |
| 566 | 2.29 | 2.35 | 5.70 | 9.69 | 765 | 1.21 | 1.76 | 1529 | 1.68 | 2.62 | 31 |
| 567 | 2.29 | 4.00 | 9.50 | 14.80 | 763 | 3.79 | 4.34 | 1526 | 5.93 | 6.88 | 50 |
| 568 | 2.29 | 5.00 | 11.75 | 18.19 | 766 | 5.45 | 5.97 | 1531 | 8.41 | 9.45 | 62 |
| 569 | 2.30 | 2.25 | 5.50 | 9.43 | 761 | 1.06 | 1.61 | 1522 | 1.43 | 2.37 | 30 |
| 570 | 2.30 | 2.55 | 6.20 | 10.12 | 760 | 1.50 | 2.05 | 1519 | 2.19 | 3.12 | 33 |
| 571 | 2.30 | 4.20 | 10.00 | 15.74 | 760 | 4.13 | 4.68 | 1520 | 6.46 | 7.42 | 53 |
| 572 | 2.30 | 5.50 | 13.00 | 19.77 | 759 | 6.27 | 6.78 | 1519 | 9.56 | 10.67 | 68 |
| 573 | 2.31 | 2.45 | 6.00 | 9.86 | 756 | 1.35 | 1.90 | 1512 | 1.93 | 2.87 | 32 |
| 574 | 2.32 | 3.20 | 7.75 | 12.34 | 755 | 2.51 | 3.07 | 1509 | 3.87 | 4.81 | 41 |
| 575 | 2.32 | 4.50 | 10.75 | 16.38 | 756 | 4.61 | 5.14 | 1511 | 7.19 | 8.16 | 56 |
| 576 | 2.33 | 3.50 | 8.50 | 13.50 | 750 | 2.99 | 3.55 | 1500 | 4.67 | 5.60 | 45 |
| 577 | 2.33 | 5.00 | 12.00 | 18.47 | 750 | 5.46 | 5.99 | 1500 | 8.44 | 9.47 | 63 |
| 578 | 2.34 | 3.70 | 9.00 | 14.44 | 747 | 3.33 | 3.89 | 1495 | 5.21 | 6.15 | 48 |
| 579 | 2.35 | 4.00 | 9.75 | 15.08 | 744 | 3.80 | 4.35 | 1488 | 5.95 | 6.90 | 51 |
| 580 | 2.35 | 7.50 | 18.00 | 25.08 | 743 | 9.43 | 9.89 | - | - | - | 90 |
| 581 | 2.36 | 6.20 | 15.00 | 22.58 | 740 | 7.45 | 7.94 | 1480 | 11.06 | 12.37 | 78 |
| 582 | 2.37 | 4.50 | 11.00 | 16.16 | 739 | 4.59 | 5.13 | 1478 | 7.16 | 8.14 | 56 |
| 583 | 2.38 | 2.25 | 5.70 | 9.25 | 735 | 1.06 | 1.61 | 1471 | 1.43 | 2.36 | 30 |
| 584 | 2.38 | 2.80 | 7.00 | 11.26 | 736 | 1.89 | 2.45 | 1472 | 2.85 | 3.78 | 37 |
| 585 | 2.38 | 3.00 | 7.50 | 11.69 | 734 | 2.19 | 2.75 | 1468 | 3.35 | 4.29 | 39 |
| 586 | 2.39 | 2.45 | 6.20 | 10.19 | 733 | 1.36 | 1.92 | 1465 | 1.95 | 2.89 | 33 |
| 587 | 2.39 | 3.20 | 8.00 | 12.63 | 732 | 2.52 | 3.08 | 1464 | 3.89 | 4.83 | 42 |
| 588 | 2.39 | 5.70 | 14.00 | 20.77 | 731 | 6.62 | 7.12 | 1461 | 10.02 | 11.18 | 72 |
| 589 | 2.40 | 2.35 | 6.00 | 9.93 | 728 | 1.21 | 1.77 | 1456 | 1.70 | 2.64 | 32 |
| 590 | 2.40 | 3.50 | 8.75 | 13.78 | 729 | 3.01 | 3.57 | 1458 | 4.69 | 5.63 | 46 |
| 591 | 2.41 | 2.55 | 6.50 | 10.36 | 726 | 1.51 | 2.06 | 1452 | 2.20 | 3.13 | 34 |
| 592 | 2.41 | 4.00 | 10.00 | 15.37 | 726 | 3.82 | 4.37 | 1451 | 5.98 | 6.93 | 52 |
| 593 | 2.42 | 4.20 | 10.50 | 15.80 | 724 | 4.13 | 4.68 | 1449 | 6.47 | 7.43 | 54 |
| 594 | 2.42 | 4.70 | 11.75 | 17.89 | 722 | 4.98 | 5.52 | 1444 | 7.75 | 8.75 | 61 |
| 595 | 2.43 | 5.20 | 13.00 | 19.47 | 720 | 5.81 | 6.33 | 1440 | 8.93 | 10.00 | 67 |
| 596 | 2.44 | 6.00 | 15.00 | 22.72 | 717 | 7.17 | 7.67 | 1434 | 10.73 | 11.98 | 78 |
| 597 | 2.46 | 3.00 | 7.75 | 11.98 | 711 | 2.20 | 2.77 | 1422 | 3.37 | 4.31 | 40 |
| 598 | 2.47 | 3.50 | 9.00 | 13.56 | 709 | 3.00 | 3.55 | 1419 | 4.67 | 5.61 | 46 |
| 599 | 2.47 | 3.70 | 9.50 | 14.50 | 709 | 3.33 | 3.89 | 1418 | 5.21 | 6.16 | 49 |
| 600 | 2.47 | 4.20 | 10.75 | 16.08 | 708 | 4.15 | 4.70 | 1416 | 6.49 | 7.45 | 55 |

* - See page 18

A & AX BELTS

| | Ratio | Datum | Datum | Center | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------|--------|----------|-------------------|-----------|------|-------------------|-----------|-------|-----------------|
| | | Driver | Driven | Distance | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | in | in | in | RPM | A | AX | RPM | A | AX | |
| 601 | 2.47 | 4.70 | 12.00 | 17.66 | 707 | 4.97 | 5.50 | 1414 | 7.73 | 8.73 | 61 |
| 602 | 2.48 | 2.35 | 6.20 | 9.75 | 705 | 1.21 | 1.76 | 1411 | 1.69 | 2.63 | 32 |
| 603 | 2.48 | 2.55 | 6.70 | 10.69 | 705 | 1.52 | 2.08 | 1410 | 2.21 | 3.16 | 35 |
| 604 | 2.48 | 5.50 | 14.00 | 20.91 | 706 | 6.33 | 6.85 | 1412 | 9.65 | 10.77 | 72 |
| 605 | 2.50 | 2.25 | 6.00 | 9.49 | 700 | 1.06 | 1.62 | 1400 | 1.44 | 2.38 | 31 |
| 606 | 2.50 | 2.45 | 6.50 | 10.43 | 700 | 1.37 | 1.93 | 1400 | 1.96 | 2.90 | 34 |
| 607 | 2.52 | 5.00 | 13.00 | 19.10 | 693 | 5.49 | 6.02 | 1387 | 8.48 | 9.52 | 66 |
| 608 | 2.52 | 7.00 | 18.00 | 25.43 | 695 | 8.74 | 9.22 | 1390 | 12.49 | 14.12 | 90 |
| 609 | 2.53 | 3.70 | 9.75 | 14.78 | 691 | 3.35 | 3.91 | 1383 | 5.23 | 6.18 | 50 |
| 610 | 2.53 | 4.00 | 10.50 | 15.94 | 692 | 3.84 | 4.40 | 1384 | 6.02 | 6.98 | 54 |
| 611 | 2.53 | 4.20 | 11.00 | 16.36 | 692 | 4.16 | 4.71 | 1384 | 6.51 | 7.48 | 56 |
| 612 | 2.53 | 4.50 | 11.75 | 17.52 | 693 | 4.67 | 5.21 | 1385 | 7.28 | 8.27 | 60 |
| 613 | 2.54 | 2.80 | 7.50 | 11.83 | 689 | 1.91 | 2.48 | 1377 | 2.88 | 3.83 | 39 |
| 614 | 2.54 | 3.00 | 8.00 | 12.26 | 689 | 2.22 | 2.78 | 1379 | 3.39 | 4.33 | 41 |
| 615 | 2.54 | 3.20 | 8.50 | 13.20 | 690 | 2.54 | 3.11 | 1380 | 3.93 | 4.88 | 44 |
| 616 | 2.56 | 5.70 | 15.00 | 21.40 | 683 | 6.64 | 7.15 | 1366 | 10.05 | 11.22 | 75 |
| 617 | 2.57 | 2.45 | 6.70 | 10.25 | 680 | 1.36 | 1.92 | 1360 | 1.95 | 2.89 | 34 |
| 618 | 2.58 | 2.25 | 6.20 | 9.82 | 678 | 1.07 | 1.63 | 1357 | 1.45 | 2.40 | 32 |
| 619 | 2.58 | 4.50 | 12.00 | 17.80 | 679 | 4.68 | 5.22 | 1357 | 7.30 | 8.29 | 61 |
| 620 | 2.59 | 2.55 | 7.00 | 10.93 | 676 | 1.53 | 2.09 | 1352 | 2.23 | 3.17 | 36 |
| 621 | 2.59 | 3.70 | 10.00 | 15.07 | 674 | 3.36 | 3.92 | 1349 | 5.25 | 6.20 | 51 |
| 622 | 2.59 | 4.00 | 10.75 | 15.71 | 676 | 3.83 | 4.38 | 1352 | 6.00 | 6.96 | 54 |
| 623 | 2.60 | 2.35 | 6.50 | 9.99 | 674 | 1.22 | 1.77 | 1348 | 1.70 | 2.64 | 33 |
| 624 | 2.60 | 3.50 | 9.50 | 14.13 | 673 | 3.02 | 3.58 | 1346 | 4.71 | 5.66 | 48 |
| 625 | 2.61 | 3.20 | 8.75 | 12.97 | 671 | 2.53 | 3.10 | 1342 | 3.91 | 4.86 | 44 |
| 626 | 2.61 | 5.20 | 14.00 | 20.10 | 669 | 5.84 | 6.36 | 1339 | 8.97 | 10.04 | 70 |
| 627 | 2.62 | 2.80 | 7.75 | 11.60 | 667 | 1.90 | 2.47 | 1334 | 2.87 | 3.81 | 39 |
| 628 | 2.63 | 6.70 | 18.00 | 25.64 | 666 | 8.32 | 8.80 | 1333 | 12.08 | 13.58 | 90 |
| 629 | 2.65 | 4.00 | 11.00 | 15.99 | 661 | 3.84 | 4.40 | 1322 | 6.02 | 6.98 | 55 |
| 630 | 2.65 | 5.50 | 15.00 | 21.53 | 660 | 6.35 | 6.87 | 1320 | 9.68 | 10.81 | 75 |
| 631 | 2.67 | 2.35 | 6.70 | 10.32 | 655 | 1.23 | 1.79 | 1309 | 1.71 | 2.66 | 34 |
| 632 | 2.67 | 3.50 | 9.75 | 14.41 | 656 | 3.03 | 3.60 | 1313 | 4.73 | 5.68 | 49 |
| 633 | 2.68 | 3.20 | 9.00 | 13.26 | 653 | 2.54 | 3.11 | 1305 | 3.93 | 4.88 | 45 |
| 634 | 2.68 | 4.70 | 13.00 | 18.80 | 654 | 5.02 | 5.57 | 1308 | 7.81 | 8.83 | 65 |
| 635 | 2.69 | 2.45 | 7.00 | 10.48 | 652 | 1.37 | 1.93 | 1303 | 1.96 | 2.91 | 35 |
| 636 | 2.69 | 3.00 | 8.50 | 12.83 | 650 | 2.24 | 2.81 | 1300 | 3.42 | 4.37 | 43 |
| 637 | 2.70 | 2.25 | 6.50 | 10.06 | 648 | 1.08 | 1.64 | 1296 | 1.46 | 2.41 | 33 |
| 638 | 2.70 | 2.80 | 8.00 | 11.89 | 647 | 1.91 | 2.48 | 1294 | 2.88 | 3.83 | 40 |
| 639 | 2.70 | 4.20 | 11.75 | 17.73 | 649 | 4.23 | 4.79 | 1298 | 6.62 | 7.60 | 60 |
| 640 | 2.70 | 6.50 | 18.00 | 25.78 | 647 | 8.04 | 8.53 | 1295 | 11.78 | 13.21 | 90 |
| 641 | 2.71 | 5.00 | 14.00 | 19.72 | 645 | 5.51 | 6.05 | 1289 | 8.52 | 9.57 | 69 |
| 642 | 2.72 | 3.70 | 10.50 | 15.12 | 643 | 3.36 | 3.92 | 1286 | 5.25 | 6.21 | 52 |
| 643 | 2.73 | 3.50 | 10.00 | 14.69 | 640 | 3.05 | 3.61 | 1280 | 4.75 | 5.70 | 50 |
| 644 | 2.75 | 4.20 | 12.00 | 17.50 | 636 | 4.21 | 4.77 | 1271 | 6.60 | 7.57 | 60 |
| 645 | 2.77 | 2.55 | 7.50 | 10.98 | 632 | 1.53 | 2.09 | 1265 | 2.23 | 3.18 | 37 |
| 646 | 2.77 | 3.00 | 8.75 | 12.60 | 632 | 2.23 | 2.79 | 1264 | 3.41 | 4.35 | 43 |
| 647 | 2.78 | 2.25 | 6.70 | 9.87 | 629 | 1.07 | 1.63 | 1259 | 1.46 | 2.40 | 33 |
| 648 | 2.78 | 3.70 | 10.75 | 15.40 | 628 | 3.37 | 3.93 | 1257 | 5.27 | 6.23 | 53 |
| 649 | 2.79 | 2.35 | 7.00 | 10.55 | 628 | 1.23 | 1.79 | 1255 | 1.72 | 2.68 | 35 |
| 650 | 2.79 | 4.50 | 13.00 | 18.42 | 627 | 4.70 | 5.25 | 1255 | 7.34 | 8.33 | 64 |

* - See page 18

A & AX BELTS

| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|-------------------|-----------|------|-------------------|-----------|-------|--------------|
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | A | AX | RPM | A | AX | |
| 651 | 2.80 | 5.20 | 15.00 | 20.20 | 625 | 5.83 | 6.35 | 1251 | 8.96 | 10.03 | 72 |
| 652 | 2.82 | 4.00 | 11.75 | 15.81 | 620 | 3.83 | 4.38 | 1240 | 6.00 | 6.95 | 56 |
| 653 | 2.83 | 3.20 | 9.50 | 13.31 | 619 | 2.54 | 3.11 | 1238 | 3.93 | 4.88 | 46 |
| 654 | 2.83 | 6.20 | 18.00 | 23.93 | 618 | 7.48 | 7.98 | 1237 | 11.11 | 12.42 | 86 |
| 655 | 2.85 | 3.00 | 9.00 | 12.88 | 615 | 2.24 | 2.81 | 1230 | 3.42 | 4.37 | 44 |
| 656 | 2.85 | 3.70 | 11.00 | 15.69 | 614 | 3.38 | 3.95 | 1229 | 5.29 | 6.25 | 54 |
| 657 | 2.86 | 2.55 | 7.75 | 11.26 | 613 | 1.54 | 2.10 | 1225 | 2.24 | 3.19 | 38 |
| 658 | 2.87 | 2.45 | 7.50 | 11.05 | 610 | 1.39 | 1.95 | 1219 | 1.99 | 2.94 | 37 |
| 659 | 2.87 | 2.80 | 8.50 | 12.45 | 610 | 1.93 | 2.50 | 1220 | 2.91 | 3.87 | 42 |
| 660 | 2.87 | 3.50 | 10.50 | 14.74 | 610 | 3.04 | 3.61 | 1221 | 4.75 | 5.70 | 51 |
| 661 | 2.88 | 4.00 | 12.00 | 17.64 | 607 | 3.92 | 4.49 | 1214 | 6.14 | 7.12 | 60 |
| 662 | 2.88 | 4.70 | 14.00 | 19.41 | 608 | 5.05 | 5.59 | 1216 | 7.85 | 8.87 | 68 |
| 663 | 2.90 | 2.25 | 7.00 | 10.11 | 603 | 1.08 | 1.64 | 1207 | 1.46 | 2.41 | 34 |
| 664 | 2.90 | 3.20 | 9.75 | 14.10 | 604 | 2.58 | 3.15 | 1208 | 3.98 | 4.94 | 48 |
| 665 | 2.90 | 5.00 | 15.00 | 20.34 | 602 | 5.54 | 6.07 | 1205 | 8.56 | 9.61 | 72 |
| 666 | 2.92 | 6.00 | 18.00 | 24.06 | 599 | 7.20 | 7.70 | 1199 | 10.78 | 12.03 | 86 |
| 667 | 2.93 | 3.50 | 10.75 | 15.03 | 597 | 3.06 | 3.62 | 1193 | 4.77 | 5.72 | 52 |
| 668 | 2.95 | 2.55 | 8.00 | 11.55 | 594 | 1.54 | 2.11 | 1188 | 2.25 | 3.21 | 39 |
| 669 | 2.95 | 2.80 | 8.75 | 12.74 | 593 | 1.94 | 2.52 | 1186 | 2.93 | 3.89 | 43 |
| 670 | 2.96 | 2.45 | 7.75 | 11.33 | 591 | 1.39 | 1.96 | 1181 | 2.00 | 2.96 | 38 |
| 671 | 2.97 | 3.20 | 10.00 | 13.87 | 589 | 2.57 | 3.14 | 1178 | 3.97 | 4.92 | 48 |
| 672 | 2.98 | 2.35 | 7.50 | 11.12 | 587 | 1.25 | 1.81 | 1174 | 1.74 | 2.71 | 37 |
| 673 | 2.98 | 4.20 | 13.00 | 18.11 | 588 | 4.24 | 4.80 | 1175 | 6.63 | 7.61 | 63 |
| 674 | 3.00 | 3.00 | 9.50 | 13.44 | 583 | 2.26 | 2.83 | 1167 | 3.46 | 4.41 | 46 |
| 675 | 3.00 | 3.50 | 11.00 | 15.31 | 583 | 3.07 | 3.64 | 1167 | 4.78 | 5.74 | 53 |
| 676 | 3.00 | 4.50 | 14.00 | 19.03 | 583 | 4.73 | 5.28 | 1167 | 7.37 | 8.37 | 67 |
| 677 | 3.03 | 2.80 | 9.00 | 12.50 | 577 | 1.93 | 2.50 | 1154 | 2.91 | 3.87 | 43 |
| 678 | 3.04 | 3.70 | 11.75 | 16.02 | 576 | 3.39 | 3.96 | 1152 | 5.31 | 6.27 | 56 |
| 679 | 3.06 | 2.45 | 8.00 | 11.62 | 573 | 1.40 | 1.97 | 1145 | 2.01 | 2.97 | 39 |
| 680 | 3.07 | 5.70 | 18.00 | 23.75 | 571 | 6.73 | 7.25 | 1141 | 10.19 | 11.38 | 85 |
| 681 | 3.08 | 2.35 | 7.75 | 10.89 | 569 | 1.24 | 1.80 | 1138 | 1.74 | 2.69 | 37 |
| 682 | 3.08 | 3.00 | 9.75 | 13.21 | 569 | 2.25 | 2.82 | 1138 | 3.44 | 4.39 | 46 |
| 683 | 3.08 | 4.70 | 15.00 | 20.02 | 568 | 5.07 | 5.61 | 1136 | 7.88 | 8.90 | 71 |
| 684 | 3.10 | 2.25 | 7.50 | 10.67 | 565 | 1.09 | 1.66 | 1129 | 1.48 | 2.44 | 36 |
| 685 | 3.10 | 3.70 | 12.00 | 15.78 | 564 | 3.38 | 3.94 | 1129 | 5.29 | 6.24 | 56 |
| 686 | 3.12 | 3.20 | 10.50 | 14.43 | 562 | 2.59 | 3.16 | 1123 | 4.00 | 4.96 | 50 |
| 687 | 3.12 | 4.00 | 13.00 | 17.73 | 561 | 3.92 | 4.48 | 1123 | 6.13 | 7.11 | 62 |
| 688 | 3.13 | 2.55 | 8.50 | 12.11 | 560 | 1.56 | 2.13 | 1120 | 2.28 | 3.24 | 41 |
| 689 | 3.15 | 3.00 | 10.00 | 14.01 | 555 | 2.28 | 2.86 | 1110 | 3.49 | 4.45 | 48 |
| 690 | 3.17 | 2.35 | 8.00 | 11.17 | 552 | 1.25 | 1.81 | 1103 | 1.75 | 2.71 | 38 |
| 691 | 3.17 | 5.50 | 18.00 | 23.88 | 551 | 6.44 | 6.96 | 1103 | 9.82 | 10.96 | 85 |
| 692 | 3.19 | 3.20 | 10.75 | 14.72 | 549 | 2.60 | 3.17 | 1098 | 4.02 | 4.98 | 51 |
| 693 | 3.20 | 2.25 | 7.75 | 10.95 | 547 | 1.10 | 1.67 | 1094 | 1.49 | 2.46 | 37 |
| 694 | 3.20 | 2.80 | 9.50 | 13.07 | 547 | 1.95 | 2.53 | 1095 | 2.94 | 3.90 | 45 |
| 695 | 3.20 | 3.50 | 11.75 | 16.15 | 547 | 3.10 | 3.68 | 1094 | 4.84 | 5.80 | 56 |
| 696 | 3.20 | 4.20 | 14.00 | 18.72 | 546 | 4.26 | 4.82 | 1093 | 6.66 | 7.65 | 66 |
| 697 | 3.21 | 2.55 | 8.75 | 12.39 | 544 | 1.57 | 2.14 | 1089 | 2.29 | 3.26 | 42 |
| 698 | 3.21 | 4.50 | 15.00 | 20.16 | 545 | 4.77 | 5.33 | 1090 | 7.45 | 8.46 | 71 |
| 699 | 3.24 | 2.45 | 8.50 | 11.66 | 540 | 1.40 | 1.97 | 1080 | 2.01 | 2.97 | 40 |
| 700 | 3.26 | 3.20 | 11.00 | 15.00 | 537 | 2.61 | 3.19 | 1073 | 4.03 | 5.00 | 52 |

* - See page 18

| A & AX BELTS | | | | | | | | | | | |
|--------------|-------|--------------|--------------|-----------------|-------------------|-----------|------|-------------------|-----------|-------|--------------|
| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | A | AX | RPM | A | AX | |
| 701 | 3.27 | 3.50 | 12.00 | 15.92 | 536 | 3.09 | 3.66 | 1071 | 4.82 | 5.78 | 56 |
| 702 | 3.28 | 2.80 | 9.75 | 13.35 | 534 | 1.96 | 2.54 | 1068 | 2.95 | 3.92 | 46 |
| 703 | 3.30 | 2.25 | 8.00 | 11.24 | 530 | 1.11 | 1.68 | 1061 | 1.50 | 2.47 | 38 |
| 704 | 3.30 | 2.55 | 9.00 | 12.67 | 530 | 1.57 | 2.15 | 1059 | 2.30 | 3.27 | 43 |
| 705 | 3.31 | 3.00 | 10.50 | 14.05 | 529 | 2.28 | 2.85 | 1058 | 3.48 | 4.45 | 49 |
| 706 | 3.33 | 2.45 | 8.75 | 11.94 | 525 | 1.41 | 1.98 | 1050 | 2.02 | 2.99 | 41 |
| 707 | 3.35 | 3.70 | 13.00 | 17.42 | 522 | 3.45 | 4.02 | 1043 | 5.39 | 6.37 | 61 |
| 708 | 3.35 | 4.00 | 14.00 | 18.34 | 522 | 3.93 | 4.50 | 1044 | 6.16 | 7.15 | 65 |
| 709 | 3.35 | 5.20 | 18.00 | 24.09 | 523 | 6.00 | 6.54 | 1045 | 9.22 | 10.33 | 85 |
| 710 | 3.36 | 2.80 | 10.00 | 13.11 | 521 | 1.95 | 2.52 | 1041 | 2.94 | 3.90 | 46 |
| 711 | 3.37 | 2.35 | 8.50 | 11.73 | 520 | 1.26 | 1.83 | 1040 | 1.77 | 2.74 | 40 |
| 712 | 3.38 | 3.00 | 10.75 | 14.33 | 517 | 2.28 | 2.87 | 1034 | 3.50 | 4.47 | 50 |
| 713 | 3.43 | 2.45 | 9.00 | 12.22 | 511 | 1.42 | 1.99 | 1022 | 2.03 | 3.00 | 42 |
| 714 | 3.43 | 4.20 | 15.00 | 19.84 | 511 | 4.30 | 4.87 | 1021 | 6.73 | 7.73 | 70 |
| 715 | 3.46 | 2.35 | 8.75 | 12.01 | 506 | 1.27 | 1.84 | 1011 | 1.77 | 2.75 | 41 |
| 716 | 3.46 | 3.00 | 11.00 | 14.61 | 506 | 2.29 | 2.88 | 1011 | 3.51 | 4.48 | 51 |
| 717 | 3.48 | 2.55 | 9.50 | 12.72 | 503 | 1.57 | 2.15 | 1005 | 2.30 | 3.27 | 44 |
| 718 | 3.48 | 3.20 | 11.75 | 15.84 | 503 | 2.64 | 3.22 | 1006 | 4.08 | 5.05 | 55 |
| 719 | 3.48 | 5.00 | 18.00 | 22.66 | 503 | 5.62 | 6.16 | 1007 | 8.68 | 9.75 | 82 |
| 720 | 3.50 | 2.25 | 8.50 | 11.80 | 500 | 1.12 | 1.69 | 1000 | 1.52 | 2.50 | 40 |
| 721 | 3.52 | 2.80 | 10.50 | 14.19 | 497 | 1.98 | 2.57 | 993 | 2.99 | 3.97 | 49 |
| 722 | 3.53 | 3.50 | 13.00 | 17.04 | 495 | 3.13 | 3.71 | 991 | 4.88 | 5.86 | 60 |
| 723 | 3.55 | 3.20 | 12.00 | 16.12 | 493 | 2.64 | 3.23 | 986 | 4.09 | 5.07 | 56 |
| 724 | 3.56 | 2.35 | 9.00 | 12.29 | 492 | 1.27 | 1.85 | 984 | 1.78 | 2.76 | 42 |
| 725 | 3.57 | 2.55 | 9.75 | 13.00 | 490 | 1.58 | 2.16 | 980 | 2.31 | 3.29 | 45 |
| 726 | 3.59 | 4.00 | 15.00 | 19.46 | 488 | 3.98 | 4.55 | 975 | 6.23 | 7.22 | 69 |
| 727 | 3.60 | 2.25 | 8.75 | 12.08 | 486 | 1.12 | 1.70 | 972 | 1.53 | 2.51 | 41 |
| 728 | 3.61 | 2.45 | 9.50 | 12.78 | 485 | 1.43 | 2.01 | 969 | 2.05 | 3.03 | 44 |
| 729 | 3.61 | 2.80 | 10.75 | 14.47 | 485 | 1.99 | 2.58 | 970 | 3.00 | 3.99 | 50 |
| 730 | 3.61 | 3.70 | 14.00 | 18.02 | 485 | 3.46 | 4.04 | 970 | 5.42 | 6.40 | 64 |
| 731 | 3.66 | 2.55 | 10.00 | 13.28 | 478 | 1.59 | 2.17 | 956 | 2.32 | 3.30 | 46 |
| 732 | 3.69 | 2.80 | 11.00 | 14.75 | 474 | 2.00 | 2.59 | 949 | 3.02 | 4.00 | 51 |
| 733 | 3.69 | 3.00 | 11.75 | 15.45 | 474 | 2.32 | 2.91 | 948 | 3.55 | 4.54 | 54 |
| 734 | 3.69 | 4.70 | 18.00 | 22.86 | 475 | 5.17 | 5.73 | 949 | 8.04 | 9.08 | 82 |
| 735 | 3.70 | 2.25 | 9.00 | 12.36 | 473 | 1.13 | 1.71 | 946 | 1.53 | 2.52 | 42 |
| 736 | 3.70 | 2.45 | 9.75 | 13.06 | 473 | 1.44 | 2.02 | 945 | 2.06 | 3.05 | 45 |
| 737 | 3.75 | 2.35 | 9.50 | 12.85 | 467 | 1.28 | 1.87 | 933 | 1.80 | 2.79 | 44 |
| 738 | 3.77 | 3.00 | 12.00 | 15.73 | 464 | 2.33 | 2.92 | 929 | 3.57 | 4.55 | 55 |
| 739 | 3.80 | 2.45 | 10.00 | 13.34 | 461 | 1.44 | 2.03 | 922 | 2.07 | 3.06 | 46 |
| 740 | 3.80 | 3.50 | 14.00 | 18.15 | 461 | 3.17 | 3.75 | 921 | 4.94 | 5.93 | 64 |
| 741 | 3.84 | 2.55 | 10.50 | 13.83 | 456 | 1.60 | 2.19 | 912 | 2.34 | 3.33 | 48 |
| 742 | 3.84 | 3.20 | 13.00 | 17.24 | 456 | 2.68 | 3.28 | 911 | 4.15 | 5.14 | 60 |
| 743 | 3.84 | 4.50 | 18.00 | 23.00 | 455 | 4.87 | 5.44 | 911 | 7.60 | 8.63 | 82 |
| 744 | 3.85 | 2.35 | 9.75 | 13.13 | 455 | 1.29 | 1.88 | 910 | 1.81 | 2.80 | 45 |
| 745 | 3.86 | 3.70 | 15.00 | 19.14 | 453 | 3.50 | 4.09 | 907 | 5.48 | 6.47 | 68 |
| 746 | 3.90 | 2.25 | 9.50 | 12.92 | 449 | 1.14 | 1.73 | 897 | 1.55 | 2.55 | 44 |
| 747 | 3.93 | 2.55 | 10.75 | 14.11 | 445 | 1.61 | 2.20 | 891 | 2.35 | 3.35 | 49 |
| 748 | 3.93 | 2.80 | 11.75 | 15.59 | 445 | 2.02 | 2.62 | 890 | 3.05 | 4.05 | 54 |
| 749 | 3.94 | 2.35 | 10.00 | 13.41 | 444 | 1.30 | 1.89 | 888 | 1.82 | 2.82 | 46 |
| 750 | 3.98 | 2.45 | 10.50 | 13.90 | 440 | 1.46 | 2.05 | 879 | 2.09 | 3.09 | 48 |

* - See page 18

A & AX BELTS

| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|-------------------|-----------|------|-------------------|-----------|------|--------------|
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | A | AX | RPM | A | AX | |
| 751 | 4.00 | 2.25 | 9.75 | 13.20 | 438 | 1.14 | 1.73 | 875 | 1.56 | 2.56 | 45 |
| 752 | 4.02 | 2.55 | 11.00 | 14.39 | 436 | 1.62 | 2.21 | 871 | 2.36 | 3.36 | 50 |
| 753 | 4.02 | 2.80 | 12.00 | 15.87 | 436 | 2.03 | 2.63 | 871 | 3.06 | 4.06 | 55 |
| 754 | 4.07 | 2.45 | 10.75 | 14.18 | 430 | 1.46 | 2.06 | 859 | 2.10 | 3.10 | 49 |
| 755 | 4.07 | 3.50 | 15.00 | 19.27 | 430 | 3.20 | 3.80 | 861 | 4.99 | 5.99 | 68 |
| 756 | 4.08 | 3.00 | 13.00 | 17.37 | 429 | 2.38 | 2.98 | 858 | 3.64 | 4.65 | 60 |
| 757 | 4.10 | 2.25 | 10.00 | 13.48 | 427 | 1.15 | 1.74 | 854 | 1.56 | 2.57 | 46 |
| 758 | 4.10 | 4.20 | 18.00 | 22.67 | 427 | 4.39 | 4.97 | 853 | 6.87 | 7.89 | 81 |
| 759 | 4.13 | 2.35 | 10.50 | 13.97 | 423 | 1.31 | 1.90 | 847 | 1.84 | 2.84 | 48 |
| 760 | 4.13 | 3.20 | 14.00 | 17.83 | 424 | 2.69 | 3.29 | 847 | 4.17 | 5.16 | 63 |
| 761 | 4.17 | 2.45 | 11.00 | 14.46 | 420 | 1.47 | 2.06 | 840 | 2.11 | 3.11 | 50 |
| 762 | 4.23 | 2.35 | 10.75 | 14.25 | 414 | 1.31 | 1.91 | 827 | 1.84 | 2.85 | 49 |
| 763 | 4.29 | 2.55 | 11.75 | 15.23 | 408 | 1.64 | 2.24 | 817 | 2.39 | 3.40 | 53 |
| 764 | 4.29 | 4.00 | 18.00 | 22.81 | 408 | 4.09 | 4.68 | 815 | 6.40 | 7.42 | 81 |
| 765 | 4.30 | 2.25 | 10.50 | 14.04 | 407 | 1.16 | 1.76 | 814 | 1.58 | 2.59 | 48 |
| 766 | 4.33 | 2.35 | 11.00 | 14.53 | 404 | 1.32 | 1.92 | 809 | 1.85 | 2.87 | 50 |
| 767 | 4.34 | 2.80 | 13.00 | 17.50 | 403 | 2.08 | 2.69 | 806 | 3.13 | 4.15 | 60 |
| 768 | 4.38 | 2.55 | 12.00 | 15.51 | 400 | 1.64 | 2.24 | 800 | 2.40 | 3.41 | 54 |
| 769 | 4.38 | 3.00 | 14.00 | 17.96 | 399 | 2.39 | 3.00 | 798 | 3.66 | 4.67 | 63 |
| 770 | 4.40 | 2.25 | 10.75 | 14.31 | 398 | 1.17 | 1.77 | 795 | 1.58 | 2.60 | 49 |
| 771 | 4.42 | 3.20 | 15.00 | 19.47 | 396 | 2.74 | 3.35 | 792 | 4.24 | 5.26 | 68 |
| 772 | 4.44 | 2.45 | 11.75 | 15.30 | 394 | 1.49 | 2.09 | 788 | 2.13 | 3.15 | 53 |
| 773 | 4.50 | 2.25 | 11.00 | 14.59 | 389 | 1.17 | 1.77 | 778 | 1.59 | 2.62 | 50 |
| 774 | 4.54 | 2.45 | 12.00 | 15.57 | 386 | 1.49 | 2.10 | 771 | 2.14 | 3.16 | 54 |
| 775 | 4.62 | 2.35 | 11.75 | 15.36 | 379 | 1.34 | 1.94 | 758 | 1.87 | 2.90 | 53 |
| 776 | 4.62 | 3.70 | 18.00 | 23.00 | 379 | 3.62 | 4.23 | 758 | 5.67 | 6.70 | 81 |
| 777 | 4.67 | 2.80 | 14.00 | 18.10 | 375 | 2.09 | 2.70 | 749 | 3.15 | 4.17 | 63 |
| 778 | 4.69 | 3.00 | 15.00 | 19.60 | 373 | 2.44 | 3.05 | 746 | 3.73 | 4.76 | 68 |
| 779 | 4.71 | 2.35 | 12.00 | 15.64 | 371 | 1.34 | 1.95 | 743 | 1.88 | 2.91 | 54 |
| 780 | 4.73 | 2.55 | 13.00 | 17.67 | 370 | 1.69 | 2.31 | 740 | 2.47 | 3.52 | 60 |
| 781 | 4.80 | 2.25 | 11.75 | 15.43 | 365 | 1.18 | 1.79 | 729 | 1.61 | 2.65 | 53 |
| 782 | 4.87 | 3.50 | 18.00 | 23.14 | 360 | 3.31 | 3.93 | 719 | 5.17 | 6.20 | 81 |
| 783 | 4.90 | 2.25 | 12.00 | 16.23 | 357 | 1.20 | 1.82 | 714 | 1.63 | 2.68 | 55 |
| 784 | 4.91 | 2.45 | 13.00 | 17.74 | 357 | 1.54 | 2.16 | 713 | 2.21 | 3.26 | 60 |
| 785 | 5.00 | 2.80 | 15.00 | 19.73 | 350 | 2.12 | 2.75 | 700 | 3.21 | 4.25 | 68 |
| 786 | 5.09 | 2.55 | 14.00 | 18.79 | 344 | 1.71 | 2.34 | 688 | 2.51 | 3.56 | 64 |
| 787 | 5.10 | 2.35 | 13.00 | 17.80 | 343 | 1.38 | 2.01 | 687 | 1.94 | 3.00 | 60 |
| 788 | 5.28 | 2.45 | 14.00 | 18.85 | 332 | 1.56 | 2.19 | 663 | 2.24 | 3.30 | 64 |
| 789 | 5.29 | 3.20 | 18.00 | 23.86 | 331 | 2.85 | 3.49 | 662 | 4.42 | 5.47 | 82 |
| 790 | 5.30 | 2.25 | 13.00 | 17.87 | 330 | 1.23 | 1.86 | 660 | 1.67 | 2.74 | 60 |
| 791 | 5.45 | 2.55 | 15.00 | 20.42 | 321 | 1.74 | 2.38 | 643 | 2.55 | 3.63 | 69 |
| 792 | 5.48 | 2.35 | 14.00 | 19.44 | 319 | 1.41 | 2.05 | 639 | 1.98 | 3.06 | 65 |
| 793 | 5.62 | 3.00 | 18.00 | 23.99 | 312 | 2.53 | 3.18 | 623 | 3.88 | 4.95 | 82 |
| 794 | 5.65 | 2.45 | 15.00 | 21.01 | 310 | 1.59 | 2.24 | 620 | 2.29 | 3.38 | 70 |
| 795 | 5.70 | 2.25 | 14.00 | 19.51 | 307 | 1.25 | 1.89 | 614 | 1.70 | 2.79 | 65 |
| 796 | 5.87 | 2.35 | 15.00 | 21.08 | 298 | 1.43 | 2.09 | 597 | 2.01 | 3.11 | 70 |
| 797 | 5.98 | 2.80 | 18.00 | 25.70 | 292 | 2.25 | 2.91 | 585 | 3.39 | 4.49 | 85 |
| 798 | 6.06 | 2.10 | 14.00 | 20.13 | 289 | 1.02 | 1.67 | 577 | 1.29 | 2.40 | 66 |
| 799 | 6.10 | 2.25 | 15.00 | 21.67 | 287 | 1.28 | 1.94 | 574 | 1.74 | 2.86 | 71 |
| 800 | 6.49 | 2.10 | 15.00 | 22.29 | 270 | 1.04 | 1.71 | 539 | 1.32 | 2.46 | 72 |

* - See page 18

| A & AX BELTS | | | | | | | | | | | |
|-------------------------|-------|--------------|--------------|-----------------|-------------------|-----------|------|-------------------|-----------|------|--------------|
| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | A | AX | RPM | A | AX | |
| 801 | 6.52 | 2.55 | 18.00 | 26.39 | 268 | 1.84 | 2.52 | 537 | 2.69 | 3.83 | 86 |
| 802 | 6.76 | 2.45 | 18.00 | 28.54 | 259 | 1.70 | 2.39 | 518 | 2.45 | 3.61 | 90 |
| 803 | 7.02 | 2.35 | 18.00 | 28.60 | 249 | 1.53 | 2.23 | 499 | 2.15 | 3.33 | 90 |
| 804 | 7.30 | 2.25 | 18.00 | 28.67 | 240 | 1.36 | 2.06 | 479 | 1.85 | 3.04 | 90 |
| 805 | 7.77 | 2.10 | 18.00 | 36.51 | 225 | 1.16 | 1.90 | 451 | 1.47 | 2.74 | 105 |
| 806 | 7.93 | 2.05 | 18.00 | 36.54 | 221 | 1.07 | 1.81 | 441 | 1.31 | 2.58 | 105 |

* - See page 18

B & BX BELTS

| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|----|-------|--------------|--------------|-----------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | B | BX | RPM | B | BX | |
| 1 | 1.00 | 3.40 | 3.40 | 11.06 | 1750 | 2.07 | 3.94 | 3500 | 2.54 | 5.77 | 31 |
| 2 | 1.00 | 3.60 | 3.60 | 11.25 | 1750 | 2.41 | 4.33 | 3500 | 3.07 | 6.36 | 32 |
| 3 | 1.00 | 3.80 | 3.80 | 11.93 | 1750 | 2.77 | 4.74 | 3500 | 3.62 | 6.97 | 34 |
| 4 | 1.00 | 4.00 | 4.00 | 12.62 | 1750 | 3.13 | 5.16 | 3500 | 4.15 | 7.58 | 36 |
| 5 | 1.00 | 4.20 | 4.20 | 13.31 | 1750 | 3.49 | 5.58 | 3500 | 4.68 | 8.17 | 38 |
| 6 | 1.00 | 4.40 | 4.40 | 13.49 | 1750 | 3.84 | 5.97 | 3500 | 5.18 | 8.71 | 39 |
| 7 | 1.00 | 4.60 | 4.60 | 14.18 | 1750 | 4.21 | 6.38 | 3500 | 5.68 | 9.27 | 41 |
| 8 | 1.00 | 4.80 | 4.80 | 14.86 | 1750 | 4.58 | 6.80 | 3500 | 6.18 | 9.83 | 43 |
| 9 | 1.00 | 5.00 | 5.00 | 15.05 | 1750 | 4.92 | 7.19 | 3500 | 6.63 | 10.31 | 44 |
| 10 | 1.00 | 5.20 | 5.20 | 15.74 | 1750 | 5.30 | 7.61 | 3500 | 7.10 | 10.83 | 46 |
| 11 | 1.00 | 5.40 | 5.40 | 16.42 | 1750 | 5.67 | 8.03 | 3500 | 7.55 | 11.33 | 48 |
| 12 | 1.00 | 5.60 | 5.60 | 16.61 | 1750 | 6.01 | 8.42 | 3500 | 7.96 | 11.76 | 49 |
| 13 | 1.00 | 5.80 | 5.80 | 17.29 | 1750 | 6.39 | 8.84 | 3500 | 8.37 | 12.22 | 51 |
| 14 | 1.00 | 6.00 | 6.00 | 17.98 | 1750 | 6.76 | 9.26 | 3500 | 8.77 | 12.65 | 53 |
| 15 | 1.00 | 6.20 | 6.20 | 18.67 | 1750 | 7.13 | 9.68 | 3500 | 9.15 | 13.06 | 55 |
| 16 | 1.00 | 6.40 | 6.40 | 18.85 | 1750 | 7.48 | 10.05 | 3500 | 9.47 | 13.40 | 56 |
| 17 | 1.00 | 6.60 | 6.60 | 19.54 | 1750 | 7.85 | 10.47 | 3500 | 9.81 | 13.76 | 58 |
| 18 | 1.00 | 6.80 | 6.80 | 20.22 | 1750 | 8.22 | 10.89 | 3500 | 10.12 | 14.09 | 60 |
| 19 | 1.00 | 7.00 | 7.00 | 20.41 | 1750 | 8.56 | 11.26 | 3500 | 10.36 | 14.34 | 61 |
| 20 | 1.00 | 7.40 | 7.40 | 21.78 | 1750 | 9.29 | 12.08 | - | - | - | 65 |
| 21 | 1.00 | 8.00 | 8.00 | 23.34 | 1750 | 10.35 | 13.24 | - | - | - | 70 |
| 22 | 1.00 | 8.60 | 8.60 | 24.90 | 1750 | 11.38 | 14.38 | - | - | - | 75 |
| 23 | 1.00 | 9.00 | 9.00 | 25.77 | 1750 | 12.05 | 15.10 | - | - | - | 78 |
| 24 | 1.00 | 9.40 | 9.40 | 27.14 | 1750 | 12.73 | 15.85 | - | - | - | 82 |
| 25 | 1.00 | 11.00 | 11.00 | 31.13 | 1750 | 15.18 | 18.49 | - | - | - | 95 |
| 26 | 1.00 | 12.40 | 12.40 | 35.43 | 1750 | 17.09 | 20.53 | - | - | - | 108 |
| 27 | 1.03 | 5.40 | 5.60 | 16.26 | 1691 | 5.75 | 8.13 | 3382 | 7.72 | 11.53 | 48 |
| 28 | 1.03 | 5.60 | 5.80 | 16.95 | 1693 | 6.12 | 8.55 | 3386 | 8.15 | 12.01 | 50 |
| 29 | 1.03 | 5.80 | 6.00 | 17.64 | 1695 | 6.49 | 8.97 | 3390 | 8.57 | 12.46 | 52 |
| 30 | 1.03 | 6.00 | 6.20 | 17.82 | 1697 | 6.83 | 9.35 | 3393 | 8.92 | 12.84 | 53 |
| 31 | 1.03 | 6.20 | 6.40 | 18.51 | 1698 | 7.20 | 9.76 | 3396 | 9.30 | 13.25 | 55 |
| 32 | 1.03 | 6.40 | 6.60 | 19.19 | 1700 | 7.57 | 10.18 | 3399 | 9.65 | 13.63 | 57 |
| 33 | 1.03 | 6.60 | 6.80 | 19.38 | 1701 | 7.91 | 10.55 | 3402 | 9.95 | 13.93 | 58 |
| 34 | 1.03 | 6.80 | 7.00 | 20.07 | 1702 | 8.28 | 10.97 | 3405 | 10.25 | 14.26 | 60 |
| 35 | 1.04 | 4.20 | 4.40 | 13.15 | 1676 | 3.59 | 5.70 | 3353 | 4.88 | 8.41 | 38 |
| 36 | 1.04 | 4.40 | 4.60 | 13.83 | 1679 | 3.95 | 6.11 | 3359 | 5.40 | 8.99 | 40 |
| 37 | 1.04 | 4.60 | 4.80 | 14.02 | 1682 | 4.30 | 6.49 | 3364 | 5.87 | 9.50 | 41 |
| 38 | 1.04 | 4.80 | 5.00 | 14.71 | 1685 | 4.66 | 6.91 | 3369 | 6.36 | 10.05 | 43 |
| 39 | 1.04 | 5.00 | 5.20 | 15.39 | 1687 | 5.03 | 7.33 | 3374 | 6.84 | 10.58 | 45 |
| 40 | 1.04 | 5.20 | 5.40 | 16.08 | 1689 | 5.40 | 7.75 | 3378 | 7.30 | 11.09 | 47 |
| 41 | 1.04 | 8.60 | 9.00 | 24.58 | 1675 | 11.48 | 14.50 | - | - | - | 75 |
| 42 | 1.04 | 9.00 | 9.40 | 25.96 | 1678 | 12.18 | 15.26 | - | - | - | 79 |
| 43 | 1.05 | 3.40 | 3.60 | 10.90 | 1661 | 2.18 | 4.08 | 3323 | 2.77 | 6.06 | 31 |
| 44 | 1.05 | 3.60 | 3.80 | 11.59 | 1666 | 2.54 | 4.49 | 3331 | 3.31 | 6.67 | 33 |
| 45 | 1.05 | 3.80 | 4.00 | 12.28 | 1670 | 2.89 | 4.90 | 3339 | 3.85 | 7.27 | 35 |
| 46 | 1.05 | 4.00 | 4.20 | 12.46 | 1673 | 3.23 | 5.28 | 3346 | 4.36 | 7.83 | 36 |
| 47 | 1.05 | 7.00 | 7.40 | 20.60 | 1660 | 8.71 | 11.44 | 3319 | 10.65 | 14.71 | 62 |
| 48 | 1.06 | 6.00 | 6.40 | 18.16 | 1646 | 6.92 | 9.46 | 3293 | 9.09 | 13.05 | 54 |
| 49 | 1.06 | 6.20 | 6.60 | 18.35 | 1649 | 7.26 | 9.84 | 3299 | 9.42 | 13.40 | 55 |
| 50 | 1.06 | 6.40 | 6.80 | 19.04 | 1652 | 7.63 | 10.25 | 3304 | 9.78 | 13.78 | 57 |

B & BX BELTS

* - See page 18

B & BX BELTS

| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | B | BX | | RPM | B | |
| 51 | 1.06 | 6.60 | 7.00 | 19.72 | 1655 | 8.00 | 10.66 | 3310 | 10.11 | 14.14 | 59 |
| 52 | 1.07 | 5.00 | 5.40 | 15.23 | 1628 | 5.10 | 7.41 | 3257 | 6.98 | 10.75 | 45 |
| 53 | 1.07 | 5.20 | 5.60 | 15.92 | 1632 | 5.47 | 7.83 | 3265 | 7.44 | 11.26 | 47 |
| 54 | 1.07 | 5.40 | 5.80 | 16.61 | 1636 | 5.84 | 8.25 | 3272 | 7.89 | 11.75 | 49 |
| 55 | 1.07 | 5.60 | 6.00 | 16.79 | 1640 | 6.18 | 8.63 | 3280 | 8.28 | 12.17 | 50 |
| 56 | 1.07 | 5.80 | 6.20 | 17.48 | 1643 | 6.55 | 9.04 | 3286 | 8.70 | 12.62 | 52 |
| 57 | 1.07 | 8.00 | 8.60 | 23.37 | 1633 | 10.53 | 13.47 | - | - | - | 71 |
| 58 | 1.08 | 4.40 | 4.80 | 13.68 | 1614 | 4.03 | 6.20 | 3228 | 5.55 | 9.17 | 40 |
| 59 | 1.08 | 4.60 | 5.00 | 14.36 | 1619 | 4.39 | 6.61 | 3238 | 6.05 | 9.73 | 42 |
| 60 | 1.08 | 4.80 | 5.20 | 15.05 | 1624 | 4.76 | 7.03 | 3248 | 6.54 | 10.27 | 44 |
| 61 | 1.08 | 6.80 | 7.40 | 20.25 | 1615 | 8.42 | 11.13 | 3229 | 10.51 | 14.59 | 61 |
| 62 | 1.08 | 7.40 | 8.00 | 21.81 | 1624 | 9.48 | 12.31 | - | - | - | 66 |
| 63 | 1.09 | 4.00 | 4.40 | 12.80 | 1603 | 3.33 | 5.41 | 3205 | 4.55 | 8.07 | 37 |
| 64 | 1.09 | 4.20 | 4.60 | 12.99 | 1609 | 3.67 | 5.79 | 3217 | 5.04 | 8.61 | 38 |
| 65 | 1.09 | 6.00 | 6.60 | 18.01 | 1599 | 6.97 | 9.52 | 3198 | 9.20 | 13.18 | 54 |
| 66 | 1.09 | 6.20 | 6.80 | 18.69 | 1603 | 7.34 | 9.94 | 3206 | 9.57 | 13.59 | 56 |
| 67 | 1.09 | 6.40 | 7.00 | 19.38 | 1607 | 7.71 | 10.35 | 3214 | 9.92 | 13.96 | 58 |
| 68 | 1.09 | 8.60 | 9.40 | 25.27 | 1606 | 11.63 | 14.68 | - | - | - | 77 |
| 69 | 1.09 | 12.40 | 13.60 | 34.48 | 1599 | 17.26 | 20.75 | - | - | - | 108 |
| 70 | 1.10 | 3.60 | 4.00 | 11.43 | 1589 | 2.62 | 4.59 | 3178 | 3.49 | 6.88 | 33 |
| 71 | 1.10 | 3.80 | 4.20 | 12.12 | 1596 | 2.97 | 5.00 | 3192 | 4.02 | 7.48 | 35 |
| 72 | 1.10 | 5.40 | 6.00 | 16.45 | 1585 | 5.89 | 8.31 | 3169 | 8.00 | 11.89 | 49 |
| 73 | 1.10 | 5.60 | 6.20 | 17.13 | 1590 | 6.26 | 8.73 | 3179 | 8.43 | 12.36 | 51 |
| 74 | 1.10 | 5.80 | 6.40 | 17.82 | 1594 | 6.63 | 9.14 | 3189 | 8.84 | 12.81 | 53 |
| 75 | 1.11 | 3.40 | 3.80 | 11.25 | 1581 | 2.28 | 4.21 | 3163 | 2.96 | 6.30 | 32 |
| 76 | 1.11 | 5.00 | 5.60 | 15.58 | 1574 | 5.18 | 7.51 | 3147 | 7.13 | 10.94 | 46 |
| 77 | 1.11 | 5.20 | 5.80 | 15.76 | 1579 | 5.52 | 7.89 | 3159 | 7.56 | 11.40 | 47 |
| 78 | 1.12 | 4.60 | 5.20 | 14.20 | 1561 | 4.45 | 6.68 | 3122 | 6.17 | 9.88 | 42 |
| 79 | 1.12 | 4.80 | 5.40 | 14.89 | 1567 | 4.81 | 7.10 | 3135 | 6.66 | 10.42 | 44 |
| 80 | 1.12 | 6.20 | 7.00 | 18.53 | 1560 | 7.38 | 9.98 | 3119 | 9.66 | 13.69 | 56 |
| 81 | 1.12 | 6.60 | 7.40 | 19.91 | 1569 | 8.12 | 10.81 | 3139 | 10.34 | 14.42 | 60 |
| 82 | 1.12 | 8.00 | 9.00 | 24.05 | 1563 | 10.67 | 13.64 | - | - | - | 73 |
| 83 | 1.12 | 11.00 | 12.40 | 32.52 | 1558 | 15.57 | 18.98 | - | - | - | 100 |
| 84 | 1.13 | 4.20 | 4.80 | 13.33 | 1546 | 3.75 | 5.89 | 3092 | 5.19 | 8.80 | 39 |
| 85 | 1.13 | 4.40 | 5.00 | 14.02 | 1554 | 4.11 | 6.30 | 3107 | 5.70 | 9.37 | 41 |
| 86 | 1.13 | 5.60 | 6.40 | 16.98 | 1543 | 6.30 | 8.78 | 3085 | 8.52 | 12.47 | 51 |
| 87 | 1.13 | 5.80 | 6.60 | 17.66 | 1549 | 6.67 | 9.19 | 3097 | 8.93 | 12.92 | 53 |
| 88 | 1.13 | 6.00 | 6.80 | 18.35 | 1554 | 7.04 | 9.61 | 3108 | 9.32 | 13.35 | 55 |
| 89 | 1.14 | 3.80 | 4.40 | 12.46 | 1529 | 3.05 | 5.10 | 3058 | 4.17 | 7.67 | 36 |
| 90 | 1.14 | 4.00 | 4.60 | 12.65 | 1538 | 3.39 | 5.48 | 3076 | 4.67 | 8.22 | 37 |
| 91 | 1.14 | 5.20 | 6.00 | 16.10 | 1530 | 5.59 | 7.98 | 3059 | 7.68 | 11.56 | 48 |
| 92 | 1.14 | 5.40 | 6.20 | 16.79 | 1536 | 5.96 | 8.40 | 3073 | 8.13 | 12.05 | 50 |
| 93 | 1.14 | 7.00 | 8.00 | 21.12 | 1540 | 8.89 | 11.67 | 3081 | 10.99 | 15.13 | 64 |
| 94 | 1.15 | 3.60 | 4.20 | 11.77 | 1519 | 2.70 | 4.69 | 3038 | 3.64 | 7.07 | 34 |
| 95 | 1.15 | 5.00 | 5.80 | 15.42 | 1522 | 5.22 | 7.57 | 3045 | 7.22 | 11.06 | 46 |
| 96 | 1.15 | 6.40 | 7.40 | 19.56 | 1524 | 7.81 | 10.48 | 3048 | 10.12 | 14.22 | 59 |
| 97 | 1.15 | 7.40 | 8.60 | 21.83 | 1515 | 9.61 | 12.47 | - | - | - | 67 |
| 98 | 1.16 | 3.40 | 4.00 | 11.09 | 1509 | 2.35 | 4.29 | 3017 | 3.10 | 6.46 | 32 |
| 99 | 1.16 | 4.60 | 5.40 | 14.54 | 1507 | 4.52 | 6.77 | 3013 | 6.29 | 10.04 | 43 |
| 100 | 1.16 | 4.80 | 5.60 | 14.73 | 1515 | 4.86 | 7.15 | 3029 | 6.75 | 10.53 | 44 |

B & BX BELTS

* - See page 18

B & BX BELTS

| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | in | in | in | Driven | HP / Belt | | RPM | HP / Belt | | |
| | | | | | RPM | B | BX | | B | BX | |
| 101 | 1.16 | 5.80 | 6.80 | 17.50 | 1505 | 6.70 | 9.23 | 3010 | 9.01 | 13.01 | 53 |
| 102 | 1.16 | 6.00 | 7.00 | 18.19 | 1512 | 7.07 | 9.65 | 3024 | 9.40 | 13.44 | 55 |
| 103 | 1.16 | 9.40 | 11.00 | 27.37 | 1503 | 13.09 | 16.29 | - | - | - | 85 |
| 104 | 1.17 | 4.40 | 5.20 | 13.86 | 1498 | 4.15 | 6.36 | 2995 | 5.80 | 9.49 | 41 |
| 105 | 1.17 | 5.40 | 6.40 | 16.63 | 1491 | 5.99 | 8.44 | 2981 | 8.20 | 12.15 | 50 |
| 106 | 1.17 | 5.60 | 6.60 | 17.32 | 1498 | 6.36 | 8.86 | 2996 | 8.63 | 12.62 | 52 |
| 107 | 1.17 | 6.80 | 8.00 | 20.27 | 1499 | 8.54 | 11.29 | 2997 | 10.77 | 14.91 | 62 |
| 108 | 1.17 | 8.00 | 9.40 | 23.73 | 1499 | 10.71 | 13.69 | - | - | - | 73 |
| 109 | 1.18 | 4.00 | 4.80 | 12.99 | 1478 | 3.45 | 5.56 | 2956 | 4.80 | 8.38 | 38 |
| 110 | 1.18 | 4.20 | 5.00 | 13.17 | 1488 | 3.79 | 5.94 | 2977 | 5.29 | 8.92 | 39 |
| 111 | 1.18 | 5.20 | 6.20 | 15.94 | 1483 | 5.62 | 8.02 | 2966 | 7.76 | 11.65 | 48 |
| 112 | 1.18 | 6.20 | 7.40 | 18.71 | 1479 | 7.47 | 10.10 | 2958 | 9.83 | 13.91 | 57 |
| 113 | 1.19 | 3.80 | 4.60 | 12.30 | 1467 | 3.10 | 5.16 | 2934 | 4.27 | 7.79 | 36 |
| 114 | 1.19 | 4.80 | 5.80 | 15.07 | 1465 | 4.92 | 7.23 | 2931 | 6.86 | 10.67 | 45 |
| 115 | 1.19 | 5.00 | 6.00 | 15.76 | 1474 | 5.28 | 7.65 | 2949 | 7.33 | 11.20 | 47 |
| 116 | 1.20 | 3.60 | 4.40 | 11.61 | 1455 | 2.74 | 4.75 | 2911 | 3.74 | 7.19 | 34 |
| 117 | 1.20 | 4.60 | 5.60 | 14.38 | 1456 | 4.55 | 6.81 | 2912 | 6.37 | 10.13 | 43 |
| 118 | 1.20 | 5.60 | 6.80 | 17.16 | 1456 | 6.39 | 8.89 | 2913 | 8.70 | 12.69 | 52 |
| 119 | 1.20 | 5.80 | 7.00 | 17.84 | 1464 | 6.76 | 9.31 | 2929 | 9.11 | 13.14 | 54 |
| 120 | 1.20 | 6.60 | 8.00 | 19.93 | 1457 | 8.23 | 10.95 | 2913 | 10.56 | 14.71 | 61 |
| 121 | 1.21 | 3.40 | 4.20 | 11.43 | 1442 | 2.41 | 4.37 | 2885 | 3.22 | 6.62 | 33 |
| 122 | 1.21 | 4.40 | 5.40 | 14.20 | 1446 | 4.21 | 6.43 | 2891 | 5.90 | 9.63 | 42 |
| 123 | 1.21 | 5.40 | 6.60 | 16.97 | 1448 | 6.05 | 8.51 | 2896 | 8.30 | 12.27 | 51 |
| 124 | 1.21 | 7.40 | 9.00 | 22.01 | 1451 | 9.68 | 12.56 | - | - | - | 68 |
| 125 | 1.21 | 9.00 | 11.00 | 26.68 | 1442 | 12.51 | 15.68 | - | - | - | 83 |
| 126 | 1.22 | 4.20 | 5.20 | 13.51 | 1435 | 3.85 | 6.02 | 2869 | 5.39 | 9.06 | 40 |
| 127 | 1.22 | 5.00 | 6.20 | 15.60 | 1429 | 5.31 | 7.68 | 2859 | 7.39 | 11.27 | 47 |
| 128 | 1.22 | 5.20 | 6.40 | 16.28 | 1439 | 5.68 | 8.09 | 2878 | 7.86 | 11.78 | 49 |
| 129 | 1.22 | 6.00 | 7.40 | 18.37 | 1434 | 7.15 | 9.75 | 2868 | 9.55 | 13.63 | 56 |
| 130 | 1.22 | 7.00 | 8.60 | 21.14 | 1437 | 8.98 | 11.79 | 2874 | 11.19 | 15.38 | 65 |
| 131 | 1.23 | 4.00 | 5.00 | 12.83 | 1423 | 3.49 | 5.61 | 2846 | 4.87 | 8.47 | 38 |
| 132 | 1.23 | 4.80 | 6.00 | 14.91 | 1419 | 4.94 | 7.26 | 2839 | 6.92 | 10.75 | 45 |
| 133 | 1.23 | 11.00 | 13.60 | 31.56 | 1424 | 15.63 | 19.05 | - | - | - | 100 |
| 134 | 1.24 | 3.80 | 4.80 | 12.14 | 1410 | 3.13 | 5.20 | 2820 | 4.34 | 7.88 | 36 |
| 135 | 1.24 | 4.60 | 5.80 | 14.72 | 1409 | 4.60 | 6.88 | 2817 | 6.46 | 10.26 | 44 |
| 136 | 1.24 | 5.40 | 6.80 | 16.81 | 1407 | 6.07 | 8.54 | 2815 | 8.35 | 12.33 | 51 |
| 137 | 1.24 | 5.60 | 7.00 | 17.49 | 1417 | 6.44 | 8.96 | 2833 | 8.78 | 12.81 | 53 |
| 138 | 1.24 | 6.40 | 8.00 | 19.58 | 1415 | 7.91 | 10.60 | 2829 | 10.32 | 14.46 | 60 |
| 139 | 1.24 | 12.40 | 15.40 | 37.05 | 1417 | 17.64 | 21.21 | - | - | - | 116 |
| 140 | 1.25 | 3.60 | 4.60 | 11.95 | 1396 | 2.80 | 4.82 | 2793 | 3.83 | 7.32 | 35 |
| 141 | 1.25 | 4.40 | 5.60 | 14.04 | 1397 | 4.24 | 6.46 | 2794 | 5.96 | 9.70 | 42 |
| 142 | 1.25 | 5.20 | 6.60 | 16.12 | 1397 | 5.70 | 8.12 | 2795 | 7.91 | 11.84 | 49 |
| 143 | 1.25 | 6.80 | 8.60 | 20.79 | 1398 | 8.66 | 11.44 | 2796 | 10.99 | 15.18 | 64 |
| 144 | 1.26 | 4.20 | 5.40 | 13.35 | 1385 | 3.88 | 6.05 | 2770 | 5.45 | 9.12 | 40 |
| 145 | 1.26 | 5.00 | 6.40 | 15.94 | 1387 | 5.36 | 7.74 | 2774 | 7.48 | 11.38 | 48 |
| 146 | 1.26 | 5.80 | 7.40 | 18.02 | 1389 | 6.83 | 9.39 | 2777 | 9.24 | 13.31 | 55 |
| 147 | 1.26 | 7.40 | 9.40 | 22.69 | 1391 | 9.78 | 12.68 | - | - | - | 70 |
| 148 | 1.27 | 3.40 | 4.40 | 11.27 | 1382 | 2.44 | 4.41 | 2763 | 3.29 | 6.71 | 33 |
| 149 | 1.27 | 4.80 | 6.20 | 15.25 | 1376 | 4.99 | 7.32 | 2752 | 7.00 | 10.86 | 46 |
| 150 | 1.27 | 6.20 | 8.00 | 19.23 | 1373 | 7.58 | 10.24 | 2746 | 10.04 | 14.18 | 59 |

B & BX BELTS

* - See page 18

B & BX BELTS

| | Ratio | Datum | Datum | Center | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------|--------|----------|-------------------|-----------|-------|-------------------|-----------|-------|-----------------|
| | | Driver | Driven | Distance | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | in | in | in | RPM | B | BX | RPM | B | BX | |
| 151 | 1.27 | 7.00 | 9.00 | 21.32 | 1376 | 9.04 | 11.87 | 2751 | 11.30 | 15.52 | 66 |
| 152 | 1.27 | 8.60 | 11.00 | 25.99 | 1380 | 11.90 | 15.03 | - | - | - | 81 |
| 153 | 1.28 | 4.00 | 5.20 | 13.16 | 1372 | 3.54 | 5.67 | 2743 | 4.96 | 8.59 | 39 |
| 154 | 1.28 | 4.60 | 6.00 | 14.56 | 1364 | 4.62 | 6.90 | 2728 | 6.51 | 10.31 | 44 |
| 155 | 1.28 | 5.40 | 7.00 | 16.65 | 1369 | 6.09 | 8.56 | 2738 | 8.39 | 12.38 | 51 |
| 156 | 1.28 | 12.40 | 16.00 | 36.56 | 1365 | 17.64 | 21.22 | - | - | - | 116 |
| 157 | 1.29 | 3.80 | 5.00 | 12.48 | 1357 | 3.18 | 5.26 | 2715 | 4.43 | 7.99 | 37 |
| 158 | 1.29 | 4.40 | 5.80 | 13.88 | 1352 | 4.26 | 6.49 | 2703 | 6.01 | 9.75 | 42 |
| 159 | 1.29 | 5.20 | 6.80 | 16.46 | 1358 | 5.74 | 8.18 | 2717 | 7.98 | 11.94 | 50 |
| 160 | 1.29 | 6.60 | 8.60 | 20.44 | 1359 | 8.34 | 11.09 | 2718 | 10.75 | 14.95 | 63 |
| 161 | 1.30 | 3.60 | 4.80 | 11.79 | 1342 | 2.82 | 4.85 | 2684 | 3.89 | 7.39 | 35 |
| 162 | 1.30 | 5.00 | 6.60 | 15.77 | 1347 | 5.37 | 7.76 | 2694 | 7.52 | 11.43 | 48 |
| 163 | 1.30 | 5.60 | 7.40 | 17.67 | 1344 | 6.50 | 9.03 | 2687 | 8.90 | 12.95 | 54 |
| 164 | 1.31 | 4.20 | 5.60 | 13.69 | 1338 | 3.92 | 6.11 | 2676 | 5.53 | 9.23 | 41 |
| 165 | 1.31 | 4.80 | 6.40 | 15.09 | 1335 | 5.01 | 7.34 | 2670 | 7.04 | 10.90 | 46 |
| 166 | 1.31 | 6.00 | 8.00 | 18.38 | 1331 | 7.22 | 9.84 | 2662 | 9.69 | 13.80 | 57 |
| 167 | 1.31 | 6.80 | 9.00 | 20.97 | 1338 | 8.71 | 11.51 | 2676 | 11.08 | 15.31 | 65 |
| 168 | 1.31 | 9.40 | 12.40 | 28.75 | 1338 | 13.33 | 16.59 | - | - | - | 90 |
| 169 | 1.32 | 3.40 | 4.60 | 11.60 | 1326 | 2.49 | 4.47 | 2652 | 3.37 | 6.82 | 34 |
| 170 | 1.32 | 4.00 | 5.40 | 13.00 | 1324 | 3.56 | 5.69 | 2648 | 5.00 | 8.64 | 39 |
| 171 | 1.32 | 4.60 | 6.20 | 14.90 | 1323 | 4.66 | 6.96 | 2645 | 6.58 | 10.41 | 45 |
| 172 | 1.32 | 5.20 | 7.00 | 16.30 | 1321 | 5.76 | 8.19 | 2643 | 8.01 | 11.98 | 50 |
| 173 | 1.33 | 6.40 | 8.60 | 19.59 | 1320 | 7.97 | 10.68 | 2640 | 10.45 | 14.62 | 61 |
| 174 | 1.33 | 7.00 | 9.40 | 21.49 | 1319 | 9.09 | 11.93 | 2638 | 11.39 | 15.63 | 67 |
| 175 | 1.34 | 3.80 | 5.20 | 12.32 | 1309 | 3.20 | 5.28 | 2617 | 4.47 | 8.04 | 37 |
| 176 | 1.34 | 4.40 | 6.00 | 14.21 | 1309 | 4.30 | 6.54 | 2618 | 6.08 | 9.84 | 43 |
| 177 | 1.34 | 5.00 | 6.80 | 16.11 | 1309 | 5.41 | 7.81 | 2619 | 7.59 | 11.52 | 49 |
| 178 | 1.35 | 3.60 | 5.00 | 12.13 | 1292 | 2.86 | 4.90 | 2584 | 3.96 | 7.48 | 36 |
| 179 | 1.35 | 4.20 | 5.80 | 13.53 | 1295 | 3.93 | 6.12 | 2589 | 5.56 | 9.27 | 41 |
| 180 | 1.35 | 4.80 | 6.60 | 15.42 | 1297 | 5.04 | 7.39 | 2594 | 7.11 | 10.99 | 47 |
| 181 | 1.35 | 5.40 | 7.40 | 16.82 | 1298 | 6.14 | 8.62 | 2597 | 8.49 | 12.50 | 52 |
| 182 | 1.35 | 6.60 | 9.00 | 20.62 | 1301 | 8.38 | 11.14 | 2602 | 10.84 | 15.06 | 64 |
| 183 | 1.36 | 4.60 | 6.40 | 14.74 | 1283 | 4.67 | 6.97 | 2567 | 6.61 | 10.44 | 45 |
| 184 | 1.36 | 5.80 | 8.00 | 18.03 | 1289 | 6.89 | 9.47 | 2578 | 9.36 | 13.46 | 56 |
| 185 | 1.36 | 6.80 | 9.40 | 21.14 | 1283 | 8.76 | 11.56 | 2567 | 11.16 | 15.41 | 66 |
| 186 | 1.36 | 8.00 | 11.00 | 24.44 | 1287 | 10.92 | 13.95 | - | - | - | 77 |
| 187 | 1.36 | 9.00 | 12.40 | 26.55 | 1283 | 12.60 | 15.79 | - | - | - | 85 |
| 188 | 1.37 | 3.40 | 4.80 | 11.44 | 1274 | 2.51 | 4.49 | 2549 | 3.41 | 6.86 | 34 |
| 189 | 1.37 | 4.00 | 5.60 | 13.34 | 1279 | 3.59 | 5.74 | 2559 | 5.07 | 8.73 | 40 |
| 190 | 1.37 | 5.00 | 7.00 | 15.95 | 1274 | 5.42 | 7.82 | 2548 | 7.61 | 11.55 | 49 |
| 191 | 1.37 | 6.20 | 8.60 | 19.24 | 1281 | 7.64 | 10.31 | 2561 | 10.15 | 14.32 | 60 |
| 192 | 1.38 | 4.40 | 6.20 | 14.05 | 1269 | 4.31 | 6.55 | 2538 | 6.11 | 9.87 | 43 |
| 193 | 1.39 | 3.80 | 5.40 | 12.65 | 1263 | 3.23 | 5.33 | 2526 | 4.53 | 8.13 | 38 |
| 194 | 1.39 | 4.80 | 6.80 | 15.26 | 1260 | 5.05 | 7.40 | 2521 | 7.13 | 11.01 | 47 |
| 195 | 1.39 | 6.40 | 9.00 | 19.77 | 1263 | 8.01 | 10.73 | 2527 | 10.52 | 14.72 | 62 |
| 196 | 1.39 | 11.00 | 15.40 | 32.60 | 1261 | 15.81 | 19.28 | - | - | - | 105 |
| 197 | 1.40 | 4.20 | 6.00 | 13.86 | 1254 | 3.97 | 6.17 | 2508 | 5.62 | 9.35 | 42 |
| 198 | 1.40 | 4.60 | 6.60 | 15.07 | 1246 | 4.71 | 7.01 | 2493 | 6.67 | 10.52 | 46 |
| 199 | 1.40 | 5.20 | 7.40 | 16.47 | 1253 | 5.80 | 8.24 | 2506 | 8.10 | 12.08 | 51 |
| 200 | 1.40 | 5.60 | 8.00 | 17.68 | 1247 | 6.55 | 9.09 | 2494 | 9.00 | 13.07 | 55 |

*

| | |
|---|--|
| - | |
|---|--|

 See page 18

B & BX BELTS

| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | B | BX | | RPM | B | |
| 201 | 1.40 | 6.60 | 9.40 | 20.79 | 1247 | 8.42 | 11.19 | 2495 | 10.91 | 15.15 | 65 |
| 202 | 1.41 | 3.60 | 5.20 | 11.97 | 1245 | 2.87 | 4.91 | 2491 | 3.99 | 7.52 | 36 |
| 203 | 1.41 | 4.00 | 5.80 | 13.18 | 1238 | 3.60 | 5.75 | 2476 | 5.10 | 8.76 | 40 |
| 204 | 1.41 | 6.00 | 8.60 | 18.89 | 1242 | 7.30 | 9.93 | 2483 | 9.83 | 13.98 | 59 |
| 205 | 1.42 | 4.40 | 6.40 | 14.39 | 1231 | 4.34 | 6.59 | 2463 | 6.16 | 9.95 | 44 |
| 206 | 1.42 | 8.60 | 12.40 | 26.35 | 1228 | 12.01 | 15.17 | - | - | - | 84 |
| 207 | 1.43 | 3.40 | 5.00 | 11.78 | 1227 | 2.54 | 4.53 | 2453 | 3.47 | 6.94 | 35 |
| 208 | 1.43 | 3.80 | 5.60 | 12.49 | 1221 | 3.24 | 5.34 | 2441 | 4.56 | 8.15 | 38 |
| 209 | 1.43 | 4.80 | 7.00 | 15.60 | 1226 | 5.08 | 7.44 | 2452 | 7.18 | 11.08 | 48 |
| 210 | 1.43 | 6.20 | 9.00 | 19.42 | 1226 | 7.67 | 10.35 | 2452 | 10.22 | 14.40 | 61 |
| 211 | 1.43 | 9.40 | 13.60 | 29.27 | 1223 | 13.42 | 16.71 | - | - | - | 93 |
| 212 | 1.44 | 4.20 | 6.20 | 13.70 | 1216 | 3.97 | 6.17 | 2431 | 5.64 | 9.37 | 42 |
| 213 | 1.44 | 4.60 | 6.80 | 14.91 | 1212 | 4.71 | 7.02 | 2423 | 6.69 | 10.53 | 46 |
| 214 | 1.44 | 6.40 | 9.40 | 19.94 | 1212 | 8.05 | 10.77 | 2423 | 10.58 | 14.79 | 63 |
| 215 | 1.44 | 11.00 | 16.00 | 33.61 | 1215 | 15.91 | 19.39 | - | - | - | 108 |
| 216 | 1.45 | 5.00 | 7.40 | 16.12 | 1208 | 5.46 | 7.86 | 2416 | 7.68 | 11.63 | 50 |
| 217 | 1.45 | 5.40 | 8.00 | 17.33 | 1205 | 6.21 | 8.71 | 2410 | 8.61 | 12.66 | 54 |
| 218 | 1.46 | 3.60 | 5.40 | 12.30 | 1202 | 2.90 | 4.95 | 2404 | 4.04 | 7.59 | 37 |
| 219 | 1.46 | 4.00 | 6.00 | 13.51 | 1199 | 3.63 | 5.79 | 2398 | 5.15 | 8.83 | 41 |
| 220 | 1.46 | 4.40 | 6.60 | 14.22 | 1196 | 4.34 | 6.60 | 2392 | 6.18 | 9.96 | 44 |
| 221 | 1.46 | 5.80 | 8.60 | 18.54 | 1203 | 6.96 | 9.56 | 2405 | 9.48 | 13.61 | 58 |
| 222 | 1.46 | 7.40 | 11.00 | 22.89 | 1195 | 9.89 | 12.83 | - | - | - | 73 |
| 223 | 1.47 | 6.00 | 9.00 | 19.07 | 1189 | 7.33 | 9.97 | 2377 | 9.89 | 14.05 | 60 |
| 224 | 1.47 | 12.40 | 18.40 | 36.60 | 1190 | 17.72 | 21.31 | - | - | - | 120 |
| 225 | 1.48 | 3.40 | 5.20 | 11.61 | 1182 | 2.55 | 4.54 | 2365 | 3.49 | 6.96 | 35 |
| 226 | 1.48 | 3.80 | 5.80 | 12.83 | 1181 | 3.27 | 5.37 | 2362 | 4.61 | 8.22 | 39 |
| 227 | 1.48 | 4.20 | 6.40 | 14.04 | 1180 | 4.00 | 6.21 | 2359 | 5.69 | 9.44 | 43 |
| 228 | 1.48 | 4.60 | 7.00 | 15.25 | 1179 | 4.74 | 7.06 | 2357 | 6.73 | 10.60 | 47 |
| 229 | 1.49 | 6.20 | 9.40 | 19.59 | 1176 | 7.70 | 10.39 | 2351 | 10.27 | 14.47 | 62 |
| 230 | 1.49 | 9.00 | 13.60 | 28.06 | 1173 | 12.76 | 16.00 | - | - | - | 90 |
| 231 | 1.50 | 4.80 | 7.40 | 15.77 | 1163 | 5.11 | 7.48 | 2326 | 7.24 | 11.16 | 49 |
| 232 | 1.50 | 5.20 | 8.00 | 16.98 | 1163 | 5.86 | 8.33 | 2326 | 8.20 | 12.23 | 53 |
| 233 | 1.50 | 5.60 | 8.60 | 18.19 | 1163 | 6.61 | 9.17 | 2327 | 9.11 | 13.21 | 57 |
| 234 | 1.51 | 3.60 | 5.60 | 12.14 | 1162 | 2.91 | 4.96 | 2324 | 4.06 | 7.60 | 37 |
| 235 | 1.51 | 4.00 | 6.20 | 13.35 | 1162 | 3.64 | 5.79 | 2324 | 5.16 | 8.84 | 41 |
| 236 | 1.51 | 4.40 | 6.80 | 14.56 | 1163 | 4.37 | 6.63 | 2325 | 6.22 | 10.03 | 45 |
| 237 | 1.52 | 5.80 | 9.00 | 18.71 | 1151 | 6.98 | 9.59 | 2302 | 9.53 | 13.68 | 59 |
| 238 | 1.53 | 3.40 | 5.40 | 11.95 | 1141 | 2.57 | 4.57 | 2283 | 3.53 | 7.02 | 36 |
| 239 | 1.53 | 3.80 | 6.00 | 12.66 | 1144 | 3.27 | 5.38 | 2287 | 4.62 | 8.23 | 39 |
| 240 | 1.53 | 4.20 | 6.60 | 13.87 | 1146 | 4.00 | 6.21 | 2291 | 5.70 | 9.44 | 43 |
| 241 | 1.53 | 8.00 | 12.40 | 24.79 | 1146 | 11.00 | 14.06 | - | - | - | 80 |
| 242 | 1.54 | 6.00 | 9.40 | 19.24 | 1140 | 7.35 | 10.01 | 2279 | 9.93 | 14.11 | 61 |
| 243 | 1.54 | 7.00 | 11.00 | 22.18 | 1133 | 9.21 | 12.08 | 2267 | 11.61 | 15.91 | 71 |
| 244 | 1.55 | 4.00 | 6.40 | 13.68 | 1128 | 3.66 | 5.83 | 2256 | 5.20 | 8.90 | 42 |
| 245 | 1.55 | 4.40 | 7.00 | 14.39 | 1131 | 4.37 | 6.63 | 2262 | 6.23 | 10.03 | 45 |
| 246 | 1.56 | 3.60 | 5.80 | 12.47 | 1124 | 2.93 | 4.99 | 2248 | 4.10 | 7.66 | 38 |
| 247 | 1.56 | 5.00 | 8.00 | 16.63 | 1121 | 5.51 | 7.94 | 2243 | 7.77 | 11.76 | 52 |
| 248 | 1.56 | 5.40 | 8.60 | 17.34 | 1124 | 6.23 | 8.74 | 2249 | 8.67 | 12.73 | 55 |
| 249 | 1.56 | 8.60 | 13.60 | 25.85 | 1123 | 12.01 | 15.16 | - | - | - | 85 |
| 250 | 1.57 | 4.20 | 6.80 | 14.21 | 1114 | 4.03 | 6.25 | 2227 | 5.74 | 9.50 | 44 |

B & BX BELTS

* - See page 18

B & BX BELTS

| | Ratio | Datum | Datum | Center | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------|--------|----------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | Driver | Driven | Distance | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | in | in | in | RPM | B | BX | RPM | B | BX | |
| 251 | 1.57 | 4.60 | 7.40 | 15.42 | 1118 | 4.77 | 7.09 | 2235 | 6.78 | 10.66 | 48 |
| 252 | 1.57 | 5.60 | 9.00 | 18.36 | 1114 | 6.63 | 9.20 | 2227 | 9.15 | 13.27 | 58 |
| 253 | 1.58 | 3.80 | 6.20 | 12.99 | 1109 | 3.30 | 5.41 | 2218 | 4.66 | 8.29 | 40 |
| 254 | 1.59 | 3.40 | 5.60 | 11.78 | 1103 | 2.57 | 4.58 | 2206 | 3.55 | 7.03 | 36 |
| 255 | 1.59 | 5.80 | 9.40 | 18.88 | 1104 | 7.01 | 9.62 | 2208 | 9.57 | 13.73 | 60 |
| 256 | 1.59 | 6.80 | 11.00 | 21.83 | 1102 | 8.87 | 11.70 | 2205 | 11.36 | 15.66 | 70 |
| 257 | 1.60 | 4.00 | 6.60 | 13.52 | 1095 | 3.66 | 5.82 | 2191 | 5.21 | 8.90 | 42 |
| 258 | 1.60 | 12.40 | 20.00 | 37.27 | 1096 | 17.78 | 21.39 | - | - | - | 124 |
| 259 | 1.61 | 3.60 | 6.00 | 12.31 | 1089 | 2.93 | 4.99 | 2177 | 4.11 | 7.67 | 38 |
| 260 | 1.61 | 5.20 | 8.60 | 16.98 | 1085 | 5.88 | 8.35 | 2170 | 8.25 | 12.28 | 54 |
| 261 | 1.62 | 4.20 | 7.00 | 14.04 | 1083 | 4.03 | 6.24 | 2167 | 5.74 | 9.50 | 44 |
| 262 | 1.62 | 4.80 | 8.00 | 15.77 | 1079 | 5.13 | 7.50 | 2159 | 7.29 | 11.21 | 50 |
| 263 | 1.62 | 9.40 | 15.40 | 29.28 | 1083 | 13.46 | 16.76 | - | - | - | 96 |
| 264 | 1.63 | 3.80 | 6.40 | 12.83 | 1076 | 3.30 | 5.40 | 2152 | 4.67 | 8.29 | 40 |
| 265 | 1.63 | 4.40 | 7.40 | 15.06 | 1073 | 4.42 | 6.70 | 2145 | 6.31 | 10.14 | 47 |
| 266 | 1.63 | 5.40 | 9.00 | 17.50 | 1076 | 6.25 | 8.77 | 2152 | 8.70 | 12.78 | 56 |
| 267 | 1.63 | 6.60 | 11.00 | 20.97 | 1072 | 8.48 | 11.27 | 2143 | 11.04 | 15.31 | 68 |
| 268 | 1.64 | 3.40 | 5.80 | 12.12 | 1067 | 2.59 | 4.60 | 2134 | 3.58 | 7.08 | 37 |
| 269 | 1.64 | 4.00 | 6.80 | 13.85 | 1065 | 3.68 | 5.85 | 2129 | 5.24 | 8.95 | 43 |
| 270 | 1.64 | 5.60 | 9.40 | 18.53 | 1068 | 6.65 | 9.23 | 2136 | 9.19 | 13.32 | 59 |
| 271 | 1.65 | 7.40 | 12.40 | 23.73 | 1064 | 9.99 | 12.95 | - | - | - | 77 |
| 272 | 1.65 | 11.00 | 18.40 | 33.62 | 1059 | 15.93 | 19.43 | - | - | - | 112 |
| 273 | 1.66 | 3.60 | 6.20 | 12.64 | 1055 | 2.95 | 5.02 | 2111 | 4.14 | 7.72 | 39 |
| 274 | 1.67 | 3.80 | 6.60 | 13.16 | 1045 | 3.32 | 5.43 | 2090 | 4.70 | 8.34 | 41 |
| 275 | 1.67 | 5.00 | 8.60 | 16.63 | 1046 | 5.53 | 7.95 | 2092 | 7.81 | 11.80 | 53 |
| 276 | 1.67 | 8.00 | 13.60 | 25.29 | 1047 | 11.06 | 14.13 | - | - | - | 83 |
| 277 | 1.68 | 5.20 | 9.00 | 17.15 | 1039 | 5.90 | 8.37 | 2078 | 8.28 | 12.32 | 55 |
| 278 | 1.68 | 6.40 | 11.00 | 20.61 | 1041 | 8.13 | 10.88 | 2081 | 10.74 | 15.00 | 67 |
| 279 | 1.68 | 9.00 | 15.40 | 28.06 | 1039 | 12.79 | 16.03 | - | - | - | 93 |
| 280 | 1.68 | 9.40 | 16.00 | 29.28 | 1044 | 13.46 | 16.76 | - | - | - | 97 |
| 281 | 1.69 | 3.40 | 6.00 | 11.95 | 1033 | 2.59 | 4.60 | 2067 | 3.59 | 7.08 | 37 |
| 282 | 1.69 | 4.00 | 7.00 | 13.68 | 1036 | 3.68 | 5.85 | 2071 | 5.24 | 8.95 | 43 |
| 283 | 1.69 | 4.60 | 8.00 | 15.42 | 1037 | 4.78 | 7.11 | 2075 | 6.82 | 10.70 | 49 |
| 284 | 1.70 | 4.20 | 7.40 | 14.20 | 1027 | 4.04 | 6.27 | 2055 | 5.78 | 9.54 | 45 |
| 285 | 1.70 | 5.40 | 9.40 | 18.17 | 1032 | 6.30 | 8.83 | 2064 | 8.78 | 12.88 | 58 |
| 286 | 1.71 | 3.60 | 6.40 | 12.47 | 1024 | 2.95 | 5.01 | 2048 | 4.15 | 7.71 | 39 |
| 287 | 1.72 | 3.80 | 6.80 | 12.99 | 1016 | 3.31 | 5.43 | 2031 | 4.70 | 8.33 | 41 |
| 288 | 1.73 | 6.20 | 11.00 | 20.26 | 1010 | 7.78 | 10.49 | 2020 | 10.41 | 14.65 | 66 |
| 289 | 1.73 | 7.00 | 12.40 | 23.01 | 1009 | 9.30 | 12.19 | 2018 | 11.74 | 16.08 | 75 |
| 290 | 1.74 | 4.80 | 8.60 | 16.27 | 1007 | 5.17 | 7.56 | 2014 | 7.35 | 11.30 | 52 |
| 291 | 1.75 | 3.40 | 6.20 | 12.28 | 1002 | 2.61 | 4.63 | 2004 | 3.61 | 7.13 | 38 |
| 292 | 1.75 | 5.00 | 9.00 | 16.79 | 1001 | 5.54 | 7.97 | 2003 | 7.84 | 11.84 | 54 |
| 293 | 1.75 | 9.00 | 16.00 | 29.06 | 1001 | 12.87 | 16.13 | - | - | - | 96 |
| 294 | 1.76 | 3.60 | 6.60 | 12.81 | 995 | 2.97 | 5.04 | 1989 | 4.17 | 7.76 | 40 |
| 295 | 1.76 | 4.40 | 8.00 | 15.06 | 996 | 4.43 | 6.71 | 1991 | 6.33 | 10.17 | 48 |
| 296 | 1.76 | 5.20 | 9.40 | 17.31 | 996 | 5.91 | 8.39 | 1992 | 8.31 | 12.36 | 56 |
| 297 | 1.76 | 8.60 | 15.40 | 28.36 | 994 | 12.22 | 15.42 | - | - | - | 93 |
| 298 | 1.77 | 3.80 | 7.00 | 13.33 | 988 | 3.33 | 5.45 | 1976 | 4.73 | 8.38 | 42 |
| 299 | 1.78 | 4.00 | 7.40 | 13.85 | 982 | 3.69 | 5.87 | 1965 | 5.27 | 8.98 | 44 |
| 300 | 1.78 | 6.80 | 12.40 | 22.15 | 981 | 8.91 | 11.75 | 1963 | 11.44 | 15.76 | 73 |

B & BX BELTS

* - See page 18

B & BX BELTS

| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | B | BX | RPM | B | BX | |
| 301 | 1.79 | 6.00 | 11.00 | 19.90 | 979 | 7.43 | 10.10 | 1958 | 10.06 | 14.28 | 65 |
| 302 | 1.79 | 11.00 | 20.00 | 34.27 | 976 | 15.97 | 19.48 | - | - | - | 116 |
| 303 | 1.80 | 3.40 | 6.40 | 12.11 | 972 | 2.61 | 4.62 | 1944 | 3.61 | 7.12 | 38 |
| 304 | 1.80 | 7.40 | 13.60 | 24.22 | 972 | 10.03 | 13.01 | - | - | - | 80 |
| 305 | 1.81 | 3.60 | 6.80 | 12.63 | 967 | 2.97 | 5.03 | 1934 | 4.17 | 7.75 | 40 |
| 306 | 1.81 | 4.60 | 8.60 | 15.91 | 968 | 4.82 | 7.16 | 1936 | 6.88 | 10.79 | 51 |
| 307 | 1.82 | 4.80 | 9.00 | 16.43 | 964 | 5.19 | 7.57 | 1928 | 7.38 | 11.34 | 53 |
| 308 | 1.82 | 5.00 | 9.40 | 16.95 | 960 | 5.56 | 7.99 | 1921 | 7.86 | 11.87 | 55 |
| 309 | 1.83 | 6.60 | 12.40 | 22.30 | 954 | 8.59 | 11.41 | 1908 | 11.20 | 15.53 | 73 |
| 310 | 1.83 | 8.60 | 16.00 | 27.84 | 958 | 12.18 | 15.37 | - | - | - | 93 |
| 311 | 1.84 | 4.20 | 8.00 | 14.70 | 954 | 4.08 | 6.31 | 1907 | 5.83 | 9.62 | 47 |
| 312 | 1.85 | 3.40 | 6.60 | 12.45 | 944 | 2.62 | 4.64 | 1888 | 3.64 | 7.16 | 39 |
| 313 | 1.85 | 5.80 | 11.00 | 19.54 | 948 | 7.07 | 9.70 | 1896 | 9.68 | 13.88 | 64 |
| 314 | 1.86 | 3.60 | 7.00 | 12.97 | 940 | 2.98 | 5.06 | 1881 | 4.20 | 7.79 | 41 |
| 315 | 1.87 | 3.80 | 7.40 | 13.49 | 937 | 3.34 | 5.47 | 1874 | 4.75 | 8.41 | 43 |
| 316 | 1.88 | 4.40 | 8.60 | 15.55 | 929 | 4.46 | 6.75 | 1858 | 6.39 | 10.25 | 50 |
| 317 | 1.89 | 4.60 | 9.00 | 16.07 | 926 | 4.83 | 7.17 | 1853 | 6.90 | 10.81 | 52 |
| 318 | 1.89 | 4.80 | 9.40 | 16.59 | 924 | 5.20 | 7.59 | 1849 | 7.40 | 11.37 | 54 |
| 319 | 1.89 | 6.40 | 12.40 | 21.43 | 926 | 8.20 | 10.97 | 1853 | 10.84 | 15.14 | 71 |
| 320 | 1.89 | 8.00 | 15.40 | 27.28 | 928 | 11.21 | 14.33 | - | - | - | 90 |
| 321 | 1.90 | 7.00 | 13.60 | 23.50 | 922 | 9.33 | 12.24 | 1844 | 11.80 | 16.17 | 78 |
| 322 | 1.91 | 3.40 | 6.80 | 12.28 | 918 | 2.62 | 4.63 | 1836 | 3.64 | 7.15 | 39 |
| 323 | 1.91 | 5.60 | 11.00 | 19.18 | 917 | 6.71 | 9.30 | 1835 | 9.29 | 13.45 | 63 |
| 324 | 1.92 | 4.00 | 8.00 | 14.34 | 912 | 3.72 | 5.91 | 1823 | 5.32 | 9.05 | 46 |
| 325 | 1.92 | 9.40 | 18.40 | 31.25 | 910 | 13.61 | 16.95 | - | - | - | 105 |
| 326 | 1.95 | 6.20 | 12.40 | 21.07 | 899 | 7.84 | 10.57 | 1798 | 10.51 | 14.78 | 70 |
| 327 | 1.95 | 6.80 | 13.60 | 23.14 | 897 | 8.98 | 11.85 | 1794 | 11.54 | 15.90 | 77 |
| 328 | 1.96 | 3.40 | 7.00 | 12.61 | 893 | 2.63 | 4.66 | 1786 | 3.66 | 7.18 | 40 |
| 329 | 1.96 | 3.60 | 7.40 | 13.13 | 892 | 2.99 | 5.07 | 1784 | 4.22 | 7.81 | 42 |
| 330 | 1.96 | 8.00 | 16.00 | 26.76 | 894 | 11.17 | 14.27 | - | - | - | 90 |
| 331 | 1.97 | 4.20 | 8.60 | 15.19 | 890 | 4.10 | 6.35 | 1779 | 5.88 | 9.69 | 49 |
| 332 | 1.97 | 4.40 | 9.00 | 15.71 | 889 | 4.47 | 6.77 | 1778 | 6.40 | 10.27 | 51 |
| 333 | 1.97 | 4.60 | 9.40 | 16.23 | 888 | 4.84 | 7.19 | 1777 | 6.92 | 10.84 | 53 |
| 334 | 1.97 | 5.40 | 11.00 | 18.82 | 887 | 6.35 | 8.90 | 1773 | 8.87 | 13.00 | 62 |
| 335 | 1.99 | 12.40 | 25.00 | 39.03 | 880 | 17.85 | 21.48 | - | - | - | 136 |
| 336 | 2.01 | 3.80 | 8.00 | 13.98 | 870 | 3.37 | 5.51 | 1740 | 4.79 | 8.47 | 45 |
| 337 | 2.01 | 6.00 | 12.40 | 21.21 | 872 | 7.52 | 10.22 | 1743 | 10.19 | 14.46 | 70 |
| 338 | 2.01 | 6.60 | 13.60 | 22.27 | 872 | 8.59 | 11.41 | 1744 | 11.21 | 15.53 | 75 |
| 339 | 2.01 | 9.00 | 18.40 | 30.53 | 873 | 12.97 | 16.25 | - | - | - | 103 |
| 340 | 2.03 | 7.40 | 15.40 | 25.18 | 861 | 10.10 | 13.09 | - | - | - | 85 |
| 341 | 2.05 | 4.20 | 9.00 | 15.35 | 852 | 4.11 | 6.36 | 1703 | 5.89 | 9.71 | 50 |
| 342 | 2.05 | 4.40 | 9.40 | 15.87 | 853 | 4.48 | 6.78 | 1705 | 6.42 | 10.29 | 52 |
| 343 | 2.05 | 5.20 | 11.00 | 18.46 | 856 | 5.99 | 8.49 | 1711 | 8.43 | 12.52 | 61 |
| 344 | 2.06 | 4.00 | 8.60 | 14.83 | 851 | 3.75 | 5.94 | 1701 | 5.36 | 9.11 | 48 |
| 345 | 2.07 | 3.40 | 7.40 | 12.77 | 847 | 2.64 | 4.67 | 1694 | 3.67 | 7.20 | 41 |
| 346 | 2.07 | 5.80 | 12.40 | 20.35 | 844 | 7.12 | 9.77 | 1688 | 9.77 | 13.99 | 68 |
| 347 | 2.07 | 6.40 | 13.60 | 22.41 | 847 | 8.27 | 11.06 | 1694 | 10.94 | 15.27 | 75 |
| 348 | 2.09 | 8.60 | 18.40 | 29.30 | 835 | 12.27 | 15.49 | - | - | - | 100 |
| 349 | 2.09 | 9.40 | 20.00 | 31.37 | 838 | 13.60 | 16.94 | - | - | - | 108 |
| 350 | 2.11 | 3.60 | 8.00 | 13.62 | 828 | 3.01 | 5.10 | 1656 | 4.25 | 7.87 | 44 |

B & BX BELTS

* - See page 18

B & BX BELTS

| | Ratio | Datum | Datum | Center | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------|--------|----------|-------------------|-----------|-------|-------------------|-----------|-------|-----------------|
| | | Driver | Driven | Distance | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | in | in | in | RPM | B | BX | RPM | B | BX | |
| 351 | 2.11 | 7.40 | 16.00 | 24.66 | 830 | 10.06 | 13.03 | - | - | - | 85 |
| 352 | 2.12 | 5.00 | 11.00 | 18.09 | 825 | 5.62 | 8.09 | 1650 | 7.97 | 12.03 | 60 |
| 353 | 2.13 | 6.20 | 13.60 | 21.54 | 822 | 7.87 | 10.61 | 1643 | 10.55 | 14.84 | 73 |
| 354 | 2.14 | 4.20 | 9.40 | 15.51 | 817 | 4.12 | 6.37 | 1633 | 5.91 | 9.73 | 51 |
| 355 | 2.14 | 5.60 | 12.40 | 19.98 | 817 | 6.76 | 9.37 | 1633 | 9.36 | 13.56 | 67 |
| 356 | 2.14 | 7.00 | 15.40 | 24.46 | 817 | 9.40 | 12.32 | 1633 | 11.89 | 16.29 | 83 |
| 357 | 2.15 | 4.00 | 9.00 | 14.99 | 814 | 3.75 | 5.95 | 1628 | 5.37 | 9.13 | 49 |
| 358 | 2.16 | 3.80 | 8.60 | 14.47 | 811 | 3.39 | 5.54 | 1623 | 4.83 | 8.52 | 47 |
| 359 | 2.18 | 9.00 | 20.00 | 31.66 | 804 | 13.04 | 16.34 | - | - | - | 108 |
| 360 | 2.20 | 4.80 | 11.00 | 17.73 | 794 | 5.26 | 7.68 | 1588 | 7.50 | 11.51 | 59 |
| 361 | 2.20 | 6.00 | 13.60 | 21.68 | 797 | 7.54 | 10.25 | 1593 | 10.24 | 14.52 | 73 |
| 362 | 2.20 | 6.80 | 15.40 | 24.09 | 794 | 9.04 | 11.92 | 1589 | 11.63 | 16.01 | 82 |
| 363 | 2.22 | 5.40 | 12.40 | 19.61 | 789 | 6.39 | 8.96 | 1578 | 8.94 | 13.10 | 66 |
| 364 | 2.22 | 7.00 | 16.00 | 24.94 | 787 | 9.43 | 12.36 | 1573 | 11.94 | 16.34 | 85 |
| 365 | 2.23 | 3.40 | 8.00 | 13.25 | 786 | 2.66 | 4.69 | 1572 | 3.70 | 7.25 | 43 |
| 366 | 2.23 | 11.00 | 25.00 | 38.50 | 784 | 16.22 | 19.78 | - | - | - | 133 |
| 367 | 2.24 | 4.00 | 9.40 | 15.14 | 781 | 3.76 | 5.96 | 1562 | 5.38 | 9.15 | 50 |
| 368 | 2.25 | 3.80 | 9.00 | 14.62 | 777 | 3.39 | 5.55 | 1553 | 4.84 | 8.54 | 48 |
| 369 | 2.25 | 8.00 | 18.40 | 28.20 | 779 | 11.26 | 14.38 | - | - | - | 97 |
| 370 | 2.27 | 3.60 | 8.60 | 13.59 | 772 | 3.01 | 5.10 | 1545 | 4.25 | 7.86 | 45 |
| 371 | 2.27 | 5.80 | 13.60 | 20.81 | 772 | 7.14 | 9.80 | 1543 | 9.80 | 14.04 | 71 |
| 372 | 2.27 | 6.60 | 15.40 | 23.72 | 772 | 8.68 | 11.53 | 1544 | 11.34 | 15.70 | 81 |
| 373 | 2.27 | 8.60 | 20.00 | 30.41 | 770 | 12.34 | 15.57 | - | - | - | 105 |
| 374 | 2.29 | 4.60 | 11.00 | 17.36 | 763 | 4.90 | 7.27 | 1526 | 7.01 | 10.97 | 58 |
| 375 | 2.29 | 6.80 | 16.00 | 24.57 | 765 | 9.07 | 11.96 | 1531 | 11.67 | 16.06 | 84 |
| 376 | 2.30 | 5.20 | 12.40 | 19.25 | 762 | 6.03 | 8.55 | 1524 | 8.49 | 12.62 | 65 |
| 377 | 2.33 | 6.40 | 15.40 | 23.35 | 750 | 8.32 | 11.13 | 1500 | 11.02 | 15.37 | 80 |
| 378 | 2.34 | 5.60 | 13.60 | 20.44 | 746 | 6.78 | 9.40 | 1493 | 9.40 | 13.60 | 70 |
| 379 | 2.35 | 3.80 | 9.40 | 14.77 | 745 | 3.40 | 5.55 | 1490 | 4.85 | 8.55 | 49 |
| 380 | 2.35 | 6.60 | 16.00 | 24.20 | 744 | 8.71 | 11.56 | 1488 | 11.37 | 15.76 | 83 |
| 381 | 2.37 | 3.60 | 9.00 | 14.25 | 739 | 3.04 | 5.14 | 1479 | 4.29 | 7.93 | 47 |
| 382 | 2.38 | 5.00 | 12.40 | 18.88 | 734 | 5.66 | 8.14 | 1469 | 8.03 | 12.11 | 64 |
| 383 | 2.38 | 12.40 | 30.00 | 41.69 | 735 | 17.92 | 21.56 | - | - | - | 150 |
| 384 | 2.39 | 3.40 | 8.60 | 13.22 | 733 | 2.66 | 4.69 | 1466 | 3.70 | 7.24 | 44 |
| 385 | 2.39 | 4.40 | 11.00 | 16.99 | 732 | 4.53 | 6.85 | 1465 | 6.50 | 10.41 | 57 |
| 386 | 2.40 | 6.20 | 15.40 | 22.98 | 728 | 7.95 | 10.72 | 1456 | 10.67 | 15.01 | 79 |
| 387 | 2.42 | 6.40 | 16.00 | 23.83 | 722 | 8.35 | 11.16 | 1445 | 11.05 | 15.42 | 82 |
| 388 | 2.42 | 7.40 | 18.40 | 26.58 | 723 | 10.17 | 13.19 | - | - | - | 93 |
| 389 | 2.43 | 5.40 | 13.60 | 20.58 | 721 | 6.45 | 9.03 | 1443 | 9.01 | 13.20 | 70 |
| 390 | 2.44 | 8.00 | 20.00 | 29.82 | 718 | 11.36 | 14.51 | - | - | - | 103 |
| 391 | 2.47 | 3.60 | 9.40 | 14.40 | 709 | 3.04 | 5.14 | 1418 | 4.30 | 7.94 | 48 |
| 392 | 2.48 | 4.80 | 12.40 | 18.51 | 707 | 5.30 | 7.73 | 1414 | 7.55 | 11.59 | 63 |
| 393 | 2.48 | 6.00 | 15.40 | 22.61 | 706 | 7.59 | 10.32 | 1411 | 10.31 | 14.61 | 78 |
| 394 | 2.49 | 3.40 | 9.00 | 13.88 | 702 | 2.68 | 4.73 | 1404 | 3.73 | 7.30 | 46 |
| 395 | 2.49 | 4.20 | 11.00 | 16.62 | 702 | 4.17 | 6.44 | 1403 | 5.98 | 9.84 | 56 |
| 396 | 2.50 | 6.20 | 16.00 | 23.46 | 701 | 7.98 | 10.76 | 1402 | 10.71 | 15.06 | 81 |
| 397 | 2.51 | 5.20 | 13.60 | 19.69 | 696 | 6.05 | 8.57 | 1392 | 8.52 | 12.65 | 68 |
| 398 | 2.55 | 7.00 | 18.40 | 26.86 | 686 | 9.54 | 12.50 | 1372 | 12.08 | 16.54 | 93 |
| 399 | 2.56 | 5.80 | 15.40 | 22.24 | 683 | 7.22 | 9.91 | 1367 | 9.92 | 14.20 | 77 |
| 400 | 2.57 | 6.00 | 16.00 | 23.09 | 680 | 7.61 | 10.35 | 1359 | 10.34 | 14.66 | 80 |

B & BX BELTS

* - See page 18

B & BX BELTS

| | Ratio | Datum | Datum | Center | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------|--------|----------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | Driver | Driven | Distance | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | in | in | in | RPM | B | BX | RPM | B | BX | |
| 401 | 2.58 | 4.60 | 12.40 | 18.14 | 679 | 4.93 | 7.31 | 1359 | 7.06 | 11.04 | 62 |
| 402 | 2.60 | 3.40 | 9.40 | 14.03 | 673 | 2.68 | 4.73 | 1346 | 3.74 | 7.31 | 47 |
| 403 | 2.60 | 9.40 | 25.00 | 35.03 | 673 | 13.79 | 17.17 | - | - | - | 124 |
| 404 | 2.61 | 4.00 | 11.00 | 16.25 | 671 | 3.80 | 6.03 | 1341 | 5.45 | 9.25 | 55 |
| 405 | 2.61 | 5.00 | 13.60 | 19.83 | 671 | 5.71 | 8.20 | 1342 | 8.10 | 12.21 | 68 |
| 406 | 2.62 | 6.80 | 18.40 | 25.46 | 667 | 9.10 | 12.00 | 1335 | 11.72 | 16.13 | 90 |
| 407 | 2.63 | 7.40 | 20.00 | 28.70 | 666 | 10.31 | 13.36 | - | - | - | 100 |
| 408 | 2.65 | 5.60 | 15.40 | 22.38 | 661 | 6.89 | 9.54 | 1322 | 9.55 | 13.82 | 77 |
| 409 | 2.66 | 5.80 | 16.00 | 22.71 | 658 | 7.25 | 9.94 | 1317 | 9.95 | 14.24 | 79 |
| 410 | 2.67 | 11.00 | 30.00 | 39.57 | 654 | 16.17 | 19.72 | - | - | - | 144 |
| 411 | 2.68 | 4.40 | 12.40 | 17.76 | 652 | 4.56 | 6.90 | 1304 | 6.55 | 10.48 | 61 |
| 412 | 2.70 | 6.60 | 18.40 | 25.59 | 649 | 8.77 | 11.65 | 1297 | 11.47 | 15.88 | 90 |
| 413 | 2.71 | 4.80 | 13.60 | 19.46 | 646 | 5.34 | 7.79 | 1292 | 7.62 | 11.68 | 67 |
| 414 | 2.71 | 9.00 | 25.00 | 35.30 | 645 | 13.22 | 16.57 | - | - | - | 124 |
| 415 | 2.73 | 3.80 | 11.00 | 15.87 | 640 | 3.44 | 5.61 | 1280 | 4.90 | 8.64 | 54 |
| 416 | 2.74 | 5.40 | 15.40 | 21.49 | 639 | 6.48 | 9.08 | 1278 | 9.07 | 13.28 | 75 |
| 417 | 2.75 | 5.60 | 16.00 | 22.34 | 637 | 6.88 | 9.53 | 1274 | 9.54 | 13.80 | 78 |
| 418 | 2.77 | 7.00 | 20.00 | 27.43 | 632 | 9.55 | 12.52 | 1264 | 12.11 | 16.57 | 97 |
| 419 | 2.78 | 6.40 | 18.40 | 25.73 | 630 | 8.45 | 11.30 | 1260 | 11.19 | 15.61 | 90 |
| 420 | 2.80 | 4.20 | 12.40 | 17.39 | 625 | 4.19 | 6.48 | 1249 | 6.02 | 9.90 | 60 |
| 421 | 2.82 | 4.60 | 13.60 | 19.08 | 621 | 4.97 | 7.37 | 1242 | 7.12 | 11.13 | 66 |
| 422 | 2.83 | 8.60 | 25.00 | 33.52 | 618 | 12.48 | 15.75 | - | - | - | 120 |
| 423 | 2.84 | 5.20 | 15.40 | 21.63 | 617 | 6.14 | 8.71 | 1233 | 8.66 | 12.86 | 75 |
| 424 | 2.84 | 5.40 | 16.00 | 21.96 | 615 | 6.51 | 9.11 | 1231 | 9.10 | 13.33 | 77 |
| 425 | 2.85 | 6.80 | 20.00 | 27.06 | 615 | 9.19 | 12.12 | 1230 | 11.83 | 16.29 | 96 |
| 426 | 2.86 | 6.20 | 18.40 | 25.87 | 611 | 8.11 | 10.93 | 1223 | 10.89 | 15.31 | 90 |
| 427 | 2.87 | 3.60 | 11.00 | 15.50 | 609 | 3.07 | 5.20 | 1218 | 4.35 | 8.02 | 53 |
| 428 | 2.93 | 4.00 | 12.40 | 17.01 | 597 | 3.83 | 6.06 | 1194 | 5.48 | 9.31 | 59 |
| 429 | 2.93 | 6.60 | 20.00 | 26.68 | 598 | 8.82 | 11.72 | 1195 | 11.54 | 15.98 | 95 |
| 430 | 2.94 | 4.40 | 13.60 | 18.70 | 596 | 4.60 | 6.95 | 1192 | 6.60 | 10.57 | 65 |
| 431 | 2.94 | 5.00 | 15.40 | 20.73 | 594 | 5.74 | 8.25 | 1189 | 8.15 | 12.28 | 73 |
| 432 | 2.95 | 5.20 | 16.00 | 22.10 | 594 | 6.17 | 8.74 | 1188 | 8.69 | 12.91 | 77 |
| 433 | 2.95 | 6.00 | 18.40 | 26.01 | 593 | 7.78 | 10.57 | 1185 | 10.56 | 14.98 | 90 |
| 434 | 3.01 | 6.40 | 20.00 | 26.81 | 580 | 8.49 | 11.36 | 1161 | 11.26 | 15.70 | 95 |
| 435 | 3.01 | 12.40 | 38.00 | 49.69 | 582 | 18.22 | 21.92 | - | - | - | 180 |
| 436 | 3.03 | 3.40 | 11.00 | 15.12 | 578 | 2.71 | 4.78 | 1156 | 3.78 | 7.39 | 52 |
| 437 | 3.04 | 8.00 | 25.00 | 31.86 | 576 | 11.41 | 14.57 | - | - | - | 116 |
| 438 | 3.05 | 5.80 | 18.40 | 23.56 | 574 | 7.27 | 9.97 | 1148 | 9.98 | 14.28 | 85 |
| 439 | 3.06 | 4.80 | 15.40 | 20.87 | 572 | 5.40 | 7.87 | 1144 | 7.70 | 11.81 | 73 |
| 440 | 3.06 | 5.00 | 16.00 | 21.20 | 573 | 5.76 | 8.28 | 1145 | 8.18 | 12.32 | 75 |
| 441 | 3.07 | 3.80 | 12.40 | 17.14 | 570 | 3.48 | 5.68 | 1139 | 4.97 | 8.75 | 59 |
| 442 | 3.07 | 4.20 | 13.60 | 18.32 | 571 | 4.23 | 6.53 | 1142 | 6.07 | 9.98 | 64 |
| 443 | 3.11 | 6.20 | 20.00 | 25.91 | 563 | 8.09 | 10.90 | 1127 | 10.86 | 15.26 | 93 |
| 444 | 3.11 | 9.40 | 30.00 | 40.67 | 562 | 14.07 | 17.52 | - | - | - | 144 |
| 445 | 3.15 | 5.60 | 18.40 | 23.70 | 555 | 6.93 | 9.60 | 1111 | 9.61 | 13.91 | 85 |
| 446 | 3.17 | 4.80 | 16.00 | 21.34 | 551 | 5.42 | 7.90 | 1102 | 7.73 | 11.86 | 75 |
| 447 | 3.18 | 4.60 | 15.40 | 19.97 | 550 | 5.00 | 7.41 | 1100 | 7.16 | 11.19 | 71 |
| 448 | 3.20 | 6.00 | 20.00 | 26.05 | 546 | 7.75 | 10.54 | 1092 | 10.53 | 14.93 | 93 |
| 449 | 3.21 | 4.00 | 13.60 | 17.94 | 546 | 3.86 | 6.11 | 1091 | 5.53 | 9.38 | 63 |
| 450 | 3.23 | 3.60 | 12.40 | 16.76 | 542 | 3.11 | 5.26 | 1084 | 4.41 | 8.13 | 58 |

B & BX BELTS

* - See page 18

B & BX BELTS

| | Ratio | Datum | Datum | Center | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------|--------|----------|-------------------|-----------|-------|-------------------|-----------|-------|-----------------|
| | | Driver | Driven | Distance | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | in | in | in | RPM | B | BX | RPM | B | BX | |
| 451 | 3.25 | 9.00 | 30.00 | 36.79 | 539 | 13.20 | 16.54 | - | - | - | 136 |
| 452 | 3.26 | 5.40 | 18.40 | 23.83 | 537 | 6.59 | 9.23 | 1073 | 9.22 | 13.50 | 85 |
| 453 | 3.27 | 7.40 | 25.00 | 32.27 | 535 | 10.46 | 13.56 | - | - | - | 116 |
| 454 | 3.30 | 4.60 | 16.00 | 21.47 | 530 | 5.07 | 7.52 | 1060 | 7.27 | 11.36 | 75 |
| 455 | 3.31 | 5.80 | 20.00 | 26.18 | 529 | 7.41 | 10.17 | 1058 | 10.18 | 14.58 | 93 |
| 456 | 3.32 | 4.40 | 15.40 | 20.10 | 528 | 4.65 | 7.03 | 1056 | 6.68 | 10.69 | 71 |
| 457 | 3.36 | 3.80 | 13.60 | 18.08 | 521 | 3.51 | 5.73 | 1041 | 5.01 | 8.83 | 63 |
| 458 | 3.38 | 5.20 | 18.40 | 23.97 | 518 | 6.24 | 8.85 | 1036 | 8.81 | 13.07 | 85 |
| 459 | 3.38 | 11.00 | 38.00 | 47.00 | 518 | 16.44 | 20.04 | - | - | - | 173 |
| 460 | 3.39 | 8.60 | 30.00 | 37.05 | 516 | 12.60 | 15.91 | - | - | - | 136 |
| 461 | 3.40 | 3.40 | 12.40 | 16.38 | 515 | 2.75 | 4.84 | 1029 | 3.84 | 7.49 | 57 |
| 462 | 3.42 | 5.60 | 20.00 | 26.32 | 512 | 7.07 | 9.79 | 1023 | 9.81 | 14.19 | 93 |
| 463 | 3.44 | 4.40 | 16.00 | 20.57 | 508 | 4.67 | 7.05 | 1017 | 6.70 | 10.73 | 73 |
| 464 | 3.45 | 7.00 | 25.00 | 32.54 | 507 | 9.81 | 12.86 | 1015 | 12.44 | 17.02 | 116 |
| 465 | 3.46 | 4.20 | 15.40 | 20.24 | 506 | 4.30 | 6.65 | 1011 | 6.18 | 10.16 | 71 |
| 466 | 3.50 | 5.00 | 18.40 | 23.58 | 499 | 5.87 | 8.43 | 999 | 8.33 | 12.55 | 84 |
| 467 | 3.53 | 3.60 | 13.60 | 17.69 | 496 | 3.14 | 5.30 | 991 | 4.44 | 8.19 | 62 |
| 468 | 3.54 | 5.40 | 20.00 | 24.89 | 494 | 6.63 | 9.28 | 989 | 9.28 | 13.58 | 90 |
| 469 | 3.55 | 6.80 | 25.00 | 30.58 | 494 | 9.33 | 12.31 | 987 | 12.03 | 16.55 | 112 |
| 470 | 3.59 | 4.20 | 16.00 | 20.70 | 487 | 4.32 | 6.67 | 974 | 6.20 | 10.20 | 73 |
| 471 | 3.62 | 4.00 | 15.40 | 19.85 | 483 | 3.93 | 6.22 | 967 | 5.63 | 9.55 | 70 |
| 472 | 3.63 | 8.00 | 30.00 | 37.45 | 481 | 11.68 | 14.92 | - | - | - | 136 |
| 473 | 3.64 | 4.80 | 18.40 | 23.71 | 481 | 5.52 | 8.05 | 961 | 7.88 | 12.07 | 84 |
| 474 | 3.65 | 6.60 | 25.00 | 30.72 | 480 | 9.00 | 11.95 | 960 | 11.77 | 16.30 | 112 |
| 475 | 3.67 | 5.20 | 20.00 | 25.02 | 477 | 6.28 | 8.90 | 955 | 8.86 | 13.15 | 90 |
| 476 | 3.72 | 3.40 | 13.60 | 17.83 | 470 | 2.79 | 4.92 | 941 | 3.90 | 7.60 | 62 |
| 477 | 3.76 | 4.00 | 16.00 | 20.84 | 466 | 3.96 | 6.28 | 931 | 5.69 | 9.65 | 73 |
| 478 | 3.76 | 6.40 | 25.00 | 30.85 | 466 | 8.67 | 11.59 | 932 | 11.49 | 16.02 | 112 |
| 479 | 3.79 | 4.60 | 18.40 | 23.32 | 462 | 5.14 | 7.62 | 924 | 7.36 | 11.51 | 83 |
| 480 | 3.80 | 3.80 | 15.40 | 19.99 | 461 | 3.57 | 5.83 | 922 | 5.10 | 8.99 | 70 |
| 481 | 3.80 | 5.00 | 20.00 | 25.16 | 460 | 5.93 | 8.52 | 920 | 8.42 | 12.69 | 90 |
| 482 | 3.87 | 6.20 | 25.00 | 30.98 | 452 | 8.32 | 11.22 | 904 | 11.18 | 15.71 | 112 |
| 483 | 3.92 | 7.40 | 30.00 | 37.85 | 447 | 10.72 | 13.89 | - | - | - | 136 |
| 484 | 3.93 | 9.40 | 38.00 | 48.06 | 445 | 14.31 | 17.82 | - | - | - | 173 |
| 485 | 3.94 | 3.80 | 16.00 | 19.92 | 444 | 3.56 | 5.81 | 888 | 5.09 | 8.96 | 71 |
| 486 | 3.95 | 4.40 | 18.40 | 23.46 | 443 | 4.78 | 7.23 | 887 | 6.87 | 10.99 | 83 |
| 487 | 3.95 | 4.80 | 20.00 | 25.29 | 443 | 5.58 | 8.14 | 886 | 7.96 | 12.21 | 90 |
| 488 | 3.99 | 3.60 | 15.40 | 20.12 | 439 | 3.22 | 5.44 | 878 | 4.56 | 8.40 | 70 |
| 489 | 3.99 | 6.00 | 25.00 | 31.11 | 438 | 7.98 | 10.85 | 877 | 10.85 | 15.38 | 112 |
| 490 | 4.10 | 9.00 | 38.00 | 48.33 | 427 | 13.73 | 17.20 | - | - | - | 173 |
| 491 | 4.11 | 4.60 | 20.00 | 25.42 | 426 | 5.22 | 7.74 | 851 | 7.49 | 11.70 | 90 |
| 492 | 4.12 | 4.20 | 18.40 | 23.07 | 425 | 4.40 | 6.80 | 849 | 6.32 | 10.39 | 82 |
| 493 | 4.12 | 5.80 | 25.00 | 31.25 | 425 | 7.63 | 10.47 | 849 | 10.49 | 15.01 | 112 |
| 494 | 4.13 | 7.00 | 30.00 | 36.55 | 424 | 9.95 | 13.05 | 848 | 12.62 | 17.27 | 133 |
| 495 | 4.14 | 3.60 | 16.00 | 20.06 | 423 | 3.21 | 5.42 | 846 | 4.55 | 8.38 | 71 |
| 496 | 4.20 | 3.40 | 15.40 | 19.20 | 417 | 2.82 | 4.97 | 833 | 3.94 | 7.69 | 68 |
| 497 | 4.24 | 6.80 | 30.00 | 36.68 | 412 | 9.61 | 12.68 | 825 | 12.39 | 17.05 | 133 |
| 498 | 4.26 | 5.60 | 25.00 | 31.38 | 411 | 7.28 | 10.08 | 821 | 10.10 | 14.61 | 112 |
| 499 | 4.28 | 4.40 | 20.00 | 25.56 | 408 | 4.86 | 7.35 | 817 | 6.99 | 11.18 | 90 |
| 500 | 4.28 | 8.60 | 38.00 | 48.60 | 408 | 13.12 | 16.55 | - | - | - | 173 |

*

| | |
|--|--|
| | |
|--|--|

 See page 18

B & BX BELTS

| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | B | BX | RPM | B | BX | |
| 501 | 4.31 | 4.00 | 18.40 | 23.20 | 406 | 4.04 | 6.40 | 812 | 5.80 | 9.83 | 82 |
| 502 | 4.36 | 3.40 | 16.00 | 20.19 | 401 | 2.85 | 5.02 | 803 | 3.99 | 7.77 | 71 |
| 503 | 4.37 | 6.60 | 30.00 | 36.81 | 401 | 9.27 | 12.31 | 801 | 12.13 | 16.80 | 133 |
| 504 | 4.41 | 5.40 | 25.00 | 31.51 | 397 | 6.92 | 9.70 | 794 | 9.69 | 14.19 | 112 |
| 505 | 4.47 | 4.20 | 20.00 | 25.69 | 391 | 4.50 | 6.95 | 783 | 6.47 | 10.63 | 90 |
| 506 | 4.50 | 6.40 | 30.00 | 36.94 | 389 | 8.93 | 11.94 | 778 | 11.84 | 16.51 | 133 |
| 507 | 4.52 | 3.80 | 18.40 | 23.33 | 387 | 3.68 | 6.00 | 775 | 5.26 | 9.25 | 82 |
| 508 | 4.57 | 5.20 | 25.00 | 31.64 | 383 | 6.56 | 9.30 | 766 | 9.26 | 13.74 | 112 |
| 509 | 4.59 | 8.00 | 38.00 | 48.99 | 381 | 12.16 | 15.54 | - | - | - | 173 |
| 510 | 4.63 | 6.20 | 30.00 | 37.07 | 378 | 8.58 | 11.56 | 755 | 11.52 | 16.19 | 133 |
| 511 | 4.68 | 4.00 | 20.00 | 25.82 | 374 | 4.13 | 6.55 | 748 | 5.93 | 10.05 | 90 |
| 512 | 4.74 | 5.00 | 25.00 | 31.78 | 369 | 6.20 | 8.90 | 739 | 8.80 | 13.26 | 112 |
| 513 | 4.75 | 3.60 | 18.40 | 23.46 | 369 | 3.31 | 5.60 | 737 | 4.69 | 8.65 | 82 |
| 514 | 4.78 | 6.00 | 30.00 | 37.20 | 366 | 8.22 | 11.18 | 732 | 11.18 | 15.85 | 133 |
| 515 | 4.90 | 3.80 | 20.00 | 25.95 | 357 | 3.76 | 6.14 | 714 | 5.38 | 9.46 | 90 |
| 516 | 4.92 | 4.80 | 25.00 | 31.91 | 356 | 5.83 | 8.50 | 711 | 8.33 | 12.76 | 112 |
| 517 | 4.93 | 5.80 | 30.00 | 37.34 | 355 | 7.87 | 10.79 | 709 | 10.81 | 15.47 | 133 |
| 518 | 4.95 | 7.40 | 38.00 | 49.39 | 354 | 11.16 | 14.46 | - | - | - | 173 |
| 519 | 5.00 | 3.40 | 18.40 | 24.12 | 350 | 2.96 | 5.22 | 700 | 4.14 | 8.07 | 83 |
| 520 | 5.10 | 5.60 | 30.00 | 39.05 | 343 | 7.58 | 10.50 | 686 | 10.52 | 15.21 | 136 |
| 521 | 5.12 | 4.60 | 25.00 | 32.04 | 342 | 5.46 | 8.10 | 683 | 7.83 | 12.24 | 112 |
| 522 | 5.15 | 3.60 | 20.00 | 26.09 | 340 | 3.39 | 5.72 | 679 | 4.80 | 8.85 | 90 |
| 523 | 5.22 | 7.00 | 38.00 | 49.66 | 335 | 10.47 | 13.72 | 671 | 13.28 | 18.17 | 173 |
| 524 | 5.28 | 5.40 | 30.00 | 39.18 | 332 | 7.21 | 10.09 | 663 | 10.09 | 14.77 | 136 |
| 525 | 5.34 | 4.40 | 25.00 | 32.17 | 328 | 5.08 | 7.68 | 656 | 7.31 | 11.69 | 112 |
| 526 | 5.36 | 6.80 | 38.00 | 49.79 | 326 | 10.12 | 13.34 | 653 | 13.04 | 17.94 | 173 |
| 527 | 5.43 | 3.40 | 20.00 | 26.22 | 322 | 3.01 | 5.31 | 645 | 4.21 | 8.21 | 90 |
| 528 | 5.47 | 5.20 | 30.00 | 39.31 | 320 | 6.83 | 9.69 | 640 | 9.64 | 14.31 | 136 |
| 529 | 5.52 | 6.60 | 38.00 | 49.92 | 317 | 9.76 | 12.96 | 634 | 12.76 | 17.68 | 173 |
| 530 | 5.57 | 4.20 | 25.00 | 34.41 | 314 | 4.78 | 7.38 | 628 | 6.87 | 11.29 | 116 |
| 531 | 5.67 | 5.00 | 30.00 | 39.44 | 308 | 6.46 | 9.27 | 617 | 9.17 | 13.81 | 136 |
| 532 | 5.68 | 6.40 | 38.00 | 50.05 | 308 | 9.40 | 12.56 | 616 | 12.46 | 17.38 | 173 |
| 533 | 5.83 | 4.00 | 25.00 | 34.54 | 300 | 4.39 | 6.95 | 601 | 6.30 | 10.68 | 116 |
| 534 | 5.85 | 6.20 | 38.00 | 50.18 | 299 | 9.03 | 12.17 | 598 | 12.13 | 17.05 | 173 |
| 535 | 5.89 | 4.80 | 30.00 | 39.58 | 297 | 6.07 | 8.86 | 594 | 8.67 | 13.29 | 136 |
| 536 | 6.04 | 6.00 | 38.00 | 53.99 | 290 | 8.79 | 11.95 | 580 | 11.95 | 16.94 | 180 |
| 537 | 6.11 | 3.80 | 25.00 | 34.67 | 286 | 4.00 | 6.52 | 573 | 5.71 | 10.05 | 116 |
| 538 | 6.13 | 4.60 | 30.00 | 43.90 | 285 | 5.82 | 8.63 | 571 | 8.35 | 13.05 | 144 |
| 539 | 6.24 | 5.80 | 38.00 | 54.12 | 281 | 8.41 | 11.53 | 561 | 11.56 | 16.54 | 180 |
| 540 | 6.39 | 4.40 | 30.00 | 44.04 | 274 | 5.42 | 8.20 | 548 | 7.79 | 12.47 | 144 |
| 541 | 6.42 | 3.60 | 25.00 | 36.90 | 273 | 3.65 | 6.17 | 545 | 5.18 | 9.54 | 120 |
| 542 | 6.45 | 5.60 | 38.00 | 54.26 | 272 | 8.02 | 11.11 | 543 | 11.14 | 16.11 | 180 |
| 543 | 6.67 | 4.20 | 30.00 | 44.17 | 262 | 5.02 | 7.75 | 525 | 7.22 | 11.86 | 144 |
| 544 | 6.67 | 5.40 | 38.00 | 54.39 | 262 | 7.63 | 10.69 | 525 | 10.69 | 15.65 | 180 |
| 545 | 6.76 | 3.40 | 25.00 | 39.12 | 259 | 3.29 | 5.80 | 518 | 4.60 | 8.97 | 124 |
| 546 | 6.91 | 5.20 | 38.00 | 62.33 | 253 | 7.44 | 10.55 | 507 | 10.50 | 15.58 | 195 |
| 547 | 6.98 | 4.00 | 30.00 | 47.43 | 251 | 4.68 | 7.42 | 502 | 6.72 | 11.39 | 150 |
| 548 | 7.17 | 5.00 | 38.00 | 62.47 | 244 | 7.03 | 10.10 | 488 | 9.99 | 15.04 | 195 |
| 549 | 7.31 | 3.80 | 30.00 | 51.71 | 239 | 4.34 | 7.08 | 479 | 6.21 | 10.92 | 158 |
| 550 | 7.45 | 4.80 | 38.00 | 62.60 | 235 | 6.61 | 9.65 | 470 | 9.45 | 14.48 | 195 |

B & BX BELTS

* - See page 18

B & BX BELTS

| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|-------------------|-----------|------|-------------------|-----------|-------|--------------|
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | B | BX | RPM | B | BX | |
| 551 | 7.68 | 3.60 | 30.00 | 53.91 | 228 | 3.95 | 6.66 | 456 | 5.59 | 10.30 | 162 |
| 552 | 7.75 | 4.60 | 38.00 | 62.74 | 226 | 6.20 | 9.19 | 452 | 8.88 | 13.89 | 195 |
| 553 | 8.07 | 4.40 | 38.00 | 62.87 | 217 | 5.77 | 8.72 | 434 | 8.30 | 13.27 | 195 |
| 554 | 8.09 | 3.40 | 30.00 | 54.04 | 216 | 3.51 | 6.18 | 432 | 4.91 | 9.56 | 162 |
| 555 | 8.43 | 4.20 | 38.00 | 63.01 | 208 | 5.34 | 8.25 | 415 | 7.68 | 12.62 | 195 |
| 556 | 8.82 | 4.00 | 38.00 | 63.14 | 199 | 4.91 | 7.78 | 397 | 7.05 | 11.95 | 195 |
| 557 | 9.24 | 3.80 | 38.00 | 63.28 | 189 | 4.47 | 7.30 | 379 | 6.39 | 11.25 | 195 |
| 558 | 9.71 | 3.60 | 38.00 | 63.41 | 180 | 4.03 | 6.81 | 360 | 5.71 | 10.52 | 195 |
| 559 | 10.23 | 3.40 | 38.00 | 63.55 | 171 | 3.59 | 6.31 | 342 | 5.01 | 9.77 | 195 |

* - See page 18

B & BX BELTS

C & CX BELTS

| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 870 | | | RPM Driver = 1750 | | | *Belt Number |
|----|-------|--------------|--------------|-----------------|------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | C | CX | RPM | C | CX | |
| 1 | 1.00 | 5.00 | 5.00 | 19.10 | 870 | 3.94 | 6.43 | 1750 | 5.94 | 10.90 | 51 |
| 2 | 1.00 | 6.00 | 6.00 | 17.53 | 870 | 5.81 | 8.27 | 1750 | 9.14 | 14.06 | 51 |
| 3 | 1.00 | 7.00 | 7.00 | 20.46 | 870 | 7.85 | 10.35 | 1750 | 12.51 | 17.55 | 60 |
| 4 | 1.00 | 7.50 | 7.50 | 23.68 | 870 | 8.99 | 11.53 | 1750 | 14.31 | 19.48 | 68 |
| 5 | 1.00 | 8.00 | 8.00 | 22.89 | 870 | 9.91 | 12.44 | 1750 | 15.76 | 20.93 | 68 |
| 6 | 1.00 | 8.50 | 8.50 | 25.61 | 870 | 11.05 | 13.61 | 1750 | 17.50 | 22.78 | 75 |
| 7 | 1.00 | 9.00 | 9.00 | 27.82 | 870 | 12.16 | 14.75 | 1750 | 19.16 | 24.54 | 81 |
| 8 | 1.00 | 9.50 | 9.50 | 27.04 | 870 | 13.09 | 15.66 | 1750 | 20.47 | 25.88 | 81 |
| 9 | 1.00 | 10.00 | 10.00 | 29.75 | 870 | 14.25 | 16.86 | 1750 | 22.11 | 27.65 | 88 |
| 10 | 1.00 | 10.50 | 10.50 | 29.97 | 870 | 15.24 | 17.85 | 1750 | 23.43 | 29.03 | 90 |
| 11 | 1.00 | 11.00 | 11.00 | 29.18 | 870 | 16.14 | 18.74 | 1750 | 24.57 | 30.23 | 90 |
| 12 | 1.00 | 12.00 | 12.00 | 35.11 | 870 | 18.53 | 21.20 | 1750 | 27.53 | 33.53 | 105 |
| 13 | 1.00 | 13.00 | 13.00 | 37.04 | 870 | 20.61 | 23.29 | 1750 | 29.75 | 36.02 | 112 |
| 14 | 1.00 | 14.00 | 14.00 | 39.47 | 870 | 22.71 | 25.42 | 1750 | 31.71 | 38.32 | 120 |
| 15 | 1.00 | 16.00 | 16.00 | 44.33 | 870 | 26.82 | 29.60 | - | - | - | 136 |
| 16 | 1.00 | 18.00 | 18.00 | 52.19 | 870 | 31.02 | 33.92 | - | - | - | 158 |
| 17 | 1.00 | 20.00 | 20.00 | 56.55 | 870 | 34.71 | 37.72 | - | - | - | 173 |
| 18 | 1.00 | 24.00 | 24.00 | 61.27 | 870 | 40.90 | 44.24 | - | - | - | 195 |
| 19 | 1.05 | 9.00 | 9.50 | 27.43 | 826 | 12.32 | 14.91 | 1662 | 19.50 | 24.86 | 81 |
| 20 | 1.05 | 9.50 | 10.00 | 28.64 | 828 | 13.37 | 15.97 | 1666 | 21.01 | 26.46 | 85 |
| 21 | 1.05 | 10.00 | 10.50 | 29.36 | 830 | 14.39 | 17.00 | 1670 | 22.42 | 27.94 | 88 |
| 22 | 1.05 | 10.50 | 11.00 | 29.57 | 832 | 15.37 | 17.98 | 1673 | 23.72 | 29.31 | 90 |
| 23 | 1.06 | 7.50 | 8.00 | 23.28 | 818 | 9.17 | 11.71 | 1646 | 14.70 | 19.85 | 68 |
| 24 | 1.06 | 8.00 | 8.50 | 22.50 | 821 | 10.09 | 12.61 | 1652 | 16.13 | 21.28 | 68 |
| 25 | 1.06 | 8.50 | 9.00 | 25.21 | 824 | 11.21 | 13.77 | 1657 | 17.85 | 23.11 | 75 |
| 26 | 1.07 | 7.00 | 7.50 | 20.07 | 815 | 8.05 | 10.54 | 1639 | 12.91 | 17.94 | 60 |
| 27 | 1.07 | 13.00 | 14.00 | 37.75 | 810 | 20.93 | 23.62 | 1628 | 30.37 | 36.66 | 115 |
| 28 | 1.08 | 12.00 | 13.00 | 34.32 | 805 | 18.75 | 21.40 | 1619 | 28.00 | 33.97 | 105 |
| 29 | 1.09 | 11.00 | 12.00 | 35.89 | 800 | 16.94 | 19.62 | 1609 | 25.93 | 31.76 | 105 |
| 30 | 1.10 | 9.50 | 10.50 | 28.25 | 790 | 13.48 | 16.08 | 1589 | 21.24 | 26.68 | 85 |
| 31 | 1.10 | 10.00 | 11.00 | 29.96 | 794 | 14.57 | 17.18 | 1596 | 22.76 | 28.30 | 90 |
| 32 | 1.11 | 8.50 | 9.50 | 24.81 | 782 | 11.33 | 13.88 | 1573 | 18.10 | 23.35 | 75 |
| 33 | 1.11 | 9.00 | 10.00 | 27.03 | 786 | 12.44 | 15.02 | 1582 | 19.74 | 25.09 | 81 |
| 34 | 1.11 | 18.00 | 20.00 | 50.61 | 785 | 31.25 | 34.14 | - | - | - | 158 |
| 35 | 1.12 | 8.00 | 9.00 | 25.60 | 777 | 10.42 | 12.99 | 1564 | 16.72 | 21.96 | 75 |
| 36 | 1.12 | 16.00 | 18.00 | 46.75 | 775 | 27.42 | 30.22 | - | - | - | 144 |
| 37 | 1.12 | 24.00 | 27.00 | 58.90 | 775 | 41.07 | 44.38 | - | - | - | 195 |
| 38 | 1.13 | 7.50 | 8.50 | 22.88 | 772 | 9.30 | 11.83 | 1553 | 14.97 | 20.11 | 68 |
| 39 | 1.14 | 7.00 | 8.00 | 19.67 | 766 | 8.18 | 10.66 | 1542 | 13.18 | 18.19 | 60 |
| 40 | 1.14 | 10.50 | 12.00 | 28.78 | 765 | 15.54 | 18.13 | 1538 | 24.10 | 29.66 | 90 |
| 41 | 1.14 | 14.00 | 16.00 | 41.89 | 764 | 23.34 | 26.07 | 1537 | 32.87 | 39.53 | 128 |
| 42 | 1.15 | 9.50 | 11.00 | 27.85 | 756 | 13.56 | 16.15 | 1520 | 21.41 | 26.84 | 85 |
| 43 | 1.16 | 6.00 | 7.00 | 16.74 | 752 | 6.17 | 8.61 | 1514 | 9.88 | 14.76 | 51 |
| 44 | 1.16 | 9.00 | 10.50 | 26.63 | 750 | 12.52 | 15.09 | 1509 | 19.91 | 25.25 | 81 |
| 45 | 1.16 | 12.00 | 14.00 | 35.53 | 749 | 19.03 | 21.69 | 1507 | 28.52 | 34.52 | 109 |
| 46 | 1.17 | 8.50 | 10.00 | 24.42 | 745 | 11.41 | 13.95 | 1498 | 18.27 | 23.50 | 75 |
| 47 | 1.18 | 8.00 | 9.50 | 25.20 | 738 | 10.50 | 13.06 | 1485 | 16.90 | 22.13 | 75 |
| 48 | 1.18 | 11.00 | 13.00 | 35.10 | 740 | 17.07 | 19.74 | 1489 | 26.23 | 32.03 | 105 |
| 49 | 1.19 | 5.00 | 6.00 | 18.31 | 734 | 4.36 | 6.83 | 1477 | 6.81 | 11.73 | 51 |
| 50 | 1.19 | 7.50 | 9.00 | 22.48 | 731 | 9.39 | 11.91 | 1471 | 15.16 | 20.27 | 68 |

C & CX BELTS

C & CX BELTS

| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 870 | | | RPM Driver = 1750 | | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | C | CX | | RPM | C | |
| 51 | 1.19 | 10.00 | 12.00 | 29.16 | 730 | 14.70 | 17.29 | 1468 | 23.05 | 28.56 | 90 |
| 52 | 1.20 | 7.00 | 8.50 | 23.27 | 723 | 8.48 | 11.02 | 1455 | 13.71 | 18.83 | 68 |
| 53 | 1.20 | 20.00 | 24.00 | 53.37 | 727 | 34.95 | 37.93 | - | - | - | 173 |
| 54 | 1.21 | 9.00 | 11.00 | 28.23 | 717 | 12.71 | 15.30 | 1443 | 20.25 | 25.64 | 85 |
| 55 | 1.22 | 8.50 | 10.50 | 27.02 | 710 | 11.66 | 14.24 | 1429 | 18.71 | 24.02 | 81 |
| 56 | 1.22 | 13.00 | 16.00 | 38.66 | 711 | 21.30 | 24.00 | 1430 | 31.10 | 37.40 | 120 |
| 57 | 1.23 | 6.00 | 7.50 | 20.84 | 705 | 6.45 | 8.96 | 1418 | 10.39 | 15.40 | 60 |
| 58 | 1.23 | 10.50 | 13.00 | 27.97 | 708 | 15.62 | 18.20 | 1424 | 24.29 | 29.82 | 90 |
| 59 | 1.24 | 8.00 | 10.00 | 24.80 | 703 | 10.56 | 13.11 | 1413 | 17.03 | 22.24 | 75 |
| 60 | 1.24 | 16.00 | 20.00 | 48.15 | 699 | 27.74 | 30.55 | - | - | - | 150 |
| 61 | 1.25 | 7.50 | 9.50 | 22.08 | 694 | 9.44 | 11.95 | 1396 | 15.28 | 20.37 | 68 |
| 62 | 1.25 | 9.50 | 12.00 | 28.55 | 695 | 13.75 | 16.35 | 1397 | 21.79 | 27.22 | 88 |
| 63 | 1.25 | 24.00 | 30.00 | 56.48 | 698 | 41.00 | 44.28 | - | - | - | 195 |
| 64 | 1.26 | 11.00 | 14.00 | 34.29 | 689 | 17.13 | 19.78 | 1385 | 26.38 | 32.16 | 105 |
| 65 | 1.27 | 7.00 | 9.00 | 22.87 | 685 | 8.53 | 11.06 | 1378 | 13.83 | 18.94 | 68 |
| 66 | 1.28 | 8.50 | 11.00 | 26.61 | 679 | 11.70 | 14.27 | 1366 | 18.79 | 24.08 | 81 |
| 67 | 1.28 | 14.00 | 18.00 | 40.28 | 681 | 23.40 | 26.11 | 1370 | 33.09 | 39.71 | 128 |
| 68 | 1.29 | 10.00 | 13.00 | 28.36 | 675 | 14.74 | 17.33 | 1358 | 23.18 | 28.66 | 90 |
| 69 | 1.30 | 8.00 | 10.50 | 24.40 | 670 | 10.59 | 13.14 | 1349 | 17.10 | 22.30 | 75 |
| 70 | 1.31 | 6.00 | 8.00 | 20.44 | 663 | 6.51 | 9.01 | 1333 | 10.51 | 15.51 | 60 |
| 71 | 1.32 | 7.50 | 10.00 | 25.18 | 661 | 9.68 | 12.24 | 1329 | 15.69 | 20.88 | 75 |
| 72 | 1.32 | 9.00 | 12.00 | 27.42 | 660 | 12.76 | 15.34 | 1327 | 20.39 | 25.74 | 85 |
| 73 | 1.32 | 10.50 | 14.00 | 34.67 | 659 | 16.23 | 18.89 | 1325 | 25.29 | 31.01 | 105 |
| 74 | 1.32 | 12.00 | 16.00 | 35.41 | 658 | 19.21 | 21.87 | 1323 | 28.91 | 34.89 | 112 |
| 75 | 1.33 | 18.00 | 24.00 | 54.90 | 656 | 31.92 | 34.83 | - | - | - | 173 |
| 76 | 1.34 | 7.00 | 9.50 | 22.46 | 650 | 8.57 | 11.09 | 1308 | 13.91 | 19.00 | 68 |
| 77 | 1.34 | 20.00 | 27.00 | 61.96 | 648 | 35.80 | 38.84 | - | - | - | 195 |
| 78 | 1.35 | 9.50 | 13.00 | 28.73 | 643 | 13.85 | 16.44 | 1293 | 21.99 | 27.42 | 90 |
| 79 | 1.36 | 8.00 | 11.00 | 23.99 | 641 | 10.61 | 13.14 | 1289 | 17.15 | 22.33 | 75 |
| 80 | 1.37 | 5.00 | 7.00 | 17.50 | 635 | 4.51 | 6.96 | 1277 | 7.12 | 12.00 | 51 |
| 81 | 1.37 | 13.00 | 18.00 | 41.04 | 634 | 21.64 | 24.36 | 1274 | 31.68 | 38.03 | 128 |
| 82 | 1.38 | 7.50 | 10.50 | 24.77 | 631 | 9.70 | 12.25 | 1268 | 15.74 | 20.92 | 75 |
| 83 | 1.38 | 10.00 | 14.00 | 27.54 | 628 | 14.74 | 17.31 | 1264 | 23.21 | 28.66 | 90 |
| 84 | 1.39 | 6.00 | 8.50 | 20.03 | 626 | 6.54 | 9.03 | 1258 | 10.59 | 15.57 | 60 |
| 85 | 1.39 | 8.50 | 12.00 | 25.80 | 624 | 11.72 | 14.28 | 1256 | 18.86 | 24.13 | 81 |
| 86 | 1.41 | 7.00 | 10.00 | 22.05 | 619 | 8.58 | 11.10 | 1245 | 13.96 | 19.02 | 68 |
| 87 | 1.42 | 14.00 | 20.00 | 42.65 | 614 | 23.70 | 26.43 | 1235 | 33.59 | 40.26 | 136 |
| 88 | 1.43 | 9.00 | 13.00 | 28.11 | 610 | 12.87 | 15.46 | 1228 | 20.60 | 25.97 | 88 |
| 89 | 1.44 | 7.50 | 11.00 | 24.36 | 603 | 9.71 | 12.25 | 1213 | 15.76 | 20.92 | 75 |
| 90 | 1.44 | 11.00 | 16.00 | 34.66 | 605 | 17.28 | 19.93 | 1216 | 26.68 | 32.46 | 109 |
| 91 | 1.45 | 9.50 | 14.00 | 27.91 | 598 | 13.84 | 16.41 | 1203 | 21.99 | 27.39 | 90 |
| 92 | 1.46 | 5.00 | 7.50 | 17.09 | 595 | 4.54 | 6.98 | 1196 | 7.19 | 12.05 | 51 |
| 93 | 1.47 | 6.00 | 9.00 | 19.62 | 592 | 6.56 | 9.04 | 1191 | 10.63 | 15.59 | 60 |
| 94 | 1.47 | 7.00 | 10.50 | 21.64 | 591 | 8.59 | 11.09 | 1188 | 13.97 | 19.02 | 68 |
| 95 | 1.48 | 8.00 | 12.00 | 26.17 | 589 | 10.81 | 13.37 | 1185 | 17.50 | 22.74 | 81 |
| 96 | 1.48 | 12.00 | 18.00 | 37.78 | 586 | 19.49 | 22.17 | 1179 | 29.39 | 35.42 | 120 |
| 97 | 1.49 | 16.00 | 24.00 | 48.89 | 585 | 27.95 | 30.76 | - | - | - | 158 |
| 98 | 1.49 | 18.00 | 27.00 | 52.43 | 584 | 31.75 | 34.63 | - | - | - | 173 |
| 99 | 1.49 | 20.00 | 30.00 | 59.49 | 584 | 35.63 | 38.64 | - | - | - | 195 |
| 100 | 1.49 | 24.00 | 36.00 | 51.50 | 583 | 40.46 | 43.69 | - | - | - | 195 |

C & CX BELTS

*

| | |
|--|--|
| | |
|--|--|

 See page 18

C & CX BELTS

| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 870 | | | RPM Driver = 1750 | | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | C | CX | RPM | C | CX | |
| 101 | 1.50 | 10.50 | 16.00 | 33.03 | 578 | 16.20 | 18.83 | 1163 | 25.29 | 30.95 | 105 |
| 102 | 1.51 | 8.50 | 13.00 | 26.98 | 578 | 11.84 | 14.42 | 1162 | 19.09 | 24.38 | 85 |
| 103 | 1.52 | 13.00 | 20.00 | 39.39 | 571 | 21.55 | 24.25 | 1150 | 31.60 | 37.90 | 128 |
| 104 | 1.53 | 9.00 | 14.00 | 28.28 | 568 | 12.92 | 15.50 | 1142 | 20.70 | 26.06 | 90 |
| 105 | 1.54 | 7.00 | 11.00 | 21.23 | 565 | 8.58 | 11.07 | 1136 | 13.97 | 19.00 | 68 |
| 106 | 1.55 | 6.00 | 9.50 | 19.20 | 562 | 6.56 | 9.03 | 1131 | 10.64 | 15.58 | 60 |
| 107 | 1.56 | 5.00 | 8.00 | 16.68 | 559 | 4.56 | 6.98 | 1125 | 7.23 | 12.06 | 51 |
| 108 | 1.57 | 7.50 | 12.00 | 23.53 | 554 | 9.69 | 12.22 | 1115 | 15.76 | 20.88 | 75 |
| 109 | 1.58 | 10.00 | 16.00 | 33.41 | 552 | 15.27 | 17.91 | 1110 | 24.08 | 29.69 | 105 |
| 110 | 1.60 | 8.00 | 13.00 | 25.34 | 545 | 10.78 | 13.33 | 1097 | 17.48 | 22.68 | 81 |
| 111 | 1.61 | 11.00 | 18.00 | 34.51 | 539 | 17.31 | 19.96 | 1084 | 26.76 | 32.53 | 112 |
| 112 | 1.62 | 8.50 | 14.00 | 27.65 | 538 | 11.92 | 14.49 | 1082 | 19.22 | 24.53 | 88 |
| 113 | 1.63 | 6.00 | 10.00 | 18.78 | 535 | 6.55 | 9.01 | 1077 | 10.64 | 15.56 | 60 |
| 114 | 1.65 | 5.00 | 8.50 | 16.26 | 528 | 4.56 | 6.97 | 1062 | 7.24 | 12.05 | 51 |
| 115 | 1.65 | 12.00 | 20.00 | 36.11 | 529 | 19.37 | 22.03 | 1064 | 29.24 | 35.22 | 120 |
| 116 | 1.65 | 18.00 | 30.00 | 60.97 | 527 | 32.46 | 35.41 | - | - | - | 195 |
| 117 | 1.66 | 9.50 | 16.00 | 33.78 | 525 | 14.32 | 16.98 | 1056 | 22.79 | 28.36 | 105 |
| 118 | 1.67 | 16.00 | 27.00 | 48.38 | 521 | 27.90 | 30.70 | - | - | - | 162 |
| 119 | 1.68 | 7.00 | 12.00 | 23.90 | 519 | 8.76 | 11.30 | 1044 | 14.29 | 19.40 | 75 |
| 120 | 1.69 | 10.50 | 18.00 | 33.37 | 515 | 16.25 | 18.89 | 1037 | 25.40 | 31.06 | 109 |
| 121 | 1.69 | 14.00 | 24.00 | 43.33 | 513 | 23.79 | 26.53 | 1033 | 33.79 | 40.46 | 144 |
| 122 | 1.70 | 6.00 | 10.50 | 22.38 | 511 | 6.74 | 9.26 | 1028 | 10.96 | 16.00 | 68 |
| 123 | 1.70 | 7.50 | 13.00 | 25.71 | 513 | 9.85 | 12.41 | 1032 | 16.03 | 21.22 | 81 |
| 124 | 1.71 | 8.00 | 14.00 | 26.51 | 508 | 10.87 | 13.44 | 1021 | 17.64 | 22.87 | 85 |
| 125 | 1.74 | 5.00 | 9.00 | 15.83 | 500 | 4.55 | 6.95 | 1005 | 7.24 | 12.02 | 51 |
| 126 | 1.74 | 9.00 | 16.00 | 26.59 | 499 | 12.81 | 15.36 | 1003 | 20.55 | 25.84 | 90 |
| 127 | 1.77 | 10.00 | 18.00 | 31.72 | 492 | 15.15 | 17.77 | 989 | 23.91 | 29.46 | 105 |
| 128 | 1.78 | 6.00 | 11.00 | 21.96 | 488 | 6.73 | 9.24 | 982 | 10.94 | 15.96 | 68 |
| 129 | 1.78 | 20.00 | 36.00 | 54.40 | 488 | 35.05 | 38.01 | - | - | - | 195 |
| 130 | 1.79 | 11.00 | 20.00 | 36.84 | 486 | 17.51 | 20.18 | 978 | 27.09 | 32.91 | 120 |
| 131 | 1.81 | 7.00 | 13.00 | 23.05 | 480 | 8.72 | 11.24 | 966 | 14.23 | 19.30 | 75 |
| 132 | 1.82 | 7.50 | 14.00 | 24.86 | 477 | 9.80 | 12.34 | 960 | 15.96 | 21.11 | 81 |
| 133 | 1.82 | 13.00 | 24.00 | 40.03 | 478 | 21.61 | 24.30 | 961 | 31.72 | 38.01 | 136 |
| 134 | 1.82 | 24.00 | 44.00 | 44.45 | 478 | 39.16 | 42.28 | - | - | - | 195 |
| 135 | 1.83 | 5.00 | 9.50 | 19.94 | 475 | 4.72 | 7.20 | 955 | 7.51 | 12.45 | 60 |
| 136 | 1.84 | 8.50 | 16.00 | 26.96 | 472 | 11.88 | 14.44 | 950 | 19.18 | 24.44 | 90 |
| 137 | 1.85 | 16.00 | 30.00 | 51.36 | 469 | 28.13 | 30.95 | - | - | - | 173 |
| 138 | 1.86 | 9.50 | 18.00 | 32.08 | 468 | 14.21 | 16.83 | 942 | 22.62 | 28.13 | 105 |
| 139 | 1.87 | 10.50 | 20.00 | 34.68 | 465 | 16.36 | 19.00 | 935 | 25.58 | 31.27 | 115 |
| 140 | 1.90 | 14.00 | 27.00 | 43.78 | 457 | 23.80 | 26.53 | 920 | 33.83 | 40.48 | 150 |
| 141 | 1.93 | 5.00 | 10.00 | 19.51 | 452 | 4.71 | 7.18 | 909 | 7.50 | 12.42 | 60 |
| 142 | 1.94 | 6.00 | 12.00 | 21.11 | 449 | 6.69 | 9.18 | 903 | 10.89 | 15.87 | 68 |
| 143 | 1.95 | 7.00 | 14.00 | 25.22 | 447 | 8.85 | 11.40 | 899 | 14.45 | 19.59 | 81 |
| 144 | 1.95 | 8.00 | 16.00 | 27.32 | 446 | 10.93 | 13.50 | 896 | 17.75 | 22.99 | 90 |
| 145 | 1.96 | 9.00 | 18.00 | 32.44 | 444 | 13.25 | 15.88 | 894 | 21.27 | 26.73 | 105 |
| 146 | 1.96 | 10.00 | 20.00 | 33.53 | 444 | 15.29 | 17.92 | 892 | 24.14 | 29.73 | 112 |
| 147 | 1.97 | 12.00 | 24.00 | 40.75 | 442 | 19.75 | 22.46 | 889 | 29.84 | 35.92 | 136 |
| 148 | 1.98 | 18.00 | 36.00 | 55.83 | 440 | 31.91 | 34.79 | - | - | - | 195 |
| 149 | 2.02 | 5.00 | 10.50 | 19.08 | 431 | 4.69 | 7.15 | 867 | 7.48 | 12.38 | 60 |
| 150 | 2.04 | 13.00 | 27.00 | 44.50 | 425 | 21.97 | 24.70 | 856 | 32.27 | 38.65 | 150 |

C & CX BELTS

* - See page 18

C & CX BELTS

| | Ratio | Datum | Datum | Center | RPM Driver = 870 | | | RPM Driver = 1750 | | | *Belt Number |
|-----|-------|--------|--------|----------|------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | Driver | Driven | Distance | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | in | in | in | RPM | C | CX | RPM | C | CX | |
| 151 | 2.06 | 9.50 | 20.00 | 32.37 | 422 | 14.21 | 16.83 | 849 | 22.65 | 28.14 | 109 |
| 152 | 2.07 | 8.50 | 18.00 | 32.80 | 421 | 12.29 | 14.93 | 846 | 19.85 | 25.29 | 105 |
| 153 | 2.07 | 24.00 | 50.00 | 38.68 | 421 | 37.57 | 40.55 | - | - | - | 195 |
| 154 | 2.08 | 7.50 | 16.00 | 26.66 | 419 | 9.91 | 12.47 | 843 | 16.15 | 21.35 | 88 |
| 155 | 2.09 | 6.00 | 13.00 | 20.23 | 416 | 6.64 | 9.11 | 836 | 10.81 | 15.74 | 68 |
| 156 | 2.11 | 5.00 | 11.00 | 18.65 | 412 | 4.68 | 7.12 | 829 | 7.45 | 12.32 | 60 |
| 157 | 2.11 | 14.00 | 30.00 | 47.23 | 412 | 24.06 | 26.81 | 829 | 34.21 | 40.92 | 162 |
| 158 | 2.14 | 11.00 | 24.00 | 37.41 | 406 | 17.52 | 20.18 | 818 | 27.12 | 32.93 | 128 |
| 159 | 2.17 | 9.00 | 20.00 | 30.69 | 401 | 13.10 | 15.70 | 806 | 21.03 | 26.43 | 105 |
| 160 | 2.18 | 20.00 | 44.00 | 47.18 | 400 | 33.85 | 36.70 | - | - | - | 195 |
| 161 | 2.19 | 8.00 | 18.00 | 25.55 | 397 | 10.78 | 13.31 | 799 | 17.50 | 22.67 | 90 |
| 162 | 2.21 | 12.00 | 27.00 | 42.17 | 394 | 19.83 | 22.54 | 792 | 29.97 | 36.07 | 144 |
| 163 | 2.22 | 7.00 | 16.00 | 25.50 | 393 | 8.86 | 11.40 | 790 | 14.47 | 19.60 | 85 |
| 164 | 2.22 | 16.00 | 36.00 | 57.26 | 392 | 28.50 | 31.35 | - | - | - | 195 |
| 165 | 2.24 | 10.50 | 24.00 | 37.76 | 389 | 16.57 | 19.24 | 782 | 25.92 | 31.67 | 128 |
| 166 | 2.25 | 6.00 | 14.00 | 22.90 | 387 | 6.78 | 9.29 | 778 | 11.04 | 16.06 | 75 |
| 167 | 2.27 | 13.00 | 30.00 | 45.91 | 383 | 22.03 | 24.77 | 771 | 32.37 | 38.77 | 158 |
| 168 | 2.29 | 8.50 | 20.00 | 31.05 | 380 | 12.14 | 14.75 | 763 | 19.62 | 24.99 | 105 |
| 169 | 2.30 | 5.00 | 12.00 | 17.76 | 379 | 4.63 | 7.05 | 762 | 7.39 | 12.20 | 60 |
| 170 | 2.33 | 7.50 | 18.00 | 25.90 | 374 | 9.83 | 12.37 | 751 | 16.03 | 21.18 | 90 |
| 171 | 2.35 | 10.00 | 24.00 | 34.04 | 371 | 15.27 | 17.89 | 746 | 24.12 | 29.70 | 120 |
| 172 | 2.40 | 11.00 | 27.00 | 38.80 | 362 | 17.58 | 20.25 | 728 | 27.22 | 33.05 | 136 |
| 173 | 2.41 | 18.00 | 44.00 | 48.54 | 361 | 30.79 | 33.57 | - | - | - | 195 |
| 174 | 2.43 | 8.00 | 20.00 | 31.40 | 358 | 11.18 | 13.80 | 721 | 18.16 | 23.50 | 105 |
| 175 | 2.45 | 12.00 | 30.00 | 42.53 | 355 | 19.79 | 22.50 | 714 | 29.92 | 36.00 | 150 |
| 176 | 2.46 | 9.50 | 24.00 | 34.39 | 353 | 14.31 | 16.95 | 710 | 22.81 | 28.34 | 120 |
| 177 | 2.47 | 20.00 | 50.00 | 41.27 | 352 | 32.42 | 35.15 | - | - | - | 195 |
| 178 | 2.48 | 5.00 | 13.00 | 20.94 | 351 | 4.76 | 7.24 | 705 | 7.60 | 12.54 | 68 |
| 179 | 2.49 | 7.00 | 18.00 | 26.25 | 350 | 8.88 | 11.43 | 704 | 14.51 | 19.65 | 90 |
| 180 | 2.51 | 10.50 | 27.00 | 39.14 | 346 | 16.62 | 19.31 | 696 | 26.02 | 31.78 | 136 |
| 181 | 2.53 | 14.00 | 36.00 | 47.42 | 344 | 23.90 | 26.64 | 692 | 34.00 | 40.67 | 173 |
| 182 | 2.56 | 6.00 | 16.00 | 24.16 | 340 | 6.83 | 9.35 | 683 | 11.12 | 16.17 | 81 |
| 183 | 2.58 | 7.50 | 20.00 | 31.75 | 337 | 10.20 | 12.83 | 678 | 16.63 | 21.97 | 105 |
| 184 | 2.60 | 9.00 | 24.00 | 34.74 | 335 | 13.35 | 15.99 | 674 | 21.44 | 26.93 | 120 |
| 185 | 2.63 | 10.00 | 27.00 | 39.49 | 330 | 15.66 | 18.35 | 664 | 24.74 | 30.45 | 136 |
| 186 | 2.67 | 5.00 | 14.00 | 20.03 | 326 | 4.71 | 7.16 | 656 | 7.52 | 12.40 | 68 |
| 187 | 2.67 | 11.00 | 30.00 | 43.22 | 326 | 17.89 | 20.60 | 656 | 27.70 | 33.63 | 150 |
| 188 | 2.71 | 16.00 | 44.00 | 49.89 | 321 | 27.48 | 30.23 | - | - | - | 195 |
| 189 | 2.72 | 13.00 | 36.00 | 48.11 | 320 | 22.06 | 24.80 | 644 | 32.42 | 38.83 | 173 |
| 190 | 2.74 | 8.50 | 24.00 | 32.51 | 317 | 12.18 | 14.80 | 638 | 19.69 | 25.07 | 115 |
| 191 | 2.74 | 18.00 | 50.00 | 42.56 | 318 | 29.46 | 32.12 | - | - | - | 195 |
| 192 | 2.76 | 7.00 | 20.00 | 24.39 | 316 | 8.71 | 11.21 | 635 | 14.24 | 19.27 | 90 |
| 193 | 2.77 | 9.50 | 27.00 | 35.73 | 314 | 14.36 | 17.00 | 632 | 22.89 | 28.43 | 128 |
| 194 | 2.79 | 10.50 | 30.00 | 40.48 | 312 | 16.67 | 19.35 | 627 | 26.09 | 31.86 | 144 |
| 195 | 2.88 | 6.00 | 18.00 | 24.37 | 303 | 6.81 | 9.33 | 609 | 11.10 | 16.13 | 85 |
| 196 | 2.90 | 8.00 | 24.00 | 32.86 | 300 | 11.21 | 13.84 | 602 | 18.22 | 23.58 | 115 |
| 197 | 2.91 | 9.00 | 27.00 | 36.07 | 298 | 13.39 | 16.04 | 600 | 21.51 | 27.01 | 128 |
| 198 | 2.92 | 10.00 | 30.00 | 40.83 | 298 | 15.70 | 18.39 | 599 | 24.81 | 30.53 | 144 |
| 199 | 2.94 | 12.00 | 36.00 | 48.79 | 296 | 20.17 | 22.92 | 596 | 30.50 | 36.69 | 173 |
| 200 | 3.04 | 5.00 | 16.00 | 21.77 | 286 | 4.76 | 7.24 | 576 | 7.61 | 12.54 | 75 |

C & CX BELTS

*   See page 18

C & CX BELTS

| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 870 | | | RPM Driver = 1750 | | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | C | CX | RPM | C | CX | |
| 201 | 3.07 | 9.50 | 30.00 | 41.17 | 283 | 14.72 | 17.43 | 570 | 23.47 | 29.14 | 144 |
| 202 | 3.07 | 16.00 | 50.00 | 43.84 | 283 | 26.28 | 28.90 | - | - | - | 195 |
| 203 | 3.08 | 8.50 | 27.00 | 36.41 | 283 | 12.41 | 15.08 | 568 | 20.07 | 25.55 | 128 |
| 204 | 3.08 | 14.00 | 44.00 | 51.22 | 282 | 23.95 | 26.69 | 568 | 34.08 | 40.75 | 195 |
| 205 | 3.09 | 7.50 | 24.00 | 31.65 | 282 | 10.13 | 12.74 | 567 | 16.52 | 21.81 | 112 |
| 206 | 3.19 | 6.00 | 20.00 | 25.06 | 273 | 6.82 | 9.33 | 549 | 11.11 | 16.14 | 90 |
| 207 | 3.19 | 11.00 | 36.00 | 43.77 | 272 | 17.76 | 20.46 | 548 | 27.52 | 33.39 | 162 |
| 208 | 3.23 | 9.00 | 30.00 | 37.36 | 269 | 13.42 | 16.07 | 541 | 21.55 | 27.07 | 136 |
| 209 | 3.26 | 8.00 | 27.00 | 36.75 | 267 | 11.43 | 14.10 | 536 | 18.57 | 24.03 | 128 |
| 210 | 3.30 | 7.00 | 24.00 | 31.99 | 264 | 9.15 | 11.77 | 531 | 14.96 | 20.24 | 112 |
| 211 | 3.31 | 13.00 | 44.00 | 51.89 | 263 | 22.11 | 24.85 | 528 | 32.50 | 38.91 | 195 |
| 212 | 3.34 | 10.50 | 36.00 | 44.10 | 261 | 16.80 | 19.51 | 524 | 26.30 | 32.12 | 162 |
| 213 | 3.41 | 5.00 | 18.00 | 22.98 | 255 | 4.79 | 7.28 | 514 | 7.65 | 12.61 | 81 |
| 214 | 3.42 | 8.50 | 30.00 | 37.69 | 255 | 12.44 | 15.11 | 512 | 20.11 | 25.60 | 136 |
| 215 | 3.47 | 7.50 | 27.00 | 32.92 | 251 | 10.15 | 12.77 | 505 | 16.56 | 21.86 | 120 |
| 216 | 3.50 | 10.00 | 36.00 | 44.44 | 249 | 15.82 | 18.54 | 500 | 25.01 | 30.78 | 162 |
| 217 | 3.50 | 14.00 | 50.00 | 45.12 | 249 | 22.89 | 25.50 | 500 | 32.56 | 38.94 | 195 |
| 218 | 3.58 | 12.00 | 44.00 | 52.55 | 243 | 20.21 | 22.97 | 489 | 30.57 | 36.77 | 195 |
| 219 | 3.62 | 8.00 | 30.00 | 38.03 | 240 | 11.45 | 14.13 | 484 | 18.61 | 24.08 | 136 |
| 220 | 3.68 | 9.50 | 36.00 | 44.77 | 237 | 14.84 | 17.57 | 476 | 23.66 | 29.38 | 162 |
| 221 | 3.70 | 7.00 | 27.00 | 33.26 | 235 | 9.17 | 11.80 | 473 | 14.99 | 20.29 | 120 |
| 222 | 3.76 | 13.00 | 50.00 | 45.75 | 231 | 21.12 | 23.74 | 465 | 31.04 | 37.17 | 195 |
| 223 | 3.78 | 5.00 | 20.00 | 25.73 | 230 | 4.89 | 7.42 | 463 | 7.81 | 12.85 | 90 |
| 224 | 3.81 | 6.00 | 24.00 | 31.10 | 228 | 7.09 | 9.70 | 459 | 11.55 | 16.78 | 109 |
| 225 | 3.85 | 7.50 | 30.00 | 38.36 | 226 | 10.45 | 13.14 | 455 | 17.05 | 22.51 | 136 |
| 226 | 3.87 | 9.00 | 36.00 | 45.10 | 225 | 13.84 | 16.58 | 452 | 22.24 | 27.93 | 162 |
| 227 | 3.89 | 11.00 | 44.00 | 53.22 | 223 | 18.27 | 21.05 | 449 | 28.31 | 34.36 | 195 |
| 228 | 4.06 | 12.00 | 50.00 | 46.39 | 214 | 19.30 | 21.94 | 431 | 29.19 | 35.12 | 195 |
| 229 | 4.07 | 10.50 | 44.00 | 53.55 | 214 | 17.29 | 20.07 | 430 | 27.07 | 33.05 | 195 |
| 230 | 4.09 | 8.50 | 36.00 | 45.44 | 213 | 12.84 | 15.59 | 428 | 20.76 | 26.42 | 162 |
| 231 | 4.11 | 7.00 | 30.00 | 38.70 | 212 | 9.45 | 12.15 | 426 | 15.44 | 20.89 | 136 |
| 232 | 4.27 | 10.00 | 44.00 | 53.88 | 204 | 16.29 | 19.08 | 410 | 25.75 | 31.68 | 195 |
| 233 | 4.28 | 6.00 | 27.00 | 33.92 | 203 | 7.18 | 9.83 | 409 | 11.71 | 17.01 | 120 |
| 234 | 4.33 | 8.00 | 36.00 | 45.77 | 201 | 11.82 | 14.58 | 404 | 19.21 | 24.85 | 162 |
| 235 | 4.42 | 11.00 | 50.00 | 47.02 | 197 | 17.44 | 20.09 | 396 | 27.03 | 32.80 | 195 |
| 236 | 4.48 | 9.50 | 44.00 | 54.21 | 194 | 15.28 | 18.08 | 390 | 24.36 | 30.25 | 195 |
| 237 | 4.52 | 5.00 | 24.00 | 31.76 | 193 | 5.08 | 7.72 | 387 | 8.12 | 13.37 | 109 |
| 238 | 4.61 | 7.50 | 36.00 | 46.10 | 189 | 10.79 | 13.57 | 380 | 17.61 | 23.24 | 162 |
| 239 | 4.62 | 10.50 | 50.00 | 47.34 | 188 | 16.50 | 19.16 | 378 | 25.84 | 31.54 | 195 |
| 240 | 4.72 | 9.00 | 44.00 | 54.54 | 184 | 14.25 | 17.07 | 370 | 22.90 | 28.75 | 195 |
| 241 | 4.75 | 6.00 | 30.00 | 39.36 | 183 | 7.40 | 10.13 | 368 | 12.07 | 17.52 | 136 |
| 242 | 4.85 | 10.00 | 50.00 | 47.65 | 180 | 15.54 | 18.21 | 361 | 24.57 | 30.23 | 195 |
| 243 | 4.92 | 7.00 | 36.00 | 46.43 | 177 | 9.76 | 12.55 | 356 | 15.95 | 21.58 | 162 |
| 244 | 4.99 | 8.50 | 44.00 | 54.87 | 174 | 13.22 | 16.05 | 351 | 21.38 | 27.21 | 195 |
| 245 | 5.07 | 5.00 | 27.00 | 34.58 | 171 | 5.16 | 7.83 | 345 | 8.24 | 13.56 | 120 |
| 246 | 5.09 | 9.50 | 50.00 | 47.97 | 171 | 14.58 | 17.25 | 344 | 23.24 | 28.86 | 195 |
| 247 | 5.29 | 8.00 | 44.00 | 55.19 | 165 | 12.18 | 15.02 | 331 | 19.79 | 25.60 | 195 |
| 248 | 5.36 | 9.00 | 50.00 | 48.28 | 162 | 13.60 | 16.29 | 326 | 21.85 | 27.43 | 195 |

* - See page 18

C & CX BELTS

C & CX BELTS

| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 870 | | | RPM Driver = 1750 | | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | C | CX | RPM | C | CX | |
| 249 | 5.62 | 7.50 | 44.00 | 55.52 | 155 | 11.12 | 13.98 | 311 | 18.14 | 23.95 | 195 |
| 250 | 5.63 | 5.00 | 30.00 | 40.02 | 155 | 5.32 | 8.07 | 311 | 8.49 | 13.98 | 136 |
| 251 | 5.66 | 8.50 | 50.00 | 48.60 | 154 | 12.61 | 15.31 | 309 | 20.39 | 25.95 | 195 |
| 252 | 5.69 | 6.00 | 36.00 | 47.09 | 153 | 7.65 | 10.46 | 308 | 12.47 | 18.11 | 162 |
| 253 | 6.00 | 7.00 | 44.00 | 55.85 | 145 | 10.05 | 12.93 | 292 | 16.44 | 22.24 | 195 |
| 254 | 6.00 | 8.00 | 50.00 | 48.91 | 145 | 11.61 | 14.33 | 292 | 18.88 | 24.42 | 195 |
| 255 | 6.38 | 7.50 | 50.00 | 49.23 | 136 | 10.60 | 13.33 | 274 | 17.30 | 22.83 | 195 |
| 256 | 6.74 | 5.00 | 36.00 | 53.52 | 129 | 5.65 | 8.57 | 260 | 9.03 | 14.85 | 173 |
| 257 | 6.81 | 7.00 | 50.00 | 49.54 | 128 | 9.59 | 12.33 | 257 | 15.67 | 21.20 | 195 |
| 258 | 6.94 | 6.00 | 44.00 | 56.51 | 125 | 7.88 | 10.79 | 252 | 12.85 | 18.67 | 195 |
| 259 | 7.88 | 6.00 | 50.00 | 50.17 | 110 | 7.52 | 10.28 | 222 | 12.25 | 17.79 | 195 |
| 260 | 8.22 | 5.00 | 44.00 | 57.16 | 106 | 5.67 | 8.60 | 213 | 9.06 | 14.90 | 195 |
| 261 | 9.33 | 5.00 | 50.00 | 50.79 | 93 | 5.40 | 8.20 | 188 | 8.63 | 14.20 | 195 |

* - See page 18

D BELTS

| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 870 | | RPM Driver = 1160 | | RPM Driver = 1750 | | *Belt Number |
|----|-------|--------------|--------------|-----------------|------------------|-----------|-------------------|-----------|-------------------|-----------|--------------|
| | | in | in | in | Driven | HP / Belt | Driven | HP / Belt | Driven | HP / Belt | |
| | | | | | RPM | D | RPM | D | RPM | D | |
| 1 | 1.00 | 12.00 | 12.00 | 35.31 | 870 | 20.93 | 1160 | 25.44 | 1750 | 32.70 | 105 |
| 2 | 1.00 | 13.00 | 13.00 | 34.74 | 870 | 24.72 | 1160 | 30.27 | 1750 | 39.38 | 107 |
| 3 | 1.00 | 13.50 | 13.50 | 36.46 | 870 | 26.76 | 1160 | 32.84 | - | - | 112 |
| 4 | 1.00 | 14.00 | 14.00 | 37.17 | 870 | 28.73 | 1160 | 35.34 | - | - | 115 |
| 5 | 1.00 | 14.50 | 14.50 | 38.89 | 870 | 30.78 | 1160 | 37.94 | - | - | 120 |
| 6 | 1.00 | 15.00 | 15.00 | 38.10 | 870 | 32.64 | 1160 | 40.29 | - | - | 120 |
| 7 | 1.00 | 15.50 | 15.50 | 41.32 | 870 | 34.83 | 1160 | 43.06 | - | - | 128 |
| 8 | 1.00 | 16.00 | 16.00 | 42.53 | 870 | 36.87 | 1160 | 45.63 | - | - | 132 |
| 9 | 1.00 | 17.00 | 17.00 | 42.96 | 870 | 40.77 | 1160 | 50.55 | - | - | 136 |
| 10 | 1.00 | 18.00 | 18.00 | 45.39 | 870 | 44.87 | 1160 | 55.71 | - | - | 144 |
| 11 | 1.00 | 20.00 | 20.00 | 51.25 | 870 | 53.27 | 1160 | 66.22 | - | - | 162 |
| 12 | 1.00 | 22.00 | 22.00 | 57.11 | 870 | 61.75 | - | - | - | - | 180 |
| 13 | 1.03 | 14.00 | 14.50 | 36.78 | 841 | 29.19 | 1122 | 35.97 | - | - | 115 |
| 14 | 1.03 | 14.50 | 15.00 | 38.49 | 842 | 31.23 | 1123 | 38.55 | - | - | 120 |
| 15 | 1.03 | 15.00 | 15.50 | 41.71 | 843 | 33.41 | 1124 | 41.30 | - | - | 128 |
| 16 | 1.03 | 15.50 | 16.00 | 40.92 | 844 | 35.26 | 1125 | 43.63 | - | - | 128 |
| 17 | 1.04 | 13.00 | 13.50 | 34.35 | 839 | 25.22 | 1119 | 30.94 | 1688 | 40.40 | 107 |
| 18 | 1.04 | 13.50 | 14.00 | 36.06 | 840 | 27.24 | 1120 | 33.49 | - | - | 112 |
| 19 | 1.06 | 15.00 | 16.00 | 41.31 | 818 | 33.78 | 1090 | 41.79 | - | - | 128 |
| 20 | 1.06 | 16.00 | 17.00 | 42.74 | 821 | 37.72 | 1094 | 46.77 | - | - | 134 |
| 21 | 1.06 | 17.00 | 18.00 | 46.17 | 823 | 41.88 | 1098 | 52.00 | - | - | 144 |
| 22 | 1.07 | 13.00 | 14.00 | 36.45 | 810 | 25.81 | 1081 | 31.70 | 1630 | 41.53 | 112 |
| 23 | 1.07 | 13.50 | 14.50 | 37.17 | 812 | 27.75 | 1083 | 34.16 | - | - | 115 |
| 24 | 1.07 | 14.00 | 15.00 | 38.88 | 814 | 29.78 | 1086 | 36.73 | - | - | 120 |
| 25 | 1.07 | 14.50 | 15.50 | 38.10 | 816 | 31.60 | 1088 | 39.05 | - | - | 120 |
| 26 | 1.08 | 12.00 | 13.00 | 34.52 | 806 | 21.91 | 1075 | 26.76 | 1621 | 34.70 | 105 |
| 27 | 1.09 | 15.50 | 17.00 | 42.13 | 796 | 36.09 | 1061 | 44.73 | - | - | 132 |
| 28 | 1.10 | 14.00 | 15.50 | 38.49 | 789 | 30.09 | 1052 | 37.15 | - | - | 120 |
| 29 | 1.10 | 14.50 | 16.00 | 37.70 | 791 | 31.91 | 1055 | 39.46 | - | - | 120 |
| 30 | 1.10 | 20.00 | 22.00 | 54.17 | 793 | 54.86 | 1057 | 68.32 | - | - | 171 |
| 31 | 1.11 | 13.00 | 14.50 | 36.05 | 784 | 26.14 | 1045 | 32.15 | 1576 | 42.21 | 112 |
| 32 | 1.11 | 13.50 | 15.00 | 36.77 | 786 | 28.07 | 1048 | 34.60 | - | - | 115 |
| 33 | 1.11 | 18.00 | 20.00 | 50.81 | 786 | 46.79 | 1047 | 58.22 | - | - | 158 |
| 34 | 1.12 | 12.00 | 13.50 | 34.12 | 777 | 22.26 | 1037 | 27.23 | 1564 | 35.42 | 105 |
| 35 | 1.12 | 16.00 | 18.00 | 42.95 | 776 | 38.34 | 1035 | 47.60 | - | - | 136 |
| 36 | 1.13 | 15.00 | 17.00 | 40.52 | 771 | 34.33 | 1028 | 42.53 | - | - | 128 |
| 37 | 1.14 | 13.50 | 15.50 | 36.37 | 762 | 28.33 | 1016 | 34.95 | - | - | 115 |
| 38 | 1.14 | 14.00 | 16.00 | 38.09 | 765 | 30.35 | 1020 | 37.50 | - | - | 120 |
| 39 | 1.15 | 13.00 | 15.00 | 35.66 | 758 | 26.40 | 1011 | 32.51 | 1526 | 42.76 | 112 |
| 40 | 1.16 | 12.00 | 14.00 | 33.73 | 751 | 22.53 | 1001 | 27.60 | 1510 | 35.99 | 105 |
| 41 | 1.16 | 15.50 | 18.00 | 42.33 | 753 | 36.62 | 1004 | 45.45 | - | - | 134 |
| 42 | 1.17 | 14.50 | 17.00 | 40.90 | 746 | 32.71 | 995 | 40.51 | - | - | 128 |
| 43 | 1.17 | 17.00 | 20.00 | 44.58 | 743 | 42.73 | 991 | 53.16 | - | - | 144 |
| 44 | 1.18 | 13.00 | 15.50 | 35.26 | 735 | 26.61 | 980 | 32.79 | 1478 | 43.21 | 112 |
| 45 | 1.18 | 13.50 | 16.00 | 35.97 | 739 | 28.53 | 985 | 35.23 | - | - | 115 |
| 46 | 1.19 | 15.00 | 18.00 | 41.72 | 730 | 34.88 | 973 | 43.26 | - | - | 132 |
| 47 | 1.20 | 12.00 | 14.50 | 33.32 | 726 | 22.75 | 968 | 27.89 | 1460 | 36.45 | 105 |
| 48 | 1.21 | 14.00 | 17.00 | 37.28 | 722 | 30.71 | 962 | 38.00 | - | - | 120 |
| 49 | 1.22 | 13.00 | 16.00 | 36.35 | 713 | 26.90 | 950 | 33.17 | 1434 | 43.76 | 115 |
| 50 | 1.22 | 18.00 | 22.00 | 49.21 | 716 | 47.36 | 955 | 59.00 | - | - | 158 |

D & DX BELTS

* - See page 18

D BELTS

| | Ratio | Datum | Datum | Center Distance in | RPM Driver = 870 | | RPM Driver = 1160 | | RPM Driver = 1750 | | *Belt Number |
|-----|-------|--------|--------|--------------------------|------------------|-----------|-------------------|-----------|-------------------|-----------|-----------------|
| | | Driver | Driven | | Driven | HP / Belt | Driven | HP / Belt | Driven | HP / Belt | |
| | | in | in | | RPM | D | RPM | D | RPM | D | |
| 51 | 1.22 | 22.00 | 27.00 | 60.63 | 712 | 64.35 | - | - | - | - | 195 |
| 52 | 1.23 | 14.50 | 18.00 | 40.10 | 706 | 33.01 | 942 | 40.91 | - | - | 128 |
| 53 | 1.24 | 12.00 | 15.00 | 33.92 | 703 | 22.99 | 937 | 28.21 | 1413 | 36.92 | 107 |
| 54 | 1.24 | 16.00 | 20.00 | 45.35 | 701 | 39.33 | 935 | 48.90 | - | - | 144 |
| 55 | 1.25 | 13.50 | 17.00 | 37.67 | 697 | 29.04 | 929 | 35.89 | - | - | 120 |
| 56 | 1.27 | 14.00 | 18.00 | 40.48 | 683 | 31.30 | 911 | 38.76 | - | - | 128 |
| 57 | 1.28 | 12.00 | 15.50 | 33.52 | 681 | 23.12 | 908 | 28.39 | 1370 | 37.21 | 107 |
| 58 | 1.28 | 15.50 | 20.00 | 41.72 | 680 | 37.19 | 907 | 46.22 | - | - | 136 |
| 59 | 1.28 | 17.00 | 22.00 | 49.97 | 678 | 43.86 | 903 | 54.63 | - | - | 158 |
| 60 | 1.29 | 13.00 | 17.00 | 35.54 | 672 | 27.13 | 896 | 33.49 | 1352 | 44.26 | 115 |
| 61 | 1.32 | 12.00 | 16.00 | 33.11 | 660 | 23.22 | 880 | 28.53 | 1328 | 37.43 | 107 |
| 62 | 1.32 | 13.50 | 18.00 | 36.85 | 660 | 29.22 | 879 | 36.14 | - | - | 120 |
| 63 | 1.32 | 15.00 | 20.00 | 42.10 | 659 | 35.44 | 878 | 44.02 | - | - | 136 |
| 64 | 1.34 | 20.00 | 27.00 | 54.64 | 649 | 56.21 | 866 | 70.13 | - | - | 180 |
| 65 | 1.36 | 14.50 | 20.00 | 40.47 | 638 | 33.48 | 850 | 41.55 | - | - | 132 |
| 66 | 1.36 | 16.00 | 22.00 | 43.72 | 639 | 39.54 | 852 | 49.21 | - | - | 144 |
| 67 | 1.37 | 13.00 | 18.00 | 37.23 | 636 | 27.47 | 848 | 33.94 | 1280 | 44.92 | 120 |
| 68 | 1.40 | 12.00 | 17.00 | 34.80 | 623 | 23.54 | 830 | 28.95 | 1253 | 38.04 | 112 |
| 69 | 1.40 | 15.50 | 22.00 | 44.09 | 620 | 37.75 | 826 | 46.95 | - | - | 144 |
| 70 | 1.41 | 14.00 | 20.00 | 38.84 | 617 | 31.51 | 822 | 39.06 | - | - | 128 |
| 71 | 1.45 | 15.00 | 22.00 | 44.47 | 601 | 35.94 | 801 | 44.68 | - | - | 144 |
| 72 | 1.46 | 13.50 | 20.00 | 39.22 | 595 | 29.72 | 794 | 36.80 | - | - | 128 |
| 73 | 1.48 | 12.00 | 18.00 | 35.47 | 589 | 23.72 | 786 | 29.19 | 1185 | 38.40 | 115 |
| 74 | 1.48 | 18.00 | 27.00 | 51.63 | 586 | 48.33 | 782 | 60.30 | - | - | 171 |
| 75 | 1.49 | 22.00 | 33.00 | 60.73 | 585 | 64.97 | - | - | - | - | 205 |
| 76 | 1.50 | 14.50 | 22.00 | 40.83 | 581 | 33.72 | 775 | 41.87 | - | - | 136 |
| 77 | 1.51 | 13.00 | 20.00 | 39.59 | 574 | 27.91 | 766 | 34.51 | 1155 | 45.76 | 128 |
| 78 | 1.55 | 14.00 | 22.00 | 40.19 | 562 | 31.80 | 749 | 39.44 | - | - | 134 |
| 79 | 1.57 | 17.00 | 27.00 | 47.85 | 555 | 44.09 | 740 | 54.97 | - | - | 162 |
| 80 | 1.60 | 13.50 | 22.00 | 39.55 | 543 | 29.87 | 724 | 37.01 | - | - | 132 |
| 81 | 1.63 | 12.00 | 20.00 | 36.31 | 532 | 23.92 | 710 | 29.46 | 1070 | 38.82 | 120 |
| 82 | 1.63 | 20.00 | 33.00 | 57.18 | 533 | 56.82 | 711 | 70.94 | - | - | 195 |
| 83 | 1.66 | 13.00 | 22.00 | 37.91 | 524 | 27.85 | 698 | 34.45 | 1053 | 45.72 | 128 |
| 84 | 1.66 | 16.00 | 27.00 | 46.57 | 523 | 40.14 | 698 | 50.01 | - | - | 158 |
| 85 | 1.71 | 15.50 | 27.00 | 46.94 | 508 | 38.28 | 677 | 47.66 | - | - | 158 |
| 86 | 1.77 | 15.00 | 27.00 | 47.30 | 492 | 36.42 | 656 | 45.30 | - | - | 158 |
| 87 | 1.79 | 12.00 | 22.00 | 34.60 | 485 | 23.81 | 647 | 29.33 | 976 | 38.68 | 120 |
| 88 | 1.80 | 22.00 | 40.00 | 63.59 | 484 | 65.48 | - | - | - | - | 225 |
| 89 | 1.81 | 18.00 | 33.00 | 51.06 | 482 | 48.28 | 642 | 60.27 | - | - | 180 |
| 90 | 1.83 | 14.50 | 27.00 | 40.59 | 476 | 33.75 | 635 | 41.95 | - | - | 144 |
| 91 | 1.89 | 14.00 | 27.00 | 40.95 | 460 | 31.90 | 614 | 39.60 | - | - | 144 |
| 92 | 1.91 | 17.00 | 33.00 | 51.78 | 456 | 44.53 | 608 | 55.55 | - | - | 180 |
| 93 | 1.96 | 13.50 | 27.00 | 41.31 | 444 | 30.05 | 593 | 37.25 | - | - | 144 |
| 94 | 1.97 | 20.00 | 40.00 | 58.70 | 441 | 56.84 | 589 | 71.00 | - | - | 210 |
| 95 | 2.02 | 16.00 | 33.00 | 48.95 | 430 | 40.32 | 573 | 50.24 | - | - | 173 |
| 96 | 2.03 | 13.00 | 27.00 | 41.66 | 429 | 28.18 | 572 | 34.89 | 862 | 46.36 | 144 |
| 97 | 2.09 | 15.50 | 33.00 | 48.28 | 417 | 38.31 | 556 | 47.71 | - | - | 171 |
| 98 | 2.15 | 15.00 | 33.00 | 48.64 | 404 | 36.43 | 539 | 45.33 | - | - | 171 |
| 99 | 2.15 | 22.00 | 48.00 | 66.68 | 405 | 65.57 | - | - | - | - | 245 |
| 100 | 2.18 | 18.00 | 40.00 | 57.57 | 399 | 48.91 | 531 | 61.07 | - | - | 205 |

D & DX BELTS

* - See page 18

D BELTS

| | Ratio | Datum Driver | Datum Driven | Center Distance | RPM Driver = 870 | | RPM Driver = 1160 | | RPM Driver = 1750 | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|------------------|-----------|-------------------|-----------|-------------------|-----------|--------------|
| | | in | in | in | Driven | HP / Belt | Driven | HP / Belt | Driven | HP / Belt | |
| | | | | | RPM | D | RPM | D | RPM | D | |
| 101 | 2.19 | 12.00 | 27.00 | 38.30 | 397 | 24.05 | 530 | 29.65 | 799 | 39.15 | 136 |
| 102 | 2.23 | 14.50 | 33.00 | 44.40 | 391 | 33.99 | 521 | 42.26 | - | - | 162 |
| 103 | 2.30 | 14.00 | 33.00 | 44.75 | 378 | 32.12 | 504 | 39.89 | - | - | 162 |
| 104 | 2.31 | 17.00 | 40.00 | 53.16 | 377 | 44.41 | 503 | 55.41 | - | - | 195 |
| 105 | 2.36 | 20.00 | 48.00 | 57.83 | 369 | 56.31 | 492 | 70.34 | - | - | 225 |
| 106 | 2.38 | 13.50 | 33.00 | 43.04 | 365 | 30.01 | 487 | 37.22 | - | - | 158 |
| 107 | 2.45 | 16.00 | 40.00 | 53.85 | 356 | 40.64 | 474 | 50.65 | - | - | 195 |
| 108 | 2.47 | 13.00 | 33.00 | 43.39 | 352 | 28.14 | 470 | 34.85 | 708 | 46.33 | 158 |
| 109 | 2.52 | 15.50 | 40.00 | 46.47 | 345 | 37.66 | 460 | 46.91 | - | - | 180 |
| 110 | 2.59 | 22.00 | 58.00 | 70.30 | 336 | 65.45 | - | - | - | - | 270 |
| 111 | 2.60 | 15.00 | 40.00 | 46.81 | 334 | 35.81 | 446 | 44.57 | - | - | 180 |
| 112 | 2.61 | 18.00 | 48.00 | 59.19 | 333 | 48.78 | 444 | 60.91 | - | - | 225 |
| 113 | 2.67 | 12.00 | 33.00 | 36.83 | 326 | 23.60 | 435 | 29.09 | 656 | 38.43 | 144 |
| 114 | 2.69 | 14.50 | 40.00 | 47.14 | 324 | 33.95 | 431 | 42.21 | - | - | 180 |
| 115 | 2.76 | 17.00 | 48.00 | 53.37 | 315 | 43.89 | 420 | 54.76 | - | - | 210 |
| 116 | 2.78 | 14.00 | 40.00 | 47.48 | 313 | 32.08 | 417 | 39.85 | - | - | 180 |
| 117 | 2.84 | 20.00 | 58.00 | 63.84 | 306 | 56.53 | 408 | 70.62 | - | - | 255 |
| 118 | 2.88 | 13.50 | 40.00 | 44.16 | 302 | 29.73 | 403 | 36.88 | - | - | 173 |
| 119 | 2.93 | 16.00 | 48.00 | 54.04 | 297 | 40.15 | 396 | 50.05 | - | - | 210 |
| 120 | 2.99 | 13.00 | 40.00 | 44.50 | 291 | 27.88 | 389 | 34.53 | 586 | 45.92 | 173 |
| 121 | 3.02 | 15.50 | 48.00 | 51.75 | 288 | 37.88 | 384 | 47.18 | - | - | 205 |
| 122 | 3.12 | 15.00 | 48.00 | 52.08 | 279 | 36.02 | 372 | 44.83 | - | - | 205 |
| 123 | 3.15 | 18.00 | 58.00 | 59.90 | 276 | 48.08 | 368 | 60.04 | - | - | 245 |
| 124 | 3.22 | 12.00 | 40.00 | 44.11 | 270 | 24.04 | 360 | 29.65 | 543 | 39.18 | 171 |
| 125 | 3.22 | 14.50 | 48.00 | 52.41 | 270 | 34.15 | 360 | 42.46 | - | - | 205 |
| 126 | 3.33 | 14.00 | 48.00 | 47.43 | 261 | 31.49 | 348 | 39.11 | - | - | 195 |
| 127 | 3.33 | 17.00 | 58.00 | 57.90 | 261 | 43.87 | 348 | 54.75 | - | - | 240 |
| 128 | 3.45 | 13.50 | 48.00 | 47.76 | 252 | 29.65 | 337 | 36.78 | - | - | 195 |
| 129 | 3.53 | 16.00 | 58.00 | 58.54 | 246 | 40.15 | 329 | 50.05 | - | - | 240 |
| 130 | 3.57 | 13.00 | 48.00 | 48.08 | 243 | 27.81 | 325 | 34.44 | 490 | 45.81 | 195 |
| 131 | 3.64 | 15.50 | 58.00 | 50.75 | 239 | 36.80 | 319 | 45.84 | - | - | 225 |
| 132 | 3.76 | 15.00 | 58.00 | 51.07 | 232 | 34.99 | 309 | 43.55 | - | - | 225 |
| 133 | 3.86 | 12.00 | 48.00 | 48.73 | 226 | 24.11 | 301 | 29.73 | 454 | 39.29 | 195 |
| 134 | 3.88 | 14.50 | 58.00 | 51.38 | 224 | 33.17 | 299 | 41.25 | - | - | 225 |
| 135 | 4.01 | 14.00 | 58.00 | 51.70 | 217 | 31.35 | 289 | 38.94 | - | - | 225 |
| 136 | 4.16 | 13.50 | 58.00 | 52.01 | 209 | 29.52 | 279 | 36.62 | - | - | 225 |
| 137 | 4.31 | 13.00 | 58.00 | 52.33 | 202 | 27.69 | 269 | 34.29 | 406 | 45.62 | 225 |
| 138 | 4.65 | 12.00 | 58.00 | 45.94 | 187 | 22.83 | 249 | 28.16 | 376 | 37.21 | 210 |

* - See page 18

D & DX BELTS

3V & 3VX BELTS

| | Ratio | Pitch | Pitch | Center | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|----|-------|--------|--------|----------|-------------------|-----------|-------|-------------------|-----------|-------|-----------------|
| | | Driver | Driven | Distance | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | in | in | in | RPM | 3V | 3VX | RPM | 3V | 3VX | |
| 1 | 1.00 | 2.50 | 2.50 | 8.58 | 1750 | 1.18 | 1.64 | 3500 | 1.89 | 2.87 | 250 |
| 2 | 1.00 | 2.65 | 2.65 | 8.34 | 1750 | 1.40 | 1.86 | 3500 | 2.29 | 3.27 | 250 |
| 3 | 1.00 | 2.80 | 2.80 | 8.10 | 1750 | 1.62 | 2.07 | 3500 | 2.68 | 3.66 | 250 |
| 4 | 1.00 | 3.00 | 3.00 | 7.79 | 1750 | 1.90 | 2.35 | 3500 | 3.19 | 4.18 | 250 |
| 5 | 1.00 | 3.15 | 3.15 | 8.30 | 1750 | 2.14 | 2.60 | 3500 | 3.62 | 4.62 | 265 |
| 6 | 1.00 | 3.35 | 3.35 | 8.74 | 1750 | 2.46 | 2.91 | 3500 | 4.17 | 5.19 | 280 |
| 7 | 1.00 | 3.65 | 3.65 | 10.02 | 1750 | 2.96 | 3.43 | 3500 | 5.05 | 6.11 | 315 |
| 8 | 1.00 | 4.12 | 4.12 | 11.28 | 1750 | 3.74 | 4.21 | 3500 | 6.37 | 7.49 | 355 |
| 9 | 1.00 | 4.50 | 4.50 | 11.69 | 1750 | 4.34 | 4.82 | 3500 | 7.38 | 8.55 | 375 |
| 10 | 1.00 | 4.75 | 4.75 | 12.54 | 1750 | 4.77 | 5.26 | 3500 | 8.09 | 9.30 | 400 |
| 11 | 1.00 | 5.00 | 5.00 | 13.40 | 1750 | 5.21 | 5.69 | 3500 | 8.78 | 10.04 | 425 |
| 12 | 1.00 | 5.30 | 5.30 | 14.18 | 1750 | 5.72 | 6.21 | 3500 | 9.58 | 10.90 | 450 |
| 13 | 1.00 | 5.60 | 5.60 | 14.96 | 1750 | 6.23 | 6.73 | 3500 | 10.36 | 11.74 | 475 |
| 14 | 1.00 | 6.00 | 6.00 | 15.58 | 1750 | 6.88 | 7.39 | 3500 | 11.32 | 12.81 | 500 |
| 15 | 1.00 | 6.50 | 6.50 | 17.80 | 1750 | 7.78 | 8.31 | 3500 | 12.59 | 14.23 | 560 |
| 16 | 1.00 | 6.90 | 6.90 | 19.17 | 1750 | 8.48 | 9.02 | 3500 | 13.51 | 15.30 | 600 |
| 17 | 1.00 | 8.00 | 8.00 | 20.94 | 1750 | 10.26 | 10.85 | - | - | - | 670 |
| 18 | 1.00 | 10.60 | 10.60 | 28.36 | 1750 | 14.45 | 15.25 | - | - | - | 900 |
| 19 | 1.05 | 3.00 | 3.15 | 8.42 | 1667 | 1.98 | 2.43 | 3333 | 3.35 | 4.32 | 265 |
| 20 | 1.05 | 4.75 | 5.00 | 12.35 | 1663 | 4.83 | 5.30 | 3325 | 8.21 | 9.38 | 400 |
| 21 | 1.06 | 2.35 | 2.50 | 8.69 | 1645 | 1.04 | 1.48 | 3290 | 1.64 | 2.59 | 250 |
| 22 | 1.06 | 2.50 | 2.65 | 8.46 | 1651 | 1.25 | 1.69 | 3302 | 2.03 | 2.98 | 250 |
| 23 | 1.06 | 2.65 | 2.80 | 8.22 | 1656 | 1.46 | 1.91 | 3313 | 2.42 | 3.37 | 250 |
| 24 | 1.06 | 3.15 | 3.35 | 8.15 | 1646 | 2.21 | 2.65 | 3291 | 3.76 | 4.73 | 265 |
| 25 | 1.06 | 4.50 | 4.75 | 12.74 | 1658 | 4.46 | 4.93 | 3316 | 7.61 | 8.76 | 400 |
| 26 | 1.06 | 5.00 | 5.30 | 13.16 | 1651 | 5.27 | 5.74 | 3302 | 8.91 | 10.14 | 425 |
| 27 | 1.06 | 5.30 | 5.60 | 13.94 | 1656 | 5.78 | 6.25 | 3313 | 9.70 | 10.99 | 450 |
| 28 | 1.06 | 6.50 | 6.90 | 17.48 | 1649 | 7.84 | 8.35 | 3297 | 12.73 | 14.33 | 560 |
| 29 | 1.07 | 2.80 | 3.00 | 7.95 | 1633 | 1.69 | 2.13 | 3267 | 2.84 | 3.78 | 250 |
| 30 | 1.07 | 5.60 | 6.00 | 14.64 | 1633 | 6.30 | 6.78 | 3267 | 10.51 | 11.85 | 475 |
| 31 | 1.08 | 6.00 | 6.50 | 16.69 | 1615 | 7.04 | 7.54 | 3231 | 11.62 | 13.08 | 530 |
| 32 | 1.09 | 3.35 | 3.65 | 9.50 | 1606 | 2.59 | 3.03 | 3212 | 4.42 | 5.41 | 300 |
| 33 | 1.09 | 4.12 | 4.50 | 10.98 | 1602 | 3.83 | 4.28 | 3204 | 6.56 | 7.63 | 355 |
| 34 | 1.11 | 4.50 | 5.00 | 12.54 | 1575 | 4.51 | 4.96 | 3150 | 7.70 | 8.83 | 400 |
| 35 | 1.12 | 2.50 | 2.80 | 8.34 | 1563 | 1.30 | 1.73 | 3125 | 2.13 | 3.06 | 250 |
| 36 | 1.12 | 3.00 | 3.35 | 8.26 | 1567 | 2.04 | 2.47 | 3134 | 3.46 | 4.40 | 265 |
| 37 | 1.12 | 4.75 | 5.30 | 13.36 | 1568 | 4.94 | 5.40 | 3137 | 8.41 | 9.58 | 425 |
| 38 | 1.12 | 5.00 | 5.60 | 14.18 | 1563 | 5.38 | 5.84 | 3125 | 9.11 | 10.32 | 450 |
| 39 | 1.13 | 2.35 | 2.65 | 8.57 | 1552 | 1.09 | 1.52 | 3104 | 1.74 | 2.67 | 250 |
| 40 | 1.13 | 2.65 | 3.00 | 8.06 | 1546 | 1.52 | 1.95 | 3092 | 2.54 | 3.46 | 250 |
| 41 | 1.13 | 2.80 | 3.15 | 7.83 | 1556 | 1.73 | 2.16 | 3111 | 2.92 | 3.84 | 250 |
| 42 | 1.13 | 3.65 | 4.12 | 9.65 | 1550 | 3.08 | 3.51 | 3101 | 5.29 | 6.29 | 315 |
| 43 | 1.13 | 5.30 | 6.00 | 14.88 | 1546 | 5.89 | 6.36 | 3092 | 9.92 | 11.19 | 475 |
| 44 | 1.15 | 4.12 | 4.75 | 10.78 | 1518 | 3.86 | 4.30 | 3036 | 6.64 | 7.69 | 355 |
| 45 | 1.15 | 6.00 | 6.90 | 16.37 | 1522 | 7.08 | 7.56 | 3043 | 11.70 | 13.13 | 530 |
| 46 | 1.16 | 3.15 | 3.65 | 8.66 | 1510 | 2.30 | 2.73 | 3021 | 3.94 | 4.88 | 280 |
| 47 | 1.16 | 5.60 | 6.50 | 15.49 | 1508 | 6.41 | 6.88 | 3015 | 10.73 | 12.05 | 500 |
| 48 | 1.16 | 6.90 | 8.00 | 18.30 | 1509 | 8.59 | 9.09 | 3019 | 13.76 | 15.46 | 600 |
| 49 | 1.18 | 4.50 | 5.30 | 12.30 | 1486 | 4.54 | 4.98 | 2972 | 7.77 | 8.87 | 400 |
| 50 | 1.18 | 4.75 | 5.60 | 13.12 | 1484 | 4.97 | 5.42 | 2969 | 8.48 | 9.62 | 425 |

* - See page 18

3V & 3VX BELTS

| | Ratio | Pitch Driver in | Pitch Driven in | Center Distance in | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------------------|--------------------|-----------------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | | | | Driven RPM | HP / Belt | | Driven RPM | HP / Belt | | |
| | | | | | | 3V | 3VX | | 3V | 3VX | |
| 51 | 1.19 | 2.35 | 2.80 | 8.45 | 1469 | 1.12 | 1.55 | 2938 | 1.82 | 2.72 | 250 |
| 52 | 1.19 | 2.65 | 3.15 | 7.94 | 1472 | 1.55 | 1.97 | 2944 | 2.60 | 3.51 | 250 |
| 53 | 1.20 | 2.50 | 3.00 | 8.18 | 1458 | 1.35 | 1.77 | 2917 | 2.22 | 3.13 | 250 |
| 54 | 1.20 | 2.80 | 3.35 | 7.67 | 1463 | 1.77 | 2.19 | 2925 | 3.00 | 3.90 | 250 |
| 55 | 1.20 | 5.00 | 6.00 | 13.86 | 1458 | 5.41 | 5.86 | 2917 | 9.19 | 10.37 | 450 |
| 56 | 1.21 | 4.12 | 5.00 | 11.58 | 1442 | 3.94 | 4.37 | 2884 | 6.77 | 7.81 | 375 |
| 57 | 1.22 | 3.00 | 3.65 | 8.02 | 1438 | 2.09 | 2.50 | 2877 | 3.56 | 4.48 | 265 |
| 58 | 1.23 | 3.35 | 4.12 | 9.13 | 1423 | 2.66 | 3.08 | 2846 | 4.57 | 5.52 | 300 |
| 59 | 1.23 | 3.65 | 4.50 | 10.34 | 1419 | 3.17 | 3.59 | 2839 | 5.46 | 6.44 | 335 |
| 60 | 1.23 | 5.30 | 6.50 | 14.47 | 1427 | 5.93 | 6.38 | 2854 | 10.00 | 11.23 | 475 |
| 61 | 1.23 | 5.60 | 6.90 | 15.17 | 1420 | 6.43 | 6.89 | 2841 | 10.77 | 12.07 | 500 |
| 62 | 1.23 | 6.50 | 8.00 | 18.60 | 1422 | 8.02 | 8.51 | 2844 | 13.06 | 14.62 | 600 |
| 63 | 1.24 | 4.50 | 5.60 | 12.06 | 1406 | 4.56 | 4.99 | 2813 | 7.82 | 8.90 | 400 |
| 64 | 1.26 | 2.50 | 3.15 | 8.06 | 1389 | 1.37 | 1.78 | 2778 | 2.27 | 3.16 | 250 |
| 65 | 1.26 | 2.65 | 3.35 | 7.78 | 1384 | 1.58 | 1.99 | 2769 | 2.66 | 3.55 | 250 |
| 66 | 1.26 | 4.75 | 6.00 | 12.80 | 1385 | 4.99 | 5.43 | 2771 | 8.53 | 9.65 | 425 |
| 67 | 1.28 | 2.35 | 3.00 | 8.29 | 1371 | 1.16 | 1.58 | 2742 | 1.89 | 2.77 | 250 |
| 68 | 1.29 | 4.12 | 5.30 | 11.34 | 1360 | 3.95 | 4.38 | 2721 | 6.81 | 7.84 | 375 |
| 69 | 1.30 | 2.80 | 3.65 | 8.18 | 1342 | 1.83 | 2.24 | 2685 | 3.11 | 4.00 | 265 |
| 70 | 1.30 | 3.65 | 4.75 | 10.14 | 1345 | 3.18 | 3.60 | 2689 | 5.49 | 6.46 | 335 |
| 71 | 1.30 | 5.00 | 6.50 | 13.45 | 1346 | 5.43 | 5.87 | 2692 | 9.23 | 10.39 | 450 |
| 72 | 1.30 | 5.30 | 6.90 | 14.15 | 1344 | 5.93 | 6.38 | 2688 | 10.02 | 11.24 | 475 |
| 73 | 1.31 | 3.15 | 4.12 | 9.28 | 1338 | 2.39 | 2.81 | 2676 | 4.11 | 5.03 | 300 |
| 74 | 1.32 | 10.60 | 14.00 | 30.64 | 1325 | 14.80 | 15.54 | - | - | - | 1000 |
| 75 | 1.33 | 4.50 | 6.00 | 12.99 | 1313 | 4.64 | 5.07 | 2625 | 7.96 | 9.04 | 425 |
| 76 | 1.33 | 6.00 | 8.00 | 16.98 | 1313 | 7.19 | 7.65 | 2625 | 11.91 | 13.30 | 560 |
| 77 | 1.33 | 8.00 | 10.60 | 22.86 | 1321 | 10.58 | 11.12 | - | - | - | 750 |
| 78 | 1.34 | 2.35 | 3.15 | 8.17 | 1306 | 1.18 | 1.59 | 2611 | 1.92 | 2.80 | 250 |
| 79 | 1.34 | 2.50 | 3.35 | 7.90 | 1306 | 1.39 | 1.80 | 2612 | 2.31 | 3.19 | 250 |
| 80 | 1.34 | 3.35 | 4.50 | 9.57 | 1303 | 2.71 | 3.13 | 2606 | 4.68 | 5.62 | 315 |
| 81 | 1.36 | 4.12 | 5.60 | 11.10 | 1288 | 3.96 | 4.38 | 2575 | 6.83 | 7.84 | 375 |
| 82 | 1.37 | 3.00 | 4.12 | 8.39 | 1274 | 2.15 | 2.56 | 2549 | 3.69 | 4.58 | 280 |
| 83 | 1.37 | 3.65 | 5.00 | 9.94 | 1278 | 3.19 | 3.60 | 2555 | 5.51 | 6.47 | 335 |
| 84 | 1.37 | 4.75 | 6.50 | 13.64 | 1279 | 5.07 | 5.50 | 2558 | 8.66 | 9.78 | 450 |
| 85 | 1.38 | 2.65 | 3.65 | 7.54 | 1271 | 1.61 | 2.01 | 2541 | 2.71 | 3.58 | 250 |
| 86 | 1.38 | 5.00 | 6.90 | 14.38 | 1268 | 5.50 | 5.93 | 2536 | 9.35 | 10.51 | 475 |
| 87 | 1.42 | 3.35 | 4.75 | 9.37 | 1234 | 2.72 | 3.13 | 2468 | 4.70 | 5.62 | 315 |
| 88 | 1.43 | 2.35 | 3.35 | 8.01 | 1228 | 1.19 | 1.60 | 2455 | 1.95 | 2.82 | 250 |
| 89 | 1.43 | 3.15 | 4.50 | 8.97 | 1225 | 2.41 | 2.81 | 2450 | 4.14 | 5.05 | 300 |
| 90 | 1.43 | 5.60 | 8.00 | 15.78 | 1225 | 6.51 | 6.96 | 2450 | 10.93 | 12.20 | 530 |
| 91 | 1.44 | 4.50 | 6.50 | 12.58 | 1212 | 4.64 | 5.06 | 2423 | 7.96 | 9.02 | 425 |
| 92 | 1.45 | 3.65 | 5.30 | 10.69 | 1205 | 3.24 | 3.65 | 2410 | 5.60 | 6.56 | 355 |
| 93 | 1.45 | 4.75 | 6.90 | 13.31 | 1205 | 5.06 | 5.49 | 2409 | 8.66 | 9.76 | 450 |
| 94 | 1.46 | 2.50 | 3.65 | 7.65 | 1199 | 1.41 | 1.81 | 2397 | 2.35 | 3.21 | 250 |
| 95 | 1.46 | 4.12 | 6.00 | 12.02 | 1202 | 4.02 | 4.44 | 2403 | 6.94 | 7.96 | 400 |
| 96 | 1.47 | 2.80 | 4.12 | 7.79 | 1189 | 1.85 | 2.25 | 2379 | 3.16 | 4.03 | 265 |
| 97 | 1.49 | 3.35 | 5.00 | 9.16 | 1173 | 2.72 | 3.13 | 2345 | 4.70 | 5.62 | 315 |
| 98 | 1.50 | 3.00 | 4.50 | 9.08 | 1167 | 2.20 | 2.60 | 2333 | 3.77 | 4.67 | 300 |
| 99 | 1.51 | 3.15 | 4.75 | 8.76 | 1161 | 2.41 | 2.81 | 2321 | 4.15 | 5.05 | 300 |
| 100 | 1.51 | 5.30 | 8.00 | 14.50 | 1159 | 5.98 | 6.41 | 2319 | 10.12 | 11.31 | 500 |

*   See page 18

3V & 3VX BELTS

| | Ratio | Pitch | Pitch | Center | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------|--------|----------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | Driver | Driven | Distance | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | in | in | in | RPM | 3V | 3VX | RPM | 3V | 3VX | |
| 101 | 1.53 | 3.65 | 5.60 | 10.44 | 1141 | 3.24 | 3.65 | 2281 | 5.60 | 6.55 | 355 |
| 102 | 1.53 | 4.50 | 6.90 | 13.50 | 1141 | 4.69 | 5.11 | 2283 | 8.06 | 9.13 | 450 |
| 103 | 1.54 | 6.90 | 10.60 | 19.68 | 1139 | 8.74 | 9.22 | 2278 | 14.06 | 15.70 | 670 |
| 104 | 1.55 | 2.35 | 3.65 | 7.76 | 1127 | 1.20 | 1.60 | 2253 | 1.98 | 2.83 | 250 |
| 105 | 1.55 | 2.65 | 4.12 | 7.90 | 1126 | 1.64 | 2.04 | 2251 | 2.78 | 3.65 | 265 |
| 106 | 1.58 | 3.00 | 4.75 | 8.87 | 1105 | 2.20 | 2.60 | 2211 | 3.78 | 4.66 | 300 |
| 107 | 1.58 | 3.35 | 5.30 | 9.91 | 1106 | 2.76 | 3.17 | 2212 | 4.78 | 5.70 | 335 |
| 108 | 1.58 | 4.12 | 6.50 | 11.60 | 1109 | 4.01 | 4.42 | 2218 | 6.93 | 7.93 | 400 |
| 109 | 1.59 | 3.15 | 5.00 | 9.31 | 1103 | 2.44 | 2.84 | 2205 | 4.20 | 5.10 | 315 |
| 110 | 1.60 | 5.00 | 8.00 | 14.72 | 1094 | 5.53 | 5.96 | 2188 | 9.43 | 10.57 | 500 |
| 111 | 1.61 | 2.80 | 4.50 | 8.23 | 1089 | 1.88 | 2.28 | 2178 | 3.21 | 4.08 | 280 |
| 112 | 1.63 | 6.50 | 10.60 | 19.97 | 1073 | 8.14 | 8.61 | 2146 | 13.30 | 14.82 | 670 |
| 113 | 1.64 | 3.65 | 6.00 | 11.11 | 1065 | 3.27 | 3.68 | 2129 | 5.67 | 6.62 | 375 |
| 114 | 1.65 | 2.50 | 4.12 | 7.26 | 1062 | 1.41 | 1.81 | 2124 | 2.37 | 3.21 | 250 |
| 115 | 1.67 | 3.00 | 5.00 | 8.66 | 1050 | 2.19 | 2.59 | 2100 | 3.77 | 4.65 | 300 |
| 116 | 1.67 | 3.35 | 5.60 | 9.66 | 1047 | 2.76 | 3.16 | 2094 | 4.77 | 5.68 | 335 |
| 117 | 1.67 | 4.12 | 6.90 | 12.52 | 1045 | 4.06 | 4.48 | 2090 | 7.02 | 8.02 | 425 |
| 118 | 1.68 | 3.15 | 5.30 | 9.05 | 1040 | 2.43 | 2.83 | 2080 | 4.20 | 5.09 | 315 |
| 119 | 1.68 | 4.75 | 8.00 | 13.64 | 1039 | 5.09 | 5.51 | 2078 | 8.72 | 9.80 | 475 |
| 120 | 1.70 | 2.65 | 4.50 | 7.58 | 1031 | 1.64 | 2.04 | 2061 | 2.79 | 3.64 | 265 |
| 121 | 1.70 | 2.80 | 4.75 | 8.01 | 1032 | 1.88 | 2.27 | 2063 | 3.21 | 4.07 | 280 |
| 122 | 1.75 | 2.35 | 4.12 | 7.37 | 998 | 1.21 | 1.60 | 1996 | 1.99 | 2.83 | 250 |
| 123 | 1.75 | 8.00 | 14.00 | 25.05 | 1000 | 10.70 | 11.22 | - | - | - | 850 |
| 124 | 1.77 | 3.00 | 5.30 | 9.16 | 991 | 2.22 | 2.62 | 1981 | 3.82 | 4.70 | 315 |
| 125 | 1.77 | 6.00 | 10.60 | 18.32 | 991 | 7.27 | 7.72 | 1981 | 12.08 | 13.44 | 630 |
| 126 | 1.78 | 3.15 | 5.60 | 9.80 | 984 | 2.47 | 2.87 | 1969 | 4.26 | 5.16 | 335 |
| 127 | 1.78 | 3.65 | 6.50 | 10.69 | 983 | 3.26 | 3.66 | 1965 | 5.64 | 6.58 | 375 |
| 128 | 1.78 | 4.50 | 8.00 | 13.83 | 984 | 4.71 | 5.13 | 1969 | 8.11 | 9.16 | 475 |
| 129 | 1.79 | 2.65 | 4.75 | 8.12 | 976 | 1.67 | 2.06 | 1953 | 2.83 | 3.68 | 280 |
| 130 | 1.79 | 2.80 | 5.00 | 8.81 | 980 | 1.91 | 2.31 | 1960 | 3.26 | 4.13 | 300 |
| 131 | 1.79 | 3.35 | 6.00 | 10.33 | 977 | 2.79 | 3.19 | 1954 | 4.83 | 5.74 | 355 |
| 132 | 1.79 | 10.60 | 19.00 | 32.49 | 976 | 14.87 | 15.60 | - | - | - | 1120 |
| 133 | 1.80 | 2.50 | 4.50 | 7.69 | 972 | 1.43 | 1.83 | 1944 | 2.41 | 3.25 | 265 |
| 134 | 1.87 | 3.00 | 5.60 | 8.90 | 938 | 2.21 | 2.60 | 1875 | 3.80 | 4.68 | 315 |
| 135 | 1.89 | 2.65 | 5.00 | 7.91 | 928 | 1.66 | 2.05 | 1855 | 2.82 | 3.67 | 280 |
| 136 | 1.89 | 2.80 | 5.30 | 8.55 | 925 | 1.90 | 2.30 | 1849 | 3.25 | 4.11 | 300 |
| 137 | 1.89 | 3.65 | 6.90 | 11.60 | 926 | 3.30 | 3.71 | 1851 | 5.72 | 6.67 | 400 |
| 138 | 1.89 | 5.60 | 10.60 | 17.10 | 925 | 6.58 | 7.01 | 1849 | 11.05 | 12.31 | 600 |
| 139 | 1.90 | 2.50 | 4.75 | 7.47 | 921 | 1.43 | 1.82 | 1842 | 2.40 | 3.24 | 265 |
| 140 | 1.90 | 3.15 | 6.00 | 9.46 | 919 | 2.45 | 2.85 | 1838 | 4.24 | 5.13 | 335 |
| 141 | 1.91 | 2.35 | 4.50 | 7.04 | 914 | 1.20 | 1.59 | 1828 | 1.99 | 2.81 | 250 |
| 142 | 1.94 | 3.35 | 6.50 | 9.89 | 902 | 2.77 | 3.17 | 1804 | 4.80 | 5.70 | 355 |
| 143 | 1.94 | 4.12 | 8.00 | 12.84 | 901 | 4.08 | 4.49 | 1803 | 7.05 | 8.04 | 450 |
| 144 | 2.00 | 2.50 | 5.00 | 8.02 | 875 | 1.45 | 1.84 | 1750 | 2.43 | 3.28 | 280 |
| 145 | 2.00 | 2.65 | 5.30 | 8.66 | 875 | 1.69 | 2.08 | 1750 | 2.86 | 3.72 | 300 |
| 146 | 2.00 | 2.80 | 5.60 | 9.05 | 875 | 1.92 | 2.32 | 1750 | 3.29 | 4.15 | 315 |
| 147 | 2.00 | 3.00 | 6.00 | 9.57 | 875 | 2.24 | 2.63 | 1750 | 3.85 | 4.73 | 335 |
| 148 | 2.00 | 5.30 | 10.60 | 17.32 | 875 | 6.12 | 6.55 | 1750 | 10.37 | 11.57 | 600 |
| 149 | 2.02 | 2.35 | 4.75 | 7.58 | 866 | 1.22 | 1.61 | 1732 | 2.02 | 2.85 | 265 |
| 150 | 2.03 | 6.90 | 14.00 | 20.79 | 863 | 8.75 | 9.22 | 1725 | 14.09 | 15.71 | 750 |

3V & 3VX BELTS

* - See page 18

3V & 3VX BELTS

| | Ratio | Pitch Driver in | Pitch Driven in | Center Distance in | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------------------|--------------------|-----------------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | | | | Driven RPM | HP / Belt | | Driven RPM | HP / Belt | | |
| | | | | | | 3V | 3VX | | 3V | 3VX | |
| 151 | 2.06 | 3.15 | 6.50 | 10.03 | 848 | 2.48 | 2.88 | 1696 | 4.28 | 5.17 | 355 |
| 152 | 2.06 | 3.35 | 6.90 | 10.55 | 850 | 2.80 | 3.20 | 1699 | 4.85 | 5.75 | 375 |
| 153 | 2.11 | 2.65 | 5.60 | 8.39 | 828 | 1.68 | 2.07 | 1656 | 2.85 | 3.70 | 300 |
| 154 | 2.12 | 2.50 | 5.30 | 7.75 | 825 | 1.44 | 1.83 | 1651 | 2.42 | 3.26 | 280 |
| 155 | 2.12 | 5.00 | 10.60 | 15.50 | 825 | 5.55 | 5.97 | 1651 | 9.46 | 10.59 | 560 |
| 156 | 2.13 | 2.35 | 5.00 | 7.36 | 823 | 1.21 | 1.60 | 1645 | 2.01 | 2.83 | 265 |
| 157 | 2.14 | 2.80 | 6.00 | 8.69 | 817 | 1.91 | 2.30 | 1633 | 3.26 | 4.12 | 315 |
| 158 | 2.15 | 6.50 | 14.00 | 21.07 | 813 | 8.14 | 8.60 | 1625 | 13.31 | 14.82 | 750 |
| 159 | 2.17 | 3.00 | 6.50 | 10.14 | 808 | 2.26 | 2.66 | 1615 | 3.89 | 4.77 | 355 |
| 160 | 2.19 | 3.15 | 6.90 | 9.68 | 799 | 2.46 | 2.85 | 1598 | 4.25 | 5.13 | 355 |
| 161 | 2.19 | 3.65 | 8.00 | 11.91 | 798 | 3.31 | 3.71 | 1597 | 5.73 | 6.68 | 425 |
| 162 | 2.23 | 4.75 | 10.60 | 15.68 | 784 | 5.17 | 5.59 | 1568 | 8.86 | 9.95 | 560 |
| 163 | 2.24 | 2.50 | 5.60 | 8.50 | 781 | 1.46 | 1.86 | 1563 | 2.46 | 3.31 | 300 |
| 164 | 2.26 | 2.35 | 5.30 | 7.86 | 776 | 1.23 | 1.62 | 1552 | 2.03 | 2.87 | 280 |
| 165 | 2.26 | 2.65 | 6.00 | 8.80 | 773 | 1.69 | 2.08 | 1546 | 2.87 | 3.73 | 315 |
| 166 | 2.27 | 2.20 | 5.00 | 7.47 | 770 | 1.00 | 1.39 | 1540 | 1.62 | 2.45 | 265 |
| 167 | 2.30 | 3.00 | 6.90 | 9.78 | 761 | 2.24 | 2.64 | 1522 | 3.86 | 4.74 | 355 |
| 168 | 2.32 | 2.80 | 6.50 | 9.26 | 754 | 1.92 | 2.32 | 1508 | 3.30 | 4.16 | 335 |
| 169 | 2.33 | 6.00 | 14.00 | 19.39 | 750 | 7.26 | 7.70 | 1500 | 12.07 | 13.42 | 710 |
| 170 | 2.36 | 4.50 | 10.60 | 14.32 | 743 | 4.70 | 5.11 | 1486 | 8.10 | 9.14 | 530 |
| 171 | 2.36 | 10.60 | 25.00 | 33.79 | 742 | 14.77 | 15.49 | - | - | - | 1250 |
| 172 | 2.38 | 2.35 | 5.60 | 7.59 | 734 | 1.22 | 1.60 | 1469 | 2.02 | 2.84 | 280 |
| 173 | 2.38 | 8.00 | 19.00 | 28.27 | 737 | 10.78 | 11.31 | - | - | - | 1000 |
| 174 | 2.39 | 3.35 | 8.00 | 10.84 | 733 | 2.80 | 3.20 | 1466 | 4.85 | 5.76 | 400 |
| 175 | 2.40 | 2.50 | 6.00 | 8.14 | 729 | 1.45 | 1.84 | 1458 | 2.44 | 3.27 | 300 |
| 176 | 2.45 | 2.65 | 6.50 | 9.37 | 713 | 1.71 | 2.10 | 1427 | 2.90 | 3.76 | 335 |
| 177 | 2.46 | 2.80 | 6.90 | 9.92 | 710 | 1.95 | 2.34 | 1420 | 3.33 | 4.20 | 355 |
| 178 | 2.50 | 5.60 | 14.00 | 19.67 | 700 | 6.65 | 7.09 | 1400 | 11.18 | 12.44 | 710 |
| 179 | 2.54 | 3.15 | 8.00 | 10.98 | 689 | 2.50 | 2.90 | 1378 | 4.33 | 5.22 | 400 |
| 180 | 2.55 | 2.20 | 5.60 | 7.69 | 688 | 1.01 | 1.39 | 1375 | 1.63 | 2.45 | 280 |
| 181 | 2.55 | 2.35 | 6.00 | 8.24 | 685 | 1.23 | 1.63 | 1371 | 2.05 | 2.88 | 300 |
| 182 | 2.57 | 4.12 | 10.60 | 14.58 | 680 | 4.13 | 4.54 | 1360 | 7.14 | 8.14 | 530 |
| 183 | 2.60 | 2.50 | 6.50 | 8.45 | 673 | 1.46 | 1.84 | 1346 | 2.45 | 3.29 | 315 |
| 184 | 2.60 | 2.65 | 6.90 | 9.00 | 672 | 1.69 | 2.08 | 1344 | 2.87 | 3.72 | 335 |
| 185 | 2.64 | 5.30 | 14.00 | 17.82 | 663 | 6.07 | 6.49 | 1325 | 10.28 | 11.47 | 670 |
| 186 | 2.67 | 3.00 | 8.00 | 11.08 | 656 | 2.28 | 2.68 | 1313 | 3.93 | 4.82 | 400 |
| 187 | 2.73 | 2.20 | 6.00 | 8.35 | 642 | 1.02 | 1.41 | 1283 | 1.65 | 2.49 | 300 |
| 188 | 2.75 | 6.90 | 19.00 | 23.90 | 636 | 8.80 | 9.27 | 1271 | 14.17 | 15.80 | 900 |
| 189 | 2.76 | 2.50 | 6.90 | 9.11 | 634 | 1.47 | 1.87 | 1268 | 2.48 | 3.33 | 335 |
| 190 | 2.77 | 2.35 | 6.50 | 8.55 | 633 | 1.24 | 1.63 | 1265 | 2.06 | 2.89 | 315 |
| 191 | 2.80 | 5.00 | 14.00 | 18.02 | 625 | 5.61 | 6.03 | 1250 | 9.57 | 10.71 | 670 |
| 192 | 2.86 | 2.80 | 8.00 | 9.93 | 613 | 1.93 | 2.33 | 1225 | 3.31 | 4.18 | 375 |
| 193 | 2.90 | 3.65 | 10.60 | 13.36 | 603 | 3.34 | 3.74 | 1205 | 5.79 | 6.73 | 500 |
| 194 | 2.92 | 6.50 | 19.00 | 24.17 | 599 | 8.19 | 8.65 | 1197 | 13.40 | 14.90 | 900 |
| 195 | 2.94 | 2.35 | 6.90 | 9.21 | 596 | 1.26 | 1.65 | 1192 | 2.08 | 2.93 | 335 |
| 196 | 2.95 | 2.20 | 6.50 | 7.88 | 592 | 1.00 | 1.39 | 1185 | 1.63 | 2.45 | 300 |
| 197 | 2.95 | 4.75 | 14.00 | 18.19 | 594 | 5.23 | 5.65 | 1188 | 8.96 | 10.06 | 670 |
| 198 | 3.02 | 2.65 | 8.00 | 10.03 | 580 | 1.71 | 2.11 | 1159 | 2.92 | 3.78 | 375 |
| 199 | 3.11 | 4.50 | 14.00 | 18.36 | 563 | 4.84 | 5.26 | 1125 | 8.34 | 9.40 | 670 |
| 200 | 3.13 | 8.00 | 25.00 | 31.96 | 560 | 10.84 | 11.37 | - | - | - | 1180 |

3V & 3VX BELTS

* - See page 18

3V & 3VX BELTS

| | Ratio | Pitch | Pitch | Center | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------|--------|----------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | Driver | Driven | Distance | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | in | in | in | RPM | 3V | 3VX | RPM | 3V | 3VX | |
| 201 | 3.14 | 2.20 | 6.90 | 8.27 | 558 | 1.01 | 1.40 | 1116 | 1.64 | 2.46 | 315 |
| 202 | 3.16 | 3.35 | 10.60 | 13.56 | 553 | 2.88 | 3.29 | 1106 | 4.99 | 5.92 | 500 |
| 203 | 3.16 | 10.60 | 33.50 | 33.42 | 554 | 14.27 | 14.96 | - | - | - | 1400 |
| 204 | 3.17 | 6.00 | 19.00 | 24.51 | 553 | 7.43 | 7.88 | 1105 | 12.35 | 13.72 | 900 |
| 205 | 3.20 | 2.50 | 8.00 | 10.13 | 547 | 1.49 | 1.89 | 1094 | 2.52 | 3.37 | 375 |
| 206 | 3.37 | 3.15 | 10.60 | 12.40 | 520 | 2.52 | 2.92 | 1040 | 4.36 | 5.26 | 475 |
| 207 | 3.39 | 5.60 | 19.00 | 22.18 | 516 | 6.65 | 7.09 | 1032 | 11.19 | 12.45 | 850 |
| 208 | 3.40 | 2.35 | 8.00 | 10.24 | 514 | 1.27 | 1.68 | 1028 | 2.12 | 2.97 | 375 |
| 209 | 3.40 | 4.12 | 14.00 | 16.54 | 515 | 4.15 | 4.56 | 1030 | 7.18 | 8.18 | 630 |
| 210 | 3.53 | 3.00 | 10.60 | 12.50 | 495 | 2.30 | 2.70 | 991 | 3.96 | 4.86 | 475 |
| 211 | 3.58 | 5.30 | 19.00 | 22.38 | 488 | 6.19 | 6.62 | 976 | 10.49 | 11.70 | 850 |
| 212 | 3.62 | 6.90 | 25.00 | 29.57 | 483 | 8.98 | 9.46 | 966 | 14.47 | 16.13 | 1120 |
| 213 | 3.64 | 2.20 | 8.00 | 9.29 | 481 | 1.03 | 1.42 | 963 | 1.67 | 2.50 | 355 |
| 214 | 3.79 | 2.80 | 10.60 | 12.63 | 462 | 2.00 | 2.40 | 925 | 3.42 | 4.31 | 475 |
| 215 | 3.80 | 5.00 | 19.00 | 22.57 | 461 | 5.73 | 6.16 | 921 | 9.77 | 10.93 | 850 |
| 216 | 3.84 | 3.65 | 14.00 | 16.85 | 456 | 3.43 | 3.84 | 913 | 5.94 | 6.91 | 630 |
| 217 | 3.85 | 6.50 | 25.00 | 29.84 | 455 | 8.37 | 8.83 | 910 | 13.68 | 15.22 | 1120 |
| 218 | 4.00 | 2.65 | 10.60 | 12.73 | 438 | 1.77 | 2.18 | 875 | 3.02 | 3.90 | 475 |
| 219 | 4.00 | 4.75 | 19.00 | 22.74 | 438 | 5.34 | 5.77 | 875 | 9.15 | 10.27 | 850 |
| 220 | 4.17 | 6.00 | 25.00 | 30.17 | 420 | 7.59 | 8.05 | 840 | 12.61 | 14.02 | 1120 |
| 221 | 4.18 | 3.35 | 14.00 | 17.05 | 419 | 2.96 | 3.38 | 838 | 5.13 | 6.08 | 630 |
| 222 | 4.19 | 8.00 | 33.50 | 35.11 | 418 | 10.68 | 11.20 | - | - | - | 1400 |
| 223 | 4.22 | 4.50 | 19.00 | 22.91 | 414 | 4.94 | 5.37 | 829 | 8.51 | 9.60 | 850 |
| 224 | 4.24 | 2.50 | 10.60 | 12.83 | 413 | 1.55 | 1.96 | 825 | 2.60 | 3.49 | 475 |
| 225 | 4.44 | 3.15 | 14.00 | 17.18 | 394 | 2.65 | 3.07 | 788 | 4.58 | 5.52 | 630 |
| 226 | 4.46 | 5.60 | 25.00 | 30.43 | 392 | 6.95 | 7.41 | 784 | 11.70 | 13.01 | 1120 |
| 227 | 4.51 | 2.35 | 10.60 | 12.93 | 388 | 1.32 | 1.73 | 776 | 2.19 | 3.07 | 475 |
| 228 | 4.61 | 4.12 | 19.00 | 23.16 | 379 | 4.34 | 4.77 | 759 | 7.51 | 8.56 | 850 |
| 229 | 4.67 | 3.00 | 14.00 | 17.28 | 375 | 2.41 | 2.84 | 750 | 4.16 | 5.10 | 630 |
| 230 | 4.72 | 5.30 | 25.00 | 30.63 | 371 | 6.47 | 6.93 | 742 | 10.97 | 12.23 | 1120 |
| 231 | 4.82 | 2.20 | 10.60 | 13.02 | 363 | 1.09 | 1.51 | 726 | 1.77 | 2.65 | 475 |
| 232 | 4.86 | 6.90 | 33.50 | 35.82 | 360 | 9.03 | 9.51 | 721 | 14.56 | 16.22 | 1400 |
| 233 | 5.00 | 2.80 | 14.00 | 17.41 | 350 | 2.10 | 2.53 | 700 | 3.60 | 4.53 | 630 |
| 234 | 5.00 | 5.00 | 25.00 | 30.83 | 350 | 5.99 | 6.44 | 700 | 10.22 | 11.43 | 1120 |
| 235 | 5.15 | 6.50 | 33.50 | 36.07 | 340 | 8.42 | 8.89 | 679 | 13.77 | 15.31 | 1400 |
| 236 | 5.21 | 3.65 | 19.00 | 23.46 | 336 | 3.59 | 4.02 | 672 | 6.23 | 7.24 | 850 |
| 237 | 5.26 | 4.75 | 25.00 | 30.99 | 333 | 5.58 | 6.03 | 665 | 9.57 | 10.74 | 1120 |
| 238 | 5.28 | 2.65 | 14.00 | 17.51 | 331 | 1.86 | 2.29 | 663 | 3.17 | 4.10 | 630 |
| 239 | 5.56 | 4.50 | 25.00 | 31.16 | 315 | 5.17 | 5.62 | 630 | 8.91 | 10.05 | 1120 |
| 240 | 5.58 | 6.00 | 33.50 | 36.40 | 313 | 7.64 | 8.10 | 627 | 12.70 | 14.11 | 1400 |
| 241 | 5.60 | 2.50 | 14.00 | 17.61 | 313 | 1.63 | 2.06 | 625 | 2.74 | 3.67 | 630 |
| 242 | 5.67 | 3.35 | 19.00 | 23.66 | 309 | 3.10 | 3.54 | 617 | 5.38 | 6.37 | 850 |
| 243 | 5.96 | 2.35 | 14.00 | 17.71 | 294 | 1.39 | 1.82 | 588 | 2.30 | 3.23 | 630 |
| 244 | 5.98 | 5.60 | 33.50 | 36.65 | 293 | 7.00 | 7.46 | 585 | 11.78 | 13.10 | 1400 |
| 245 | 6.03 | 3.15 | 19.00 | 26.42 | 290 | 2.84 | 3.29 | 580 | 4.92 | 5.93 | 900 |
| 246 | 6.07 | 4.12 | 25.00 | 34.56 | 288 | 4.65 | 5.11 | 577 | 8.04 | 9.16 | 1180 |
| 247 | 6.32 | 5.30 | 33.50 | 36.84 | 277 | 6.52 | 6.97 | 554 | 11.05 | 12.31 | 1400 |
| 248 | 6.33 | 3.00 | 19.00 | 26.52 | 276 | 2.59 | 3.05 | 553 | 4.47 | 5.48 | 900 |
| 249 | 6.36 | 2.20 | 14.00 | 19.91 | 275 | 1.18 | 1.62 | 550 | 1.91 | 2.86 | 670 |
| 250 | 6.70 | 5.00 | 33.50 | 37.04 | 261 | 6.03 | 6.49 | 522 | 10.29 | 11.51 | 1400 |

3V & 3VX BELTS

* - See page 18

3V & 3VX BELTS

| | Ratio | Pitch Driver in | Pitch Driven in | Center Distance in | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------------------|--------------------|-----------------------|-------------------|-----------|------|-------------------|-----------|-------|--------------|
| | | | | | Driven RPM | HP / Belt | | Driven RPM | HP / Belt | | |
| | | | | | | 3V | 3VX | | 3V | 3VX | |
| 251 | 6.79 | 2.80 | 19.00 | 26.66 | 258 | 2.26 | 2.71 | 516 | 3.87 | 4.87 | 900 |
| 252 | 6.85 | 3.65 | 25.00 | 38.53 | 256 | 3.92 | 4.40 | 511 | 6.81 | 7.91 | 1250 |
| 253 | 7.05 | 4.75 | 33.50 | 37.20 | 248 | 5.62 | 6.08 | 496 | 9.64 | 10.82 | 1400 |
| 254 | 7.17 | 2.65 | 19.00 | 31.96 | 244 | 2.08 | 2.56 | 488 | 3.54 | 4.58 | 1000 |
| 255 | 7.44 | 4.50 | 33.50 | 37.36 | 235 | 5.21 | 5.67 | 470 | 8.98 | 10.12 | 1400 |
| 256 | 7.46 | 3.35 | 25.00 | 42.36 | 235 | 3.45 | 3.94 | 469 | 5.99 | 7.09 | 1320 |
| 257 | 7.60 | 2.50 | 19.00 | 32.06 | 230 | 1.82 | 2.30 | 461 | 3.06 | 4.09 | 1000 |
| 258 | 7.94 | 3.15 | 25.00 | 46.62 | 221 | 3.14 | 3.63 | 441 | 5.43 | 6.54 | 1400 |
| 259 | 8.09 | 2.35 | 19.00 | 35.26 | 216 | 1.58 | 2.07 | 433 | 2.62 | 3.68 | 1060 |
| 260 | 8.13 | 4.12 | 33.50 | 37.60 | 215 | 4.58 | 5.04 | 430 | 7.93 | 9.03 | 1400 |
| 261 | 8.33 | 3.00 | 25.00 | 46.73 | 210 | 2.86 | 3.36 | 420 | 4.93 | 6.04 | 1400 |
| 262 | 8.64 | 2.20 | 19.00 | 38.44 | 203 | 1.33 | 1.83 | 405 | 2.16 | 3.23 | 1120 |
| 263 | 8.93 | 2.80 | 25.00 | 46.86 | 196 | 2.49 | 2.99 | 392 | 4.27 | 5.37 | 1400 |
| 264 | 9.18 | 3.65 | 33.50 | 37.90 | 191 | 3.79 | 4.25 | 381 | 6.58 | 7.64 | 1400 |
| 265 | 9.43 | 2.65 | 25.00 | 46.97 | 186 | 2.21 | 2.72 | 371 | 3.76 | 4.86 | 1400 |
| 266 | 10.00 | 2.50 | 25.00 | 47.07 | 175 | 1.93 | 2.44 | 350 | 3.25 | 4.35 | 1400 |
| 267 | 10.00 | 3.35 | 33.50 | 38.09 | 175 | 3.28 | 3.74 | 350 | 5.68 | 6.73 | 1400 |
| 268 | 10.63 | 3.15 | 33.50 | 38.22 | 165 | 2.94 | 3.40 | 329 | 5.08 | 6.12 | 1400 |
| 269 | 10.64 | 2.35 | 25.00 | 47.17 | 165 | 1.65 | 2.16 | 329 | 2.74 | 3.83 | 1400 |
| 270 | 11.17 | 3.00 | 33.50 | 38.31 | 157 | 2.68 | 3.14 | 313 | 4.62 | 5.65 | 1400 |
| 271 | 11.36 | 2.20 | 25.00 | 47.27 | 154 | 1.36 | 1.88 | 308 | 2.21 | 3.31 | 1400 |
| 272 | 11.96 | 2.80 | 33.50 | 38.44 | 146 | 2.33 | 2.80 | 293 | 3.99 | 5.03 | 1400 |

*   See page 18

5V & 5VX BELTS

| | Ratio | Pitch Driver | Pitch Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|----|-------|--------------|--------------|-----------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | in | in | in | Driven | HP / Belt | | RPM | HP / Belt | | |
| | | | | | RPM | 5V | 5VX | | 5V | 5VX | |
| 1 | 1.00 | 4.40 | 4.40 | 18.09 | 1750 | 3.72 | 7.44 | 3500 | 4.23 | 12.30 | 500 |
| 2 | 1.00 | 4.65 | 4.65 | 17.70 | 1750 | 4.69 | 8.43 | 3500 | 5.81 | 14.04 | 500 |
| 3 | 1.00 | 4.90 | 4.90 | 17.31 | 1750 | 5.65 | 9.42 | 3500 | 7.34 | 15.74 | 500 |
| 4 | 1.00 | 5.20 | 5.20 | 16.84 | 1750 | 6.79 | 10.59 | 3500 | 9.12 | 17.75 | 500 |
| 5 | 1.00 | 5.50 | 5.50 | 16.37 | 1750 | 7.91 | 11.76 | 3500 | 10.83 | 19.71 | 500 |
| 6 | 1.00 | 5.90 | 5.90 | 15.74 | 1750 | 9.39 | 13.30 | 3500 | 12.99 | 22.24 | 500 |
| 7 | 1.00 | 6.30 | 6.30 | 16.61 | 1750 | 10.95 | 14.97 | 3500 | 15.16 | 24.92 | 530 |
| 8 | 1.00 | 6.70 | 6.70 | 17.48 | 1750 | 12.51 | 16.64 | 3500 | 17.21 | 27.55 | 560 |
| 9 | 1.00 | 7.10 | 7.10 | 18.85 | 1750 | 14.11 | 18.38 | 3500 | 19.20 | 30.20 | 600 |
| 10 | 1.00 | 7.50 | 7.50 | 19.73 | 1750 | 15.67 | 20.06 | - | - | - | 630 |
| 11 | 1.00 | 8.00 | 8.00 | 20.94 | 1750 | 17.62 | 22.19 | - | - | - | 670 |
| 12 | 1.00 | 8.50 | 8.50 | 22.16 | 1750 | 19.56 | 24.31 | - | - | - | 710 |
| 13 | 1.00 | 9.00 | 9.00 | 23.37 | 1750 | 21.47 | 26.43 | - | - | - | 750 |
| 14 | 1.00 | 9.25 | 9.25 | 25.48 | 1750 | 22.57 | 27.68 | - | - | - | 800 |
| 15 | 1.00 | 9.75 | 9.75 | 27.19 | 1750 | 24.51 | 29.86 | - | - | - | 850 |
| 16 | 1.00 | 10.30 | 10.30 | 28.83 | 1750 | 26.57 | 32.21 | - | - | - | 900 |
| 17 | 1.00 | 10.90 | 10.90 | 27.89 | 1750 | 28.48 | 34.38 | - | - | - | 900 |
| 18 | 1.00 | 11.30 | 11.30 | 32.26 | 1750 | 30.26 | 36.48 | - | - | - | 1000 |
| 19 | 1.00 | 11.80 | 11.80 | 31.47 | 1750 | 31.77 | 38.26 | - | - | - | 1000 |
| 20 | 1.00 | 12.50 | 12.50 | 33.38 | 1750 | 34.12 | 41.09 | - | - | - | 1060 |
| 21 | 1.00 | 13.20 | 13.20 | 35.28 | 1750 | 36.36 | 43.87 | - | - | - | 1120 |
| 22 | 1.03 | 9.00 | 9.25 | 23.17 | 1703 | 21.65 | 26.56 | - | - | - | 750 |
| 23 | 1.04 | 10.90 | 11.30 | 27.57 | 1688 | 28.70 | 34.53 | - | - | - | 900 |
| 24 | 1.04 | 11.30 | 11.80 | 31.87 | 1676 | 30.54 | 36.66 | - | - | - | 1000 |
| 25 | 1.05 | 4.65 | 4.90 | 17.50 | 1661 | 5.04 | 8.69 | 3321 | 6.51 | 14.56 | 500 |
| 26 | 1.05 | 9.25 | 9.75 | 25.08 | 1660 | 22.90 | 27.90 | - | - | - | 800 |
| 27 | 1.06 | 4.40 | 4.65 | 17.90 | 1656 | 4.09 | 7.71 | 3312 | 4.97 | 12.85 | 500 |
| 28 | 1.06 | 4.90 | 5.20 | 17.07 | 1649 | 6.03 | 9.70 | 3298 | 8.12 | 16.32 | 500 |
| 29 | 1.06 | 5.20 | 5.50 | 16.60 | 1655 | 7.15 | 10.86 | 3309 | 9.86 | 18.29 | 500 |
| 30 | 1.06 | 6.30 | 6.70 | 16.29 | 1646 | 11.33 | 15.24 | 3291 | 15.94 | 25.48 | 530 |
| 31 | 1.06 | 6.70 | 7.10 | 17.17 | 1651 | 12.87 | 16.90 | 3303 | 17.95 | 28.07 | 560 |
| 32 | 1.06 | 7.10 | 7.50 | 18.54 | 1657 | 14.45 | 18.62 | 3313 | 19.90 | 30.70 | 600 |
| 33 | 1.06 | 8.00 | 8.50 | 22.55 | 1647 | 18.18 | 22.68 | - | - | - | 710 |
| 34 | 1.06 | 8.50 | 9.00 | 23.76 | 1653 | 20.10 | 24.80 | - | - | - | 750 |
| 35 | 1.06 | 9.75 | 10.30 | 26.76 | 1657 | 24.85 | 30.09 | - | - | - | 850 |
| 36 | 1.06 | 10.30 | 10.90 | 28.36 | 1654 | 26.92 | 32.44 | - | - | - | 900 |
| 37 | 1.06 | 11.80 | 12.50 | 30.92 | 1652 | 32.11 | 38.47 | - | - | - | 1000 |
| 38 | 1.06 | 12.50 | 13.20 | 32.82 | 1657 | 34.44 | 41.29 | - | - | - | 1060 |
| 39 | 1.06 | 13.20 | 14.00 | 34.65 | 1650 | 36.70 | 44.08 | - | - | - | 1120 |
| 40 | 1.07 | 5.50 | 5.90 | 16.05 | 1631 | 8.34 | 12.07 | 3263 | 11.71 | 20.35 | 500 |
| 41 | 1.07 | 5.90 | 6.30 | 15.42 | 1639 | 9.79 | 13.59 | 3278 | 13.81 | 22.83 | 500 |
| 42 | 1.07 | 7.50 | 8.00 | 19.33 | 1641 | 16.06 | 20.33 | - | - | - | 630 |
| 43 | 1.08 | 9.00 | 9.75 | 25.28 | 1615 | 22.19 | 27.06 | - | - | - | 800 |
| 44 | 1.08 | 10.90 | 11.80 | 27.18 | 1617 | 28.91 | 34.66 | - | - | - | 900 |
| 45 | 1.09 | 8.50 | 9.25 | 23.56 | 1608 | 20.24 | 24.89 | - | - | - | 750 |
| 46 | 1.10 | 10.30 | 11.30 | 28.04 | 1595 | 27.09 | 32.54 | - | - | - | 900 |
| 47 | 1.11 | 4.40 | 4.90 | 17.70 | 1571 | 4.36 | 7.91 | 3143 | 5.52 | 13.26 | 500 |
| 48 | 1.11 | 9.25 | 10.30 | 24.65 | 1572 | 23.15 | 28.06 | - | - | - | 800 |
| 49 | 1.11 | 11.30 | 12.50 | 31.31 | 1582 | 30.80 | 36.83 | - | - | - | 1000 |
| 50 | 1.12 | 4.65 | 5.20 | 17.27 | 1565 | 5.34 | 8.91 | 3130 | 7.13 | 15.01 | 500 |

* - See page 18

5V & 5VX BELTS

5V & 5VX BELTS

| | Ratio | Pitch Driver | Pitch Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | 5V | 5VX | | RPM | 5V | |
| 51 | 1.12 | 4.90 | 5.50 | 16.83 | 1559 | 6.31 | 9.90 | 3118 | 8.69 | 16.73 | 500 |
| 52 | 1.12 | 6.70 | 7.50 | 18.85 | 1563 | 13.29 | 17.28 | 3127 | 18.71 | 28.79 | 600 |
| 53 | 1.12 | 9.75 | 10.90 | 26.28 | 1565 | 25.10 | 30.24 | - | - | - | 850 |
| 54 | 1.12 | 11.80 | 13.20 | 33.37 | 1564 | 32.68 | 39.01 | - | - | - | 1060 |
| 55 | 1.12 | 12.50 | 14.00 | 35.19 | 1563 | 35.03 | 41.84 | - | - | - | 1120 |
| 56 | 1.13 | 5.20 | 5.90 | 16.28 | 1542 | 7.48 | 11.10 | 3085 | 10.54 | 18.78 | 500 |
| 57 | 1.13 | 6.30 | 7.10 | 17.48 | 1553 | 11.71 | 15.57 | 3106 | 16.65 | 26.11 | 560 |
| 58 | 1.13 | 7.10 | 8.00 | 19.64 | 1553 | 14.88 | 18.98 | 3106 | 20.71 | 31.39 | 630 |
| 59 | 1.13 | 7.50 | 8.50 | 20.93 | 1544 | 16.51 | 20.74 | - | - | - | 670 |
| 60 | 1.13 | 8.00 | 9.00 | 22.15 | 1556 | 18.44 | 22.85 | - | - | - | 710 |
| 61 | 1.14 | 5.90 | 6.70 | 16.60 | 1541 | 10.17 | 13.92 | 3082 | 14.53 | 23.46 | 530 |
| 62 | 1.14 | 9.00 | 10.30 | 24.84 | 1529 | 22.40 | 27.19 | - | - | - | 800 |
| 63 | 1.14 | 13.20 | 15.00 | 36.85 | 1540 | 37.31 | 44.62 | - | - | - | 1180 |
| 64 | 1.15 | 5.50 | 6.30 | 15.73 | 1528 | 8.63 | 12.28 | 3056 | 12.31 | 20.76 | 500 |
| 65 | 1.15 | 8.50 | 9.75 | 23.17 | 1526 | 20.44 | 25.02 | - | - | - | 750 |
| 66 | 1.15 | 10.30 | 11.80 | 27.64 | 1528 | 27.24 | 32.63 | - | - | - | 900 |
| 67 | 1.15 | 10.90 | 12.50 | 31.62 | 1526 | 29.70 | 35.47 | - | - | - | 1000 |
| 68 | 1.16 | 8.00 | 9.25 | 21.95 | 1514 | 18.53 | 22.91 | - | - | - | 710 |
| 69 | 1.16 | 9.75 | 11.30 | 25.96 | 1510 | 25.21 | 30.31 | - | - | - | 850 |
| 70 | 1.17 | 11.30 | 13.20 | 30.75 | 1498 | 30.97 | 36.91 | - | - | - | 1000 |
| 71 | 1.18 | 4.40 | 5.20 | 17.46 | 1481 | 4.60 | 8.08 | 2962 | 6.00 | 13.61 | 500 |
| 72 | 1.18 | 4.65 | 5.50 | 17.03 | 1480 | 5.56 | 9.07 | 2959 | 7.57 | 15.33 | 500 |
| 73 | 1.18 | 9.25 | 10.90 | 24.17 | 1485 | 23.32 | 28.16 | - | - | - | 800 |
| 74 | 1.19 | 6.30 | 7.50 | 17.16 | 1470 | 11.89 | 15.69 | 2940 | 17.03 | 26.36 | 560 |
| 75 | 1.19 | 6.70 | 8.00 | 18.45 | 1466 | 13.50 | 17.42 | 2931 | 19.17 | 29.09 | 600 |
| 76 | 1.19 | 11.80 | 14.00 | 32.73 | 1475 | 32.84 | 39.09 | - | - | - | 1060 |
| 77 | 1.20 | 4.90 | 5.90 | 16.51 | 1453 | 6.56 | 10.08 | 2907 | 9.21 | 17.09 | 500 |
| 78 | 1.20 | 5.90 | 7.10 | 16.28 | 1454 | 10.35 | 14.04 | 2908 | 14.92 | 23.72 | 530 |
| 79 | 1.20 | 7.10 | 8.50 | 19.24 | 1462 | 15.07 | 19.10 | 2924 | 21.12 | 31.66 | 630 |
| 80 | 1.20 | 7.50 | 9.00 | 20.53 | 1458 | 16.68 | 20.85 | - | - | - | 670 |
| 81 | 1.20 | 12.50 | 15.00 | 34.39 | 1458 | 35.19 | 41.91 | - | - | - | 1120 |
| 82 | 1.21 | 5.20 | 6.30 | 15.96 | 1444 | 7.70 | 11.25 | 2889 | 11.00 | 19.09 | 500 |
| 83 | 1.21 | 8.50 | 10.30 | 22.72 | 1444 | 20.58 | 25.09 | - | - | - | 750 |
| 84 | 1.21 | 9.00 | 10.90 | 24.36 | 1445 | 22.55 | 27.27 | - | - | - | 800 |
| 85 | 1.21 | 9.75 | 11.80 | 28.06 | 1446 | 25.59 | 30.69 | - | - | - | 900 |
| 86 | 1.21 | 10.30 | 12.50 | 27.08 | 1442 | 27.37 | 32.68 | - | - | - | 900 |
| 87 | 1.21 | 10.90 | 13.20 | 31.06 | 1445 | 29.82 | 35.52 | - | - | - | 1000 |
| 88 | 1.21 | 13.20 | 16.00 | 36.05 | 1444 | 37.44 | 44.66 | - | - | - | 1180 |
| 89 | 1.22 | 5.50 | 6.70 | 15.41 | 1437 | 8.82 | 12.40 | 2873 | 12.71 | 21.03 | 500 |
| 90 | 1.22 | 8.00 | 9.75 | 21.55 | 1436 | 18.66 | 22.98 | - | - | - | 710 |
| 91 | 1.22 | 9.25 | 11.30 | 26.35 | 1433 | 23.68 | 28.53 | - | - | - | 850 |
| 92 | 1.23 | 7.50 | 9.25 | 20.33 | 1419 | 16.74 | 20.88 | - | - | - | 670 |
| 93 | 1.24 | 11.30 | 14.00 | 30.11 | 1413 | 31.07 | 36.94 | - | - | - | 1000 |
| 94 | 1.25 | 4.40 | 5.50 | 17.22 | 1400 | 4.77 | 8.20 | 2800 | 6.35 | 13.85 | 500 |
| 95 | 1.26 | 9.00 | 11.30 | 24.04 | 1394 | 22.61 | 27.29 | - | - | - | 800 |
| 96 | 1.27 | 4.65 | 5.90 | 16.71 | 1379 | 5.76 | 9.20 | 2758 | 7.98 | 15.61 | 500 |
| 97 | 1.27 | 5.90 | 7.50 | 15.96 | 1377 | 10.48 | 14.11 | 2753 | 15.19 | 23.88 | 530 |
| 98 | 1.27 | 6.30 | 8.00 | 16.75 | 1378 | 12.03 | 15.77 | 2756 | 17.35 | 26.55 | 560 |
| 99 | 1.27 | 6.70 | 8.50 | 18.05 | 1379 | 13.63 | 17.49 | 2759 | 19.47 | 29.25 | 600 |
| 100 | 1.27 | 7.10 | 9.00 | 18.84 | 1381 | 15.19 | 19.16 | 2761 | 21.39 | 31.80 | 630 |

5V & 5VX BELTS

* - See page 18

5V & 5VX BELTS

| | Ratio | Pitch | Pitch | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------|--------|--------------------|-------------------|-----------|-------|-------------------|-----------|-------|-----------------|
| | | Driver | Driven | | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | in | in | | RPM | 5V | 5VX | RPM | 5V | 5VX | |
| 101 | 1.27 | 11.80 | 15.00 | 31.92 | 1377 | 32.92 | 39.09 | - | - | - | 1060 |
| 102 | 1.28 | 8.50 | 10.90 | 24.74 | 1365 | 20.94 | 25.45 | - | - | - | 800 |
| 103 | 1.28 | 9.25 | 11.80 | 25.94 | 1372 | 23.74 | 28.55 | - | - | - | 850 |
| 104 | 1.28 | 9.75 | 12.50 | 27.50 | 1365 | 25.68 | 30.71 | - | - | - | 900 |
| 105 | 1.28 | 10.30 | 13.20 | 26.51 | 1366 | 27.43 | 32.68 | - | - | - | 900 |
| 106 | 1.28 | 10.90 | 14.00 | 30.41 | 1363 | 29.89 | 35.53 | - | - | - | 1000 |
| 107 | 1.28 | 12.50 | 16.00 | 33.58 | 1367 | 35.25 | 41.89 | - | - | - | 1120 |
| 108 | 1.29 | 4.90 | 6.30 | 16.19 | 1361 | 6.73 | 10.19 | 2722 | 9.55 | 17.32 | 500 |
| 109 | 1.29 | 5.20 | 6.70 | 15.64 | 1358 | 7.85 | 11.34 | 2716 | 11.30 | 19.28 | 500 |
| 110 | 1.29 | 5.50 | 7.10 | 15.09 | 1356 | 8.95 | 12.47 | 2711 | 12.98 | 21.19 | 500 |
| 111 | 1.29 | 8.00 | 10.30 | 23.11 | 1359 | 18.96 | 23.27 | - | - | - | 750 |
| 112 | 1.30 | 7.10 | 9.25 | 20.64 | 1343 | 15.42 | 19.41 | 2686 | 21.76 | 32.24 | 670 |
| 113 | 1.30 | 7.50 | 9.75 | 19.93 | 1346 | 16.82 | 20.91 | - | - | - | 670 |
| 114 | 1.31 | 9.00 | 11.80 | 26.13 | 1335 | 22.93 | 27.63 | - | - | - | 850 |
| 115 | 1.33 | 8.50 | 11.30 | 24.42 | 1316 | 20.98 | 25.46 | - | - | - | 800 |
| 116 | 1.33 | 11.30 | 15.00 | 32.30 | 1318 | 31.47 | 37.33 | - | - | - | 1060 |
| 117 | 1.34 | 4.40 | 5.90 | 16.90 | 1305 | 4.92 | 8.30 | 2610 | 6.66 | 14.05 | 500 |
| 118 | 1.34 | 6.70 | 9.00 | 19.14 | 1303 | 13.84 | 17.69 | 2606 | 19.85 | 29.62 | 630 |
| 119 | 1.35 | 4.65 | 6.30 | 16.38 | 1292 | 5.88 | 9.28 | 2583 | 8.24 | 15.77 | 500 |
| 120 | 1.35 | 6.30 | 8.50 | 18.35 | 1297 | 12.28 | 16.02 | 2594 | 17.79 | 27.01 | 600 |
| 121 | 1.35 | 9.25 | 12.50 | 25.37 | 1295 | 23.78 | 28.54 | - | - | - | 850 |
| 122 | 1.35 | 9.75 | 13.20 | 26.93 | 1293 | 25.70 | 30.69 | - | - | - | 900 |
| 123 | 1.36 | 5.50 | 7.50 | 14.76 | 1283 | 9.02 | 12.51 | 2567 | 13.15 | 21.28 | 500 |
| 124 | 1.36 | 5.90 | 8.00 | 17.06 | 1291 | 10.68 | 14.31 | 2581 | 15.57 | 24.24 | 560 |
| 125 | 1.36 | 8.00 | 10.90 | 22.62 | 1284 | 19.01 | 23.28 | - | - | - | 750 |
| 126 | 1.36 | 10.30 | 14.00 | 30.87 | 1288 | 28.04 | 33.36 | - | - | - | 1000 |
| 127 | 1.36 | 11.80 | 16.00 | 34.11 | 1291 | 33.29 | 39.46 | - | - | - | 1120 |
| 128 | 1.37 | 4.90 | 6.70 | 15.87 | 1280 | 6.83 | 10.25 | 2560 | 9.77 | 17.45 | 500 |
| 129 | 1.37 | 5.20 | 7.10 | 15.32 | 1282 | 7.94 | 11.39 | 2563 | 11.50 | 19.39 | 500 |
| 130 | 1.37 | 7.10 | 9.75 | 20.23 | 1274 | 15.47 | 19.43 | 2549 | 21.90 | 32.29 | 670 |
| 131 | 1.37 | 7.50 | 10.30 | 21.48 | 1274 | 17.07 | 21.16 | - | - | - | 710 |
| 132 | 1.38 | 6.70 | 9.25 | 18.94 | 1268 | 13.87 | 17.69 | 2535 | 19.91 | 29.64 | 630 |
| 133 | 1.38 | 10.90 | 15.00 | 29.60 | 1272 | 29.90 | 35.46 | - | - | - | 1000 |
| 134 | 1.39 | 8.50 | 11.80 | 24.01 | 1261 | 21.00 | 25.44 | - | - | - | 800 |
| 135 | 1.39 | 9.00 | 12.50 | 25.56 | 1260 | 22.96 | 27.61 | - | - | - | 850 |
| 136 | 1.41 | 8.00 | 11.30 | 22.29 | 1239 | 19.02 | 23.26 | - | - | - | 750 |
| 137 | 1.42 | 11.30 | 16.00 | 31.48 | 1236 | 31.44 | 37.25 | - | - | - | 1060 |
| 138 | 1.42 | 13.20 | 18.70 | 37.36 | 1235 | 37.83 | 44.96 | - | - | - | 1250 |
| 139 | 1.43 | 4.40 | 6.30 | 16.57 | 1222 | 5.01 | 8.35 | 2444 | 6.86 | 14.18 | 500 |
| 140 | 1.43 | 6.30 | 9.00 | 17.94 | 1225 | 12.33 | 16.03 | 2450 | 17.91 | 27.04 | 600 |
| 141 | 1.43 | 9.25 | 13.20 | 27.31 | 1226 | 24.07 | 28.84 | - | - | - | 900 |
| 142 | 1.44 | 4.65 | 6.70 | 16.06 | 1215 | 5.96 | 9.32 | 2429 | 8.41 | 15.87 | 500 |
| 143 | 1.44 | 5.20 | 7.50 | 14.99 | 1213 | 7.99 | 11.40 | 2427 | 11.63 | 19.44 | 500 |
| 144 | 1.44 | 5.90 | 8.50 | 16.65 | 1215 | 10.74 | 14.32 | 2429 | 15.70 | 24.28 | 560 |
| 145 | 1.44 | 9.75 | 14.00 | 26.27 | 1219 | 25.69 | 30.62 | - | - | - | 900 |
| 146 | 1.45 | 4.90 | 7.10 | 15.54 | 1208 | 6.90 | 10.28 | 2415 | 9.92 | 17.52 | 500 |
| 147 | 1.45 | 5.50 | 8.00 | 15.85 | 1203 | 9.19 | 12.67 | 2406 | 13.44 | 21.57 | 530 |
| 148 | 1.45 | 7.10 | 10.30 | 19.78 | 1206 | 15.49 | 19.41 | 2413 | 21.98 | 32.28 | 670 |
| 149 | 1.45 | 7.50 | 10.90 | 20.99 | 1204 | 17.09 | 21.14 | - | - | - | 710 |
| 150 | 1.46 | 6.70 | 9.75 | 18.52 | 1203 | 13.89 | 17.68 | 2405 | 19.99 | 29.64 | 630 |

*

| | |
|--|--|
| | |
|--|--|

 See page 18

5V & 5VX BELTS

| | Ratio | Pitch Driver | Pitch Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | 5V | 5VX | | RPM | 5V | |
| 151 | 1.46 | 10.30 | 15.00 | 30.05 | 1202 | 28.02 | 33.28 | - | - | - | 1000 |
| 152 | 1.47 | 6.30 | 9.25 | 17.73 | 1192 | 12.34 | 16.02 | 2384 | 17.95 | 27.04 | 600 |
| 153 | 1.47 | 8.50 | 12.50 | 23.43 | 1190 | 20.99 | 25.39 | - | - | - | 800 |
| 154 | 1.47 | 9.00 | 13.20 | 24.98 | 1193 | 22.94 | 27.55 | - | - | - | 850 |
| 155 | 1.47 | 10.90 | 16.00 | 31.78 | 1192 | 30.22 | 35.80 | - | - | - | 1060 |
| 156 | 1.48 | 8.00 | 11.80 | 21.87 | 1186 | 19.02 | 23.22 | - | - | - | 750 |
| 157 | 1.50 | 12.50 | 18.70 | 34.37 | 1170 | 35.49 | 42.04 | - | - | - | 1180 |
| 158 | 1.51 | 7.50 | 11.30 | 20.65 | 1162 | 17.08 | 21.11 | - | - | - | 710 |
| 159 | 1.51 | 9.25 | 14.00 | 26.64 | 1156 | 24.04 | 28.76 | - | - | - | 900 |
| 160 | 1.52 | 4.40 | 6.70 | 16.25 | 1149 | 5.07 | 8.38 | 2299 | 6.99 | 14.24 | 500 |
| 161 | 1.53 | 4.65 | 7.10 | 15.73 | 1146 | 6.01 | 9.34 | 2292 | 8.52 | 15.92 | 500 |
| 162 | 1.53 | 4.90 | 7.50 | 15.21 | 1143 | 6.93 | 10.28 | 2287 | 10.01 | 17.55 | 500 |
| 163 | 1.53 | 5.90 | 9.00 | 16.23 | 1147 | 10.75 | 14.30 | 2294 | 15.76 | 24.27 | 560 |
| 164 | 1.54 | 5.20 | 8.00 | 14.57 | 1138 | 8.02 | 11.40 | 2275 | 11.72 | 19.45 | 500 |
| 165 | 1.54 | 6.70 | 10.30 | 20.07 | 1138 | 14.08 | 17.89 | 2277 | 20.30 | 30.01 | 670 |
| 166 | 1.54 | 7.10 | 10.90 | 21.29 | 1140 | 15.68 | 19.62 | 2280 | 22.30 | 32.65 | 710 |
| 167 | 1.54 | 9.75 | 15.00 | 30.46 | 1138 | 26.22 | 31.23 | - | - | - | 1000 |
| 168 | 1.55 | 5.50 | 8.50 | 15.44 | 1132 | 9.21 | 12.66 | 2265 | 13.51 | 21.57 | 530 |
| 169 | 1.55 | 6.30 | 9.75 | 18.82 | 1131 | 12.48 | 16.17 | 2262 | 18.19 | 27.30 | 630 |
| 170 | 1.55 | 8.50 | 13.20 | 25.36 | 1127 | 21.24 | 25.66 | - | - | - | 850 |
| 171 | 1.55 | 10.30 | 16.00 | 29.22 | 1127 | 27.95 | 33.15 | - | - | - | 1000 |
| 172 | 1.56 | 8.00 | 12.50 | 23.80 | 1120 | 19.26 | 23.49 | - | - | - | 800 |
| 173 | 1.56 | 9.00 | 14.00 | 26.83 | 1125 | 23.19 | 27.82 | - | - | - | 900 |
| 174 | 1.57 | 5.90 | 9.25 | 18.03 | 1116 | 10.92 | 14.50 | 2232 | 16.02 | 24.63 | 600 |
| 175 | 1.57 | 7.50 | 11.80 | 22.25 | 1112 | 17.27 | 21.32 | - | - | - | 750 |
| 176 | 1.58 | 11.80 | 18.70 | 34.89 | 1104 | 33.46 | 39.56 | - | - | - | 1180 |
| 177 | 1.59 | 7.10 | 11.30 | 20.95 | 1100 | 15.67 | 19.58 | 2199 | 22.30 | 32.60 | 710 |
| 178 | 1.61 | 4.40 | 7.10 | 15.92 | 1085 | 5.11 | 8.39 | 2169 | 7.07 | 14.27 | 500 |
| 179 | 1.61 | 4.65 | 7.50 | 15.40 | 1085 | 6.04 | 9.34 | 2170 | 8.59 | 15.93 | 500 |
| 180 | 1.61 | 13.20 | 21.20 | 38.79 | 1090 | 38.02 | 45.10 | - | - | - | 1320 |
| 181 | 1.62 | 9.25 | 15.00 | 25.80 | 1079 | 23.95 | 28.63 | - | - | - | 900 |
| 182 | 1.63 | 4.90 | 8.00 | 14.79 | 1072 | 6.95 | 10.27 | 2144 | 10.07 | 17.54 | 500 |
| 183 | 1.63 | 5.20 | 8.50 | 15.66 | 1071 | 8.14 | 11.52 | 2141 | 11.91 | 19.68 | 530 |
| 184 | 1.63 | 6.30 | 10.30 | 18.36 | 1070 | 12.47 | 16.12 | 2141 | 18.20 | 27.24 | 630 |
| 185 | 1.63 | 6.70 | 10.90 | 19.57 | 1076 | 14.06 | 17.84 | 2151 | 20.31 | 29.94 | 670 |
| 186 | 1.64 | 5.50 | 9.00 | 16.52 | 1069 | 9.32 | 12.78 | 2139 | 13.71 | 21.79 | 560 |
| 187 | 1.64 | 9.75 | 16.00 | 29.62 | 1066 | 26.14 | 31.10 | - | - | - | 1000 |
| 188 | 1.65 | 5.90 | 9.75 | 17.61 | 1059 | 10.91 | 14.47 | 2118 | 16.04 | 24.58 | 600 |
| 189 | 1.65 | 8.00 | 13.20 | 23.21 | 1061 | 19.21 | 23.41 | - | - | - | 800 |
| 190 | 1.65 | 8.50 | 14.00 | 24.68 | 1063 | 21.18 | 25.56 | - | - | - | 850 |
| 191 | 1.65 | 11.30 | 18.70 | 32.24 | 1057 | 31.56 | 37.31 | - | - | - | 1120 |
| 192 | 1.66 | 7.10 | 11.80 | 20.53 | 1053 | 15.64 | 19.53 | 2106 | 22.28 | 32.52 | 710 |
| 193 | 1.67 | 7.50 | 12.50 | 21.66 | 1050 | 17.23 | 21.24 | - | - | - | 750 |
| 194 | 1.67 | 9.00 | 15.00 | 25.99 | 1050 | 23.10 | 27.68 | - | - | - | 900 |
| 195 | 1.68 | 5.50 | 9.25 | 16.31 | 1041 | 9.32 | 12.76 | 2081 | 13.71 | 21.77 | 560 |
| 196 | 1.69 | 6.70 | 11.30 | 19.23 | 1038 | 14.04 | 17.79 | 2075 | 20.29 | 29.87 | 670 |
| 197 | 1.70 | 4.40 | 7.50 | 15.58 | 1027 | 5.13 | 8.39 | 2053 | 7.12 | 14.27 | 500 |
| 198 | 1.70 | 12.50 | 21.20 | 35.78 | 1032 | 35.63 | 42.15 | - | - | - | 1250 |
| 199 | 1.72 | 4.65 | 8.00 | 14.98 | 1017 | 6.05 | 9.32 | 2034 | 8.64 | 15.91 | 500 |
| 200 | 1.72 | 10.90 | 18.70 | 32.53 | 1020 | 30.31 | 35.84 | - | - | - | 1120 |

5V & 5VX BELTS

* - See page 18

5V & 5VX BELTS

| | Ratio | Pitch | Pitch | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------|--------|--------------------|-------------------|-----------|-------|-------------------|-----------|-------|-----------------|
| | | Driver | Driven | | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | in | in | | RPM | 5V | 5VX | RPM | 5V | 5VX | |
| 201 | 1.73 | 4.90 | 8.50 | 14.37 | 1009 | 6.95 | 10.24 | 2018 | 10.09 | 17.50 | 500 |
| 202 | 1.73 | 5.20 | 9.00 | 15.23 | 1011 | 8.13 | 11.49 | 2022 | 11.92 | 19.62 | 530 |
| 203 | 1.73 | 6.30 | 10.90 | 17.85 | 1011 | 12.43 | 16.06 | 2023 | 18.17 | 27.14 | 630 |
| 204 | 1.73 | 9.25 | 16.00 | 29.99 | 1012 | 24.45 | 29.20 | - | - | - | 1000 |
| 205 | 1.75 | 5.90 | 10.30 | 17.14 | 1002 | 10.89 | 14.41 | 2005 | 16.02 | 24.49 | 600 |
| 206 | 1.75 | 8.00 | 14.00 | 25.05 | 1000 | 19.42 | 23.64 | - | - | - | 850 |
| 207 | 1.76 | 6.70 | 11.80 | 20.82 | 994 | 14.20 | 17.98 | 1987 | 20.54 | 30.20 | 710 |
| 208 | 1.76 | 7.10 | 12.50 | 21.95 | 994 | 15.80 | 19.70 | 1988 | 22.52 | 32.82 | 750 |
| 209 | 1.76 | 7.50 | 13.20 | 23.58 | 994 | 17.44 | 21.48 | - | - | - | 800 |
| 210 | 1.76 | 8.50 | 15.00 | 26.35 | 992 | 21.37 | 25.77 | - | - | - | 900 |
| 211 | 1.77 | 5.50 | 9.75 | 15.89 | 987 | 9.30 | 12.72 | 1974 | 13.70 | 21.69 | 560 |
| 212 | 1.78 | 5.20 | 9.25 | 15.02 | 984 | 8.12 | 11.46 | 1968 | 11.92 | 19.59 | 530 |
| 213 | 1.78 | 9.00 | 16.00 | 25.13 | 984 | 22.98 | 27.52 | - | - | - | 900 |
| 214 | 1.79 | 6.30 | 11.30 | 19.52 | 976 | 12.59 | 16.25 | 1951 | 18.42 | 27.47 | 670 |
| 215 | 1.79 | 13.20 | 23.60 | 40.78 | 979 | 38.18 | 45.26 | - | - | - | 1400 |
| 216 | 1.80 | 11.80 | 21.20 | 36.29 | 974 | 33.58 | 39.65 | - | - | - | 1250 |
| 217 | 1.82 | 4.40 | 8.00 | 15.16 | 963 | 5.13 | 8.37 | 1925 | 7.16 | 14.25 | 500 |
| 218 | 1.82 | 10.30 | 18.70 | 29.94 | 964 | 28.00 | 33.16 | - | - | - | 1060 |
| 219 | 1.83 | 4.65 | 8.50 | 14.55 | 957 | 6.05 | 9.29 | 1915 | 8.65 | 15.86 | 500 |
| 220 | 1.84 | 4.90 | 9.00 | 15.45 | 953 | 7.04 | 10.34 | 1906 | 10.23 | 17.68 | 530 |
| 221 | 1.85 | 5.90 | 10.90 | 18.14 | 947 | 10.98 | 14.52 | 1894 | 16.17 | 24.68 | 630 |
| 222 | 1.86 | 7.10 | 13.20 | 21.35 | 941 | 15.73 | 19.60 | 1883 | 22.45 | 32.66 | 750 |
| 223 | 1.87 | 5.50 | 10.30 | 17.43 | 934 | 9.43 | 12.87 | 1869 | 13.91 | 21.97 | 600 |
| 224 | 1.87 | 6.30 | 11.80 | 19.09 | 934 | 12.55 | 16.19 | 1869 | 18.37 | 27.37 | 670 |
| 225 | 1.87 | 6.70 | 12.50 | 20.22 | 938 | 14.14 | 17.89 | 1876 | 20.47 | 30.05 | 710 |
| 226 | 1.87 | 7.50 | 14.00 | 22.89 | 938 | 17.36 | 21.37 | - | - | - | 800 |
| 227 | 1.88 | 5.20 | 9.75 | 16.10 | 933 | 8.21 | 11.57 | 1867 | 12.06 | 19.77 | 560 |
| 228 | 1.88 | 8.00 | 15.00 | 24.19 | 933 | 19.31 | 23.49 | - | - | - | 850 |
| 229 | 1.88 | 8.50 | 16.00 | 25.49 | 930 | 21.25 | 25.61 | - | - | - | 900 |
| 230 | 1.88 | 11.30 | 21.20 | 33.12 | 933 | 31.59 | 37.30 | - | - | - | 1180 |
| 231 | 1.89 | 4.90 | 9.25 | 15.24 | 927 | 7.03 | 10.32 | 1854 | 10.23 | 17.64 | 530 |
| 232 | 1.89 | 12.50 | 23.60 | 37.25 | 927 | 35.71 | 42.22 | - | - | - | 1320 |
| 233 | 1.92 | 5.90 | 11.30 | 17.79 | 914 | 10.95 | 14.47 | 1827 | 16.13 | 24.60 | 630 |
| 234 | 1.92 | 9.75 | 18.70 | 30.34 | 912 | 26.17 | 31.09 | - | - | - | 1060 |
| 235 | 1.93 | 4.40 | 8.50 | 14.73 | 906 | 5.13 | 8.34 | 1812 | 7.17 | 14.20 | 500 |
| 236 | 1.94 | 4.65 | 9.00 | 14.12 | 904 | 6.03 | 9.25 | 1808 | 8.65 | 15.80 | 500 |
| 237 | 1.94 | 10.90 | 21.20 | 33.40 | 900 | 30.33 | 35.83 | - | - | - | 1180 |
| 238 | 1.97 | 6.70 | 13.20 | 21.63 | 888 | 14.27 | 18.05 | 1777 | 20.68 | 30.32 | 750 |
| 239 | 1.97 | 7.10 | 14.00 | 23.18 | 888 | 15.91 | 19.81 | 1775 | 22.72 | 33.02 | 800 |
| 240 | 1.98 | 5.20 | 10.30 | 15.62 | 883 | 8.17 | 11.51 | 1767 | 12.02 | 19.67 | 560 |
| 241 | 1.98 | 5.50 | 10.90 | 16.91 | 883 | 9.39 | 12.80 | 1766 | 13.86 | 21.85 | 600 |
| 242 | 1.98 | 6.30 | 12.50 | 20.51 | 882 | 12.68 | 16.34 | 1764 | 18.57 | 27.63 | 710 |
| 243 | 1.99 | 4.65 | 9.25 | 13.90 | 880 | 6.02 | 9.22 | 1759 | 8.63 | 15.75 | 500 |
| 244 | 1.99 | 4.90 | 9.75 | 14.80 | 879 | 7.00 | 10.27 | 1759 | 10.20 | 17.56 | 530 |
| 245 | 2.00 | 5.90 | 11.80 | 19.38 | 875 | 11.08 | 14.64 | 1750 | 16.34 | 24.89 | 670 |
| 246 | 2.00 | 7.50 | 15.00 | 24.55 | 875 | 17.52 | 21.55 | - | - | - | 850 |
| 247 | 2.00 | 8.00 | 16.00 | 25.85 | 875 | 19.48 | 23.68 | - | - | - | 900 |
| 248 | 2.00 | 11.80 | 23.60 | 37.75 | 875 | 33.65 | 39.72 | - | - | - | 1320 |
| 249 | 2.02 | 9.25 | 18.70 | 27.66 | 866 | 24.08 | 28.73 | - | - | - | 1000 |
| 250 | 2.05 | 4.40 | 9.00 | 14.30 | 856 | 5.12 | 8.29 | 1711 | 7.16 | 14.14 | 500 |

* - See page 18

5V & 5VX BELTS

5V & 5VX BELTS

| | Ratio | Pitch Driver | Pitch Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | 5V | 5VX | | RPM | 5V | |
| 251 | 2.05 | 5.50 | 11.30 | 16.56 | 852 | 9.35 | 12.75 | 1704 | 13.81 | 21.77 | 600 |
| 252 | 2.06 | 10.30 | 21.20 | 33.83 | 850 | 28.38 | 33.60 | - | - | - | 1180 |
| 253 | 2.08 | 9.00 | 18.70 | 27.83 | 842 | 23.22 | 27.78 | - | - | - | 1000 |
| 254 | 2.09 | 6.70 | 14.00 | 20.93 | 838 | 14.18 | 17.93 | 1675 | 20.56 | 30.12 | 750 |
| 255 | 2.09 | 11.30 | 23.60 | 34.56 | 838 | 31.65 | 37.35 | - | - | - | 1250 |
| 256 | 2.10 | 4.40 | 9.25 | 14.08 | 832 | 5.10 | 8.27 | 1665 | 7.15 | 14.10 | 500 |
| 257 | 2.10 | 4.65 | 9.75 | 14.98 | 835 | 6.08 | 9.31 | 1669 | 8.74 | 15.91 | 530 |
| 258 | 2.10 | 4.90 | 10.30 | 15.84 | 833 | 7.07 | 10.35 | 1665 | 10.31 | 17.71 | 560 |
| 259 | 2.10 | 5.20 | 10.90 | 17.12 | 835 | 8.28 | 11.65 | 1670 | 12.19 | 19.91 | 600 |
| 260 | 2.10 | 6.30 | 13.20 | 19.89 | 835 | 12.61 | 16.24 | 1670 | 18.47 | 27.46 | 710 |
| 261 | 2.11 | 7.10 | 15.00 | 22.30 | 828 | 15.79 | 19.65 | 1657 | 22.56 | 32.76 | 800 |
| 262 | 2.12 | 5.90 | 12.50 | 18.77 | 826 | 11.02 | 14.54 | 1652 | 16.26 | 24.73 | 670 |
| 263 | 2.12 | 13.20 | 28.00 | 42.01 | 825 | 38.08 | 45.11 | - | - | - | 1500 |
| 264 | 2.13 | 7.50 | 16.00 | 23.67 | 820 | 17.39 | 21.38 | - | - | - | 850 |
| 265 | 2.15 | 5.50 | 11.80 | 17.64 | 816 | 9.43 | 12.85 | 1631 | 13.94 | 21.95 | 630 |
| 266 | 2.17 | 5.20 | 11.30 | 16.77 | 805 | 8.25 | 11.59 | 1611 | 12.15 | 19.83 | 600 |
| 267 | 2.17 | 9.75 | 21.20 | 31.18 | 805 | 26.16 | 31.06 | - | - | - | 1120 |
| 268 | 2.17 | 10.90 | 23.60 | 34.84 | 808 | 30.39 | 35.88 | - | - | - | 1250 |
| 269 | 2.20 | 8.50 | 18.70 | 28.19 | 795 | 21.47 | 25.85 | - | - | - | 1000 |
| 270 | 2.22 | 4.40 | 9.75 | 13.63 | 790 | 5.08 | 8.22 | 1579 | 7.12 | 14.01 | 500 |
| 271 | 2.22 | 4.65 | 10.30 | 14.49 | 790 | 6.05 | 9.25 | 1580 | 8.70 | 15.80 | 530 |
| 272 | 2.22 | 4.90 | 10.90 | 15.30 | 787 | 7.03 | 10.28 | 1573 | 10.25 | 17.59 | 560 |
| 273 | 2.22 | 6.30 | 14.00 | 21.22 | 788 | 12.71 | 16.37 | 1575 | 18.64 | 27.69 | 750 |
| 274 | 2.24 | 5.90 | 13.20 | 20.18 | 782 | 11.13 | 14.68 | 1564 | 16.43 | 24.96 | 710 |
| 275 | 2.24 | 6.70 | 15.00 | 22.58 | 782 | 14.32 | 18.09 | 1563 | 20.77 | 30.40 | 800 |
| 276 | 2.24 | 12.50 | 28.00 | 42.50 | 781 | 36.12 | 42.67 | - | - | - | 1500 |
| 277 | 2.25 | 7.10 | 16.00 | 23.95 | 777 | 15.93 | 19.82 | 1553 | 22.78 | 33.05 | 850 |
| 278 | 2.27 | 5.20 | 11.80 | 16.32 | 771 | 8.20 | 11.52 | 1542 | 12.09 | 19.71 | 600 |
| 279 | 2.27 | 5.50 | 12.50 | 17.01 | 770 | 9.36 | 12.75 | 1540 | 13.84 | 21.77 | 630 |
| 280 | 2.29 | 9.25 | 21.20 | 31.53 | 764 | 24.45 | 29.15 | - | - | - | 1120 |
| 281 | 2.29 | 10.30 | 23.60 | 35.26 | 764 | 28.43 | 33.64 | - | - | - | 1250 |
| 282 | 2.31 | 4.90 | 11.30 | 16.98 | 759 | 7.14 | 10.43 | 1518 | 10.42 | 17.85 | 600 |
| 283 | 2.34 | 4.40 | 10.30 | 14.66 | 748 | 5.13 | 8.29 | 1495 | 7.20 | 14.14 | 530 |
| 284 | 2.34 | 4.65 | 10.90 | 15.48 | 747 | 6.10 | 9.32 | 1493 | 8.78 | 15.93 | 560 |
| 285 | 2.34 | 8.00 | 18.70 | 28.54 | 749 | 19.68 | 23.90 | - | - | - | 1000 |
| 286 | 2.36 | 9.00 | 21.20 | 28.64 | 743 | 23.19 | 27.73 | - | - | - | 1060 |
| 287 | 2.37 | 5.90 | 14.00 | 19.46 | 738 | 11.04 | 14.55 | 1475 | 16.30 | 24.76 | 710 |
| 288 | 2.37 | 11.80 | 28.00 | 37.89 | 738 | 33.38 | 39.38 | - | - | - | 1400 |
| 289 | 2.38 | 6.30 | 15.00 | 20.31 | 735 | 12.59 | 16.20 | 1470 | 18.46 | 27.41 | 750 |
| 290 | 2.39 | 6.70 | 16.00 | 21.68 | 733 | 14.19 | 17.92 | 1466 | 20.59 | 30.11 | 800 |
| 291 | 2.39 | 13.20 | 31.50 | 43.96 | 733 | 38.08 | 45.10 | - | - | - | 1600 |
| 292 | 2.40 | 5.20 | 12.50 | 17.22 | 728 | 8.26 | 11.59 | 1456 | 12.17 | 19.83 | 630 |
| 293 | 2.40 | 5.50 | 13.20 | 18.42 | 729 | 9.47 | 12.88 | 1458 | 14.00 | 22.00 | 670 |
| 294 | 2.41 | 4.90 | 11.80 | 16.53 | 727 | 7.10 | 10.37 | 1453 | 10.36 | 17.74 | 600 |
| 295 | 2.42 | 9.75 | 23.60 | 32.07 | 723 | 26.13 | 31.02 | - | - | - | 1180 |
| 296 | 2.43 | 4.65 | 11.30 | 15.11 | 720 | 6.07 | 9.27 | 1440 | 8.74 | 15.84 | 560 |
| 297 | 2.48 | 4.40 | 10.90 | 15.65 | 706 | 5.18 | 8.36 | 1413 | 7.27 | 14.25 | 560 |
| 298 | 2.48 | 11.30 | 28.00 | 38.24 | 706 | 31.84 | 37.57 | - | - | - | 1400 |
| 299 | 2.49 | 7.50 | 18.70 | 23.77 | 702 | 17.27 | 21.22 | - | - | - | 900 |
| 300 | 2.49 | 8.50 | 21.20 | 28.99 | 702 | 21.44 | 25.81 | - | - | - | 1060 |

5V & 5VX BELTS

* - See page 18

5V & 5VX BELTS

| | Ratio | Pitch | Pitch | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------|--------|--------------------|-------------------|-----------|-------|-------------------|-----------|-------|-----------------|
| | | Driver | Driven | | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | in | in | | RPM | 5V | 5VX | RPM | 5V | 5VX | |
| 301 | 2.52 | 12.50 | 31.50 | 44.44 | 694 | 36.12 | 42.65 | - | - | - | 1600 |
| 302 | 2.54 | 4.65 | 11.80 | 16.70 | 690 | 6.17 | 9.40 | 1379 | 8.88 | 16.08 | 600 |
| 303 | 2.54 | 5.20 | 13.20 | 18.63 | 689 | 8.35 | 11.72 | 1379 | 12.31 | 20.04 | 670 |
| 304 | 2.54 | 5.90 | 15.00 | 20.59 | 688 | 11.11 | 14.64 | 1377 | 16.41 | 24.91 | 750 |
| 305 | 2.54 | 6.30 | 16.00 | 21.96 | 689 | 12.72 | 16.36 | 1378 | 18.66 | 27.68 | 800 |
| 306 | 2.55 | 4.90 | 12.50 | 17.43 | 686 | 7.14 | 10.43 | 1372 | 10.44 | 17.85 | 630 |
| 307 | 2.55 | 5.50 | 14.00 | 19.73 | 688 | 9.55 | 12.99 | 1375 | 14.14 | 22.19 | 710 |
| 308 | 2.55 | 9.25 | 23.60 | 32.42 | 686 | 24.42 | 29.11 | - | - | - | 1180 |
| 309 | 2.57 | 4.40 | 11.30 | 15.29 | 681 | 5.15 | 8.31 | 1363 | 7.24 | 14.17 | 560 |
| 310 | 2.57 | 10.90 | 28.00 | 38.51 | 681 | 30.58 | 36.09 | - | - | - | 1400 |
| 311 | 2.62 | 9.00 | 23.60 | 32.59 | 667 | 23.55 | 28.15 | - | - | - | 1180 |
| 312 | 2.63 | 7.10 | 18.70 | 24.05 | 664 | 15.82 | 19.67 | 1329 | 22.63 | 32.80 | 900 |
| 313 | 2.65 | 8.00 | 21.20 | 29.34 | 660 | 19.65 | 23.86 | - | - | - | 1060 |
| 314 | 2.67 | 11.80 | 31.50 | 39.79 | 656 | 33.36 | 39.35 | - | - | - | 1500 |
| 315 | 2.68 | 4.40 | 11.80 | 14.82 | 653 | 5.11 | 8.24 | 1305 | 7.19 | 14.06 | 560 |
| 316 | 2.69 | 4.65 | 12.50 | 16.06 | 651 | 6.11 | 9.31 | 1302 | 8.80 | 15.92 | 600 |
| 317 | 2.69 | 4.90 | 13.20 | 16.78 | 650 | 7.08 | 10.33 | 1299 | 10.34 | 17.68 | 630 |
| 318 | 2.69 | 5.20 | 14.00 | 17.89 | 650 | 8.27 | 11.59 | 1300 | 12.19 | 19.84 | 670 |
| 319 | 2.71 | 5.90 | 16.00 | 22.24 | 645 | 11.23 | 14.79 | 1291 | 16.59 | 25.16 | 800 |
| 320 | 2.72 | 10.30 | 28.00 | 34.81 | 644 | 28.07 | 33.20 | - | - | - | 1320 |
| 321 | 2.73 | 5.50 | 15.00 | 18.81 | 642 | 9.44 | 12.83 | 1283 | 13.97 | 21.92 | 710 |
| 322 | 2.78 | 8.50 | 23.60 | 29.85 | 630 | 21.40 | 25.75 | - | - | - | 1120 |
| 323 | 2.79 | 6.70 | 18.70 | 24.32 | 627 | 14.35 | 18.11 | 1254 | 20.83 | 30.44 | 900 |
| 324 | 2.79 | 11.30 | 31.50 | 40.13 | 628 | 31.83 | 37.54 | - | - | - | 1500 |
| 325 | 2.83 | 7.50 | 21.20 | 26.59 | 619 | 17.47 | 21.46 | - | - | - | 1000 |
| 326 | 2.84 | 4.40 | 12.50 | 16.23 | 616 | 5.18 | 8.35 | 1232 | 7.29 | 14.24 | 600 |
| 327 | 2.84 | 4.65 | 13.20 | 16.95 | 616 | 6.15 | 9.37 | 1233 | 8.86 | 16.02 | 630 |
| 328 | 2.84 | 13.20 | 37.50 | 48.68 | 616 | 38.22 | 45.24 | - | - | - | 1800 |
| 329 | 2.86 | 4.90 | 14.00 | 18.09 | 613 | 7.15 | 10.43 | 1225 | 10.45 | 17.86 | 670 |
| 330 | 2.87 | 9.75 | 28.00 | 35.18 | 609 | 26.24 | 31.13 | - | - | - | 1320 |
| 331 | 2.88 | 5.20 | 15.00 | 19.01 | 607 | 8.32 | 11.67 | 1213 | 12.28 | 19.97 | 710 |
| 332 | 2.89 | 10.90 | 31.50 | 40.40 | 606 | 30.56 | 36.07 | - | - | - | 1500 |
| 333 | 2.91 | 5.50 | 16.00 | 19.93 | 602 | 9.50 | 12.91 | 1203 | 14.07 | 22.06 | 750 |
| 334 | 2.95 | 8.00 | 23.60 | 30.19 | 593 | 19.62 | 23.81 | - | - | - | 1120 |
| 335 | 2.97 | 6.30 | 18.70 | 24.59 | 590 | 12.86 | 16.54 | 1179 | 18.88 | 27.99 | 900 |
| 336 | 2.99 | 7.10 | 21.20 | 26.86 | 586 | 16.01 | 19.90 | 1172 | 22.91 | 33.19 | 1000 |
| 337 | 3.00 | 4.40 | 13.20 | 17.12 | 583 | 5.22 | 8.40 | 1167 | 7.34 | 14.33 | 630 |
| 338 | 3.00 | 12.50 | 37.50 | 49.16 | 583 | 36.25 | 42.80 | - | - | - | 1800 |
| 339 | 3.01 | 4.65 | 14.00 | 18.26 | 581 | 6.21 | 9.46 | 1163 | 8.96 | 16.18 | 670 |
| 340 | 3.03 | 9.25 | 28.00 | 35.52 | 578 | 24.53 | 29.22 | - | - | - | 1320 |
| 341 | 3.06 | 4.90 | 15.00 | 19.21 | 572 | 7.20 | 10.50 | 1143 | 10.53 | 17.98 | 710 |
| 342 | 3.06 | 10.30 | 31.50 | 40.81 | 572 | 28.60 | 33.82 | - | - | - | 1500 |
| 343 | 3.08 | 5.20 | 16.00 | 20.13 | 569 | 8.38 | 11.74 | 1138 | 12.37 | 20.09 | 750 |
| 344 | 3.11 | 9.00 | 28.00 | 35.69 | 563 | 23.65 | 28.26 | - | - | - | 1320 |
| 345 | 3.15 | 7.50 | 23.60 | 30.53 | 556 | 17.79 | 21.85 | - | - | - | 1120 |
| 346 | 3.16 | 6.70 | 21.20 | 27.13 | 553 | 14.53 | 18.32 | 1106 | 21.09 | 30.80 | 1000 |
| 347 | 3.17 | 5.90 | 18.70 | 22.27 | 552 | 11.11 | 14.63 | 1104 | 16.43 | 24.90 | 850 |
| 348 | 3.18 | 4.40 | 14.00 | 16.35 | 550 | 5.15 | 8.29 | 1100 | 7.25 | 14.14 | 630 |
| 349 | 3.18 | 11.80 | 37.50 | 44.44 | 551 | 33.49 | 39.49 | - | - | - | 1700 |
| 350 | 3.23 | 4.65 | 15.00 | 19.38 | 543 | 6.26 | 9.52 | 1085 | 9.02 | 16.29 | 710 |

*

| | |
|---|--|
| - | |
|---|--|

 See page 18

5V & 5VX BELTS

| | Ratio | Pitch Driver | Pitch Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | 5V | 5VX | RPM | 5V | 5VX | |
| 351 | 3.23 | 9.75 | 31.50 | 41.18 | 542 | 26.74 | 31.72 | - | - | - | 1500 |
| 352 | 3.27 | 4.90 | 16.00 | 20.34 | 536 | 7.25 | 10.57 | 1072 | 10.60 | 18.09 | 750 |
| 353 | 3.29 | 8.50 | 28.00 | 36.03 | 531 | 21.87 | 26.31 | - | - | - | 1320 |
| 354 | 3.32 | 7.10 | 23.60 | 27.67 | 526 | 15.96 | 19.84 | 1053 | 22.85 | 33.09 | 1060 |
| 355 | 3.32 | 11.30 | 37.50 | 44.78 | 527 | 31.96 | 37.68 | - | - | - | 1700 |
| 356 | 3.37 | 6.30 | 21.20 | 27.40 | 520 | 13.02 | 16.73 | 1040 | 19.12 | 28.32 | 1000 |
| 357 | 3.40 | 5.50 | 18.70 | 22.54 | 515 | 9.62 | 13.07 | 1029 | 14.25 | 22.32 | 850 |
| 358 | 3.41 | 4.40 | 15.00 | 17.47 | 513 | 5.19 | 8.35 | 1027 | 7.31 | 14.25 | 670 |
| 359 | 3.41 | 9.25 | 31.50 | 36.31 | 514 | 24.37 | 29.03 | - | - | - | 1400 |
| 360 | 3.44 | 4.65 | 16.00 | 18.42 | 509 | 6.16 | 9.38 | 1017 | 8.89 | 16.04 | 710 |
| 361 | 3.44 | 10.90 | 37.50 | 45.04 | 509 | 30.69 | 36.21 | - | - | - | 1700 |
| 362 | 3.50 | 8.00 | 28.00 | 32.71 | 500 | 19.64 | 23.83 | - | - | - | 1250 |
| 363 | 3.50 | 9.00 | 31.50 | 36.47 | 500 | 23.50 | 28.07 | - | - | - | 1400 |
| 364 | 3.52 | 6.70 | 23.60 | 27.94 | 497 | 14.48 | 18.27 | 994 | 21.03 | 30.71 | 1060 |
| 365 | 3.59 | 5.90 | 21.20 | 27.67 | 487 | 11.50 | 15.13 | 974 | 17.00 | 25.75 | 1000 |
| 366 | 3.60 | 5.20 | 18.70 | 22.74 | 487 | 8.48 | 11.89 | 973 | 12.53 | 20.34 | 850 |
| 367 | 3.64 | 4.40 | 16.00 | 18.58 | 481 | 5.23 | 8.41 | 963 | 7.37 | 14.35 | 710 |
| 368 | 3.64 | 10.30 | 37.50 | 45.44 | 481 | 28.72 | 33.96 | - | - | - | 1700 |
| 369 | 3.71 | 8.50 | 31.50 | 36.80 | 472 | 21.73 | 26.13 | - | - | - | 1400 |
| 370 | 3.73 | 7.50 | 28.00 | 33.04 | 469 | 17.81 | 21.87 | - | - | - | 1250 |
| 371 | 3.75 | 6.30 | 23.60 | 28.20 | 467 | 12.98 | 16.68 | 934 | 19.07 | 28.24 | 1060 |
| 372 | 3.79 | 13.20 | 50.00 | 46.77 | 462 | 36.58 | 43.30 | - | - | - | 2000 |
| 373 | 3.82 | 4.90 | 18.70 | 22.94 | 459 | 7.34 | 10.70 | 917 | 10.75 | 18.32 | 850 |
| 374 | 3.85 | 5.50 | 21.20 | 22.68 | 454 | 9.51 | 12.92 | 908 | 14.10 | 22.08 | 900 |
| 375 | 3.85 | 9.75 | 37.50 | 45.81 | 455 | 26.85 | 31.85 | - | - | - | 1700 |
| 376 | 3.94 | 7.10 | 28.00 | 33.31 | 444 | 16.32 | 20.28 | 888 | 23.37 | 33.83 | 1250 |
| 377 | 3.94 | 8.00 | 31.50 | 37.13 | 444 | 19.92 | 24.17 | - | - | - | 1400 |
| 378 | 4.00 | 5.90 | 23.60 | 28.47 | 438 | 11.46 | 15.09 | 875 | 16.96 | 25.67 | 1060 |
| 379 | 4.00 | 12.50 | 50.00 | 47.21 | 438 | 34.69 | 40.96 | - | - | - | 2000 |
| 380 | 4.02 | 4.65 | 18.70 | 23.10 | 435 | 6.38 | 9.70 | 870 | 9.21 | 16.60 | 850 |
| 381 | 4.05 | 9.25 | 37.50 | 46.14 | 432 | 25.11 | 29.91 | - | - | - | 1700 |
| 382 | 4.08 | 5.20 | 21.20 | 22.88 | 429 | 8.39 | 11.75 | 858 | 12.40 | 20.12 | 900 |
| 383 | 4.17 | 9.00 | 37.50 | 46.30 | 420 | 24.22 | 28.93 | - | - | - | 1700 |
| 384 | 4.18 | 6.70 | 28.00 | 33.57 | 419 | 14.81 | 18.68 | 838 | 21.52 | 31.40 | 1250 |
| 385 | 4.20 | 7.50 | 31.50 | 37.46 | 417 | 18.07 | 22.18 | - | - | - | 1400 |
| 386 | 4.24 | 11.80 | 50.00 | 47.66 | 413 | 32.69 | 38.54 | - | - | - | 2000 |
| 387 | 4.25 | 4.40 | 18.70 | 23.27 | 412 | 5.42 | 8.71 | 824 | 7.63 | 14.86 | 850 |
| 388 | 4.29 | 5.50 | 23.60 | 28.73 | 408 | 9.92 | 13.48 | 816 | 14.71 | 23.03 | 1060 |
| 389 | 4.33 | 4.90 | 21.20 | 23.07 | 404 | 7.26 | 10.58 | 809 | 10.63 | 18.12 | 900 |
| 390 | 4.41 | 8.50 | 37.50 | 46.64 | 397 | 22.40 | 26.94 | - | - | - | 1700 |
| 391 | 4.42 | 11.30 | 50.00 | 47.98 | 396 | 31.19 | 36.78 | - | - | - | 2000 |
| 392 | 4.44 | 6.30 | 28.00 | 33.83 | 394 | 13.28 | 17.06 | 788 | 19.51 | 28.88 | 1250 |
| 393 | 4.44 | 7.10 | 31.50 | 37.73 | 394 | 16.57 | 20.58 | 789 | 23.72 | 34.32 | 1400 |
| 394 | 4.54 | 5.20 | 23.60 | 28.93 | 386 | 8.76 | 12.26 | 771 | 12.94 | 20.99 | 1060 |
| 395 | 4.56 | 4.65 | 21.20 | 23.23 | 384 | 6.31 | 9.60 | 768 | 9.11 | 16.42 | 900 |
| 396 | 4.59 | 10.90 | 50.00 | 48.23 | 382 | 29.96 | 35.34 | - | - | - | 2000 |
| 397 | 4.69 | 8.00 | 37.50 | 46.97 | 373 | 20.54 | 24.92 | - | - | - | 1700 |
| 398 | 4.70 | 6.70 | 31.50 | 37.99 | 372 | 15.04 | 18.96 | 744 | 21.84 | 31.87 | 1400 |
| 399 | 4.75 | 5.90 | 28.00 | 34.10 | 369 | 11.73 | 15.43 | 738 | 17.35 | 26.27 | 1250 |
| 400 | 4.82 | 4.40 | 21.20 | 23.40 | 363 | 5.36 | 8.61 | 726 | 7.55 | 14.69 | 900 |

5V & 5VX BELTS

5V & 5VX BELTS

| | Ratio | Pitch Driver | Pitch Driven | Center Distance | RPM Driver = 1750 | | | RPM Driver = 3500 | | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|-------------------|-----------|-------|-------------------|-----------|-------|--------------|
| | | in | in | in | Driven | HP / Belt | | Driven | HP / Belt | | |
| | | | | | RPM | 5V | 5VX | RPM | 5V | 5VX | |
| 401 | 4.82 | 4.90 | 23.60 | 29.13 | 363 | 7.58 | 11.04 | 727 | 11.10 | 18.91 | 1060 |
| 402 | 4.85 | 10.30 | 50.00 | 48.61 | 361 | 28.04 | 33.14 | - | - | - | 2000 |
| 403 | 5.00 | 6.30 | 31.50 | 38.25 | 350 | 13.48 | 17.32 | 700 | 19.81 | 29.32 | 1400 |
| 404 | 5.00 | 7.50 | 37.50 | 47.30 | 350 | 18.64 | 22.88 | - | - | - | 1700 |
| 405 | 5.08 | 4.65 | 23.60 | 29.29 | 345 | 6.59 | 10.02 | 690 | 9.52 | 17.14 | 1060 |
| 406 | 5.09 | 5.50 | 28.00 | 34.36 | 344 | 10.16 | 13.79 | 688 | 15.06 | 23.57 | 1250 |
| 407 | 5.13 | 9.75 | 50.00 | 48.96 | 341 | 26.22 | 31.09 | - | - | - | 2000 |
| 408 | 5.28 | 7.10 | 37.50 | 47.56 | 331 | 17.09 | 21.23 | 663 | 24.48 | 35.41 | 1700 |
| 409 | 5.34 | 5.90 | 31.50 | 38.51 | 328 | 11.91 | 15.67 | 656 | 17.62 | 26.67 | 1400 |
| 410 | 5.36 | 4.40 | 23.60 | 29.46 | 326 | 5.60 | 8.99 | 653 | 7.89 | 15.34 | 1060 |
| 411 | 5.38 | 5.20 | 28.00 | 34.56 | 325 | 8.97 | 12.55 | 650 | 13.25 | 21.48 | 1250 |
| 412 | 5.41 | 9.25 | 50.00 | 49.28 | 324 | 24.52 | 29.20 | - | - | - | 2000 |
| 413 | 5.56 | 9.00 | 50.00 | 49.43 | 315 | 23.65 | 28.24 | - | - | - | 2000 |
| 414 | 5.60 | 6.70 | 37.50 | 47.82 | 313 | 15.52 | 19.56 | 625 | 22.55 | 32.89 | 1700 |
| 415 | 5.71 | 4.90 | 28.00 | 34.75 | 306 | 7.76 | 11.30 | 613 | 11.37 | 19.36 | 1250 |
| 416 | 5.73 | 5.50 | 31.50 | 38.78 | 306 | 10.32 | 14.00 | 611 | 15.29 | 23.93 | 1400 |
| 417 | 5.88 | 8.50 | 50.00 | 49.75 | 298 | 21.87 | 26.30 | - | - | - | 2000 |
| 418 | 5.95 | 6.30 | 37.50 | 48.09 | 294 | 13.92 | 17.88 | 588 | 20.45 | 30.26 | 1700 |
| 419 | 6.02 | 4.65 | 28.00 | 38.60 | 291 | 6.90 | 10.48 | 581 | 9.97 | 17.94 | 1320 |
| 420 | 6.06 | 5.20 | 31.50 | 44.24 | 289 | 9.36 | 13.09 | 578 | 13.83 | 22.41 | 1500 |
| 421 | 6.25 | 8.00 | 50.00 | 50.07 | 280 | 20.06 | 24.34 | - | - | - | 2000 |
| 422 | 6.36 | 4.40 | 28.00 | 38.77 | 275 | 5.86 | 9.41 | 550 | 8.27 | 16.06 | 1320 |
| 423 | 6.36 | 5.90 | 37.50 | 53.60 | 275 | 12.56 | 16.52 | 551 | 18.59 | 28.12 | 1800 |
| 424 | 6.43 | 4.90 | 31.50 | 44.44 | 272 | 8.10 | 11.79 | 544 | 11.87 | 20.20 | 1500 |
| 425 | 6.67 | 7.50 | 50.00 | 50.38 | 263 | 18.21 | 22.34 | - | - | - | 2000 |
| 426 | 6.77 | 4.65 | 31.50 | 44.60 | 258 | 7.05 | 10.70 | 517 | 10.18 | 18.32 | 1500 |
| 427 | 6.82 | 5.50 | 37.50 | 53.87 | 257 | 10.88 | 14.77 | 513 | 16.14 | 25.24 | 1800 |
| 428 | 7.04 | 7.10 | 50.00 | 50.63 | 249 | 16.69 | 20.73 | 497 | 23.91 | 34.58 | 2000 |
| 429 | 7.16 | 4.40 | 31.50 | 49.98 | 244 | 6.12 | 9.82 | 489 | 8.63 | 16.77 | 1600 |
| 430 | 7.21 | 5.20 | 37.50 | 59.28 | 243 | 9.78 | 13.69 | 485 | 14.46 | 23.43 | 1900 |
| 431 | 7.46 | 6.70 | 50.00 | 50.88 | 235 | 15.16 | 19.10 | 469 | 22.02 | 32.12 | 2000 |
| 432 | 7.65 | 4.90 | 37.50 | 64.66 | 229 | 8.60 | 12.52 | 457 | 12.60 | 21.45 | 2000 |
| 433 | 7.94 | 6.30 | 50.00 | 51.14 | 221 | 13.60 | 17.46 | 441 | 19.98 | 29.56 | 2000 |
| 434 | 8.06 | 4.65 | 37.50 | 64.83 | 217 | 7.49 | 11.37 | 434 | 10.81 | 19.45 | 2000 |
| 435 | 8.47 | 5.90 | 50.00 | 51.39 | 207 | 12.01 | 15.80 | 413 | 17.78 | 26.89 | 2000 |
| 436 | 8.52 | 4.40 | 37.50 | 65.00 | 205 | 6.36 | 10.21 | 411 | 8.97 | 17.43 | 2000 |
| 437 | 9.09 | 5.50 | 50.00 | 51.64 | 193 | 10.41 | 14.12 | 385 | 15.43 | 24.14 | 2000 |
| 438 | 9.62 | 5.20 | 50.00 | 51.83 | 182 | 9.19 | 12.86 | 364 | 13.58 | 22.01 | 2000 |
| 439 | 10.20 | 4.90 | 50.00 | 52.02 | 172 | 7.96 | 11.58 | 343 | 11.66 | 19.84 | 2000 |
| 440 | 10.75 | 4.65 | 50.00 | 52.17 | 163 | 6.92 | 10.51 | 326 | 10.00 | 17.99 | 2000 |
| 441 | 11.36 | 4.40 | 50.00 | 52.33 | 154 | 5.88 | 9.44 | 308 | 8.30 | 16.11 | 2000 |

* - See page 18

8V BELTS

| | Ratio | Pitch Driver | Pitch Driven | Center Distance | RPM Driver = 870 | | RPM Driver = 1160 | | RPM Driver = 1750 | | *Belt Number |
|----|-------|--------------|--------------|-----------------|------------------|-----------|-------------------|-----------|-------------------|-----------|--------------|
| | | | | | Driven | HP / Belt | Driven | HP / Belt | Driven | HP / Belt | |
| | | in. | in. | in | RPM | 8V | RPM | 8V | RPM | 8V | |
| 1 | 1.00 | 12.50 | 12.50 | 33.38 | 870 | 31.71 | 1160 | 38.57 | 1750 | 46.05 | 1060 |
| 2 | 1.00 | 13.20 | 13.20 | 38.28 | 870 | 35.70 | 1160 | 43.39 | 1750 | 51.41 | 1180 |
| 3 | 1.00 | 14.00 | 14.00 | 37.02 | 870 | 39.58 | 1160 | 48.02 | 1750 | 56.24 | 1180 |
| 4 | 1.00 | 15.00 | 15.00 | 38.95 | 870 | 44.74 | 1160 | 54.09 | - | - | 1250 |
| 5 | 1.00 | 16.00 | 16.00 | 44.88 | 870 | 50.32 | 1160 | 60.56 | - | - | 1400 |
| 6 | 1.00 | 17.00 | 17.00 | 43.31 | 870 | 54.98 | 1160 | 65.80 | - | - | 1400 |
| 7 | 1.00 | 18.00 | 18.00 | 46.74 | 870 | 60.16 | 1160 | 71.55 | - | - | 1500 |
| 8 | 1.00 | 19.00 | 19.00 | 50.17 | 870 | 65.27 | 1160 | 77.08 | - | - | 1600 |
| 9 | 1.00 | 20.00 | 20.00 | 53.60 | 870 | 70.29 | 1160 | 82.35 | - | - | 1700 |
| 10 | 1.00 | 21.20 | 21.20 | 56.72 | 870 | 76.05 | 1160 | 88.17 | - | - | 1800 |
| 11 | 1.00 | 22.40 | 22.40 | 59.83 | 870 | 81.66 | - | - | - | - | 1900 |
| 12 | 1.05 | 19.00 | 20.00 | 49.38 | 827 | 66.01 | 1102 | 78.10 | - | - | 1600 |
| 13 | 1.06 | 12.50 | 13.20 | 32.82 | 824 | 32.54 | 1098 | 39.68 | 1657 | 47.76 | 1060 |
| 14 | 1.06 | 13.20 | 14.00 | 37.65 | 820 | 36.60 | 1094 | 44.60 | 1650 | 53.27 | 1180 |
| 15 | 1.06 | 16.00 | 17.00 | 44.09 | 819 | 51.22 | 1092 | 61.77 | - | - | 1400 |
| 16 | 1.06 | 17.00 | 18.00 | 47.52 | 822 | 56.43 | 1096 | 67.67 | - | - | 1500 |
| 17 | 1.06 | 18.00 | 19.00 | 50.95 | 824 | 61.58 | 1099 | 73.37 | - | - | 1600 |
| 18 | 1.06 | 20.00 | 21.20 | 52.65 | 821 | 71.12 | 1094 | 83.49 | - | - | 1700 |
| 19 | 1.06 | 21.20 | 22.40 | 55.77 | 823 | 76.84 | 1098 | 89.25 | - | - | 1800 |
| 20 | 1.07 | 14.00 | 15.00 | 36.23 | 812 | 40.58 | 1083 | 49.36 | 1633 | 58.33 | 1180 |
| 21 | 1.07 | 15.00 | 16.00 | 41.66 | 816 | 46.08 | 1088 | 55.85 | - | - | 1320 |
| 22 | 1.11 | 18.00 | 20.00 | 50.16 | 783 | 62.14 | 1044 | 74.15 | - | - | 1600 |
| 23 | 1.11 | 22.40 | 24.80 | 62.94 | 786 | 83.56 | - | - | - | - | 2000 |
| 24 | 1.12 | 12.50 | 14.00 | 32.19 | 777 | 33.20 | 1036 | 40.58 | 1563 | 49.15 | 1060 |
| 25 | 1.12 | 17.00 | 19.00 | 46.73 | 778 | 57.01 | 1038 | 68.47 | - | - | 1500 |
| 26 | 1.12 | 19.00 | 21.20 | 53.43 | 780 | 67.28 | 1040 | 79.72 | - | - | 1700 |
| 27 | 1.12 | 20.00 | 22.40 | 56.70 | 777 | 72.33 | 1036 | 85.04 | - | - | 1800 |
| 28 | 1.13 | 15.00 | 17.00 | 40.87 | 768 | 46.71 | 1024 | 56.70 | - | - | 1320 |
| 29 | 1.13 | 16.00 | 18.00 | 43.30 | 773 | 51.82 | 1031 | 62.60 | - | - | 1400 |
| 30 | 1.14 | 13.20 | 15.00 | 36.85 | 766 | 37.34 | 1021 | 45.61 | 1540 | 54.85 | 1180 |
| 31 | 1.14 | 14.00 | 16.00 | 38.94 | 761 | 41.62 | 1015 | 50.73 | 1531 | 60.30 | 1250 |
| 32 | 1.17 | 21.20 | 24.80 | 58.86 | 744 | 78.37 | 992 | 91.27 | - | - | 1900 |
| 33 | 1.18 | 17.00 | 20.00 | 45.93 | 740 | 57.39 | 986 | 69.01 | - | - | 1500 |
| 34 | 1.18 | 18.00 | 21.20 | 49.20 | 739 | 62.57 | 985 | 74.76 | - | - | 1600 |
| 35 | 1.18 | 19.00 | 22.40 | 52.47 | 738 | 67.67 | 984 | 80.28 | - | - | 1700 |
| 36 | 1.19 | 16.00 | 19.00 | 42.50 | 733 | 52.21 | 977 | 63.14 | - | - | 1400 |
| 37 | 1.20 | 12.50 | 15.00 | 31.39 | 725 | 33.72 | 967 | 41.30 | 1458 | 50.29 | 1060 |
| 38 | 1.20 | 15.00 | 18.00 | 40.07 | 725 | 47.11 | 967 | 57.25 | - | - | 1320 |
| 39 | 1.21 | 13.20 | 16.00 | 36.05 | 718 | 37.80 | 957 | 46.24 | 1444 | 55.86 | 1180 |
| 40 | 1.21 | 14.00 | 17.00 | 38.14 | 716 | 42.03 | 955 | 51.29 | 1441 | 61.21 | 1250 |
| 41 | 1.24 | 18.00 | 22.40 | 48.24 | 699 | 62.81 | 932 | 75.11 | - | - | 1600 |
| 42 | 1.24 | 20.00 | 24.80 | 54.78 | 702 | 72.88 | 935 | 85.85 | - | - | 1800 |
| 43 | 1.25 | 16.00 | 20.00 | 46.70 | 696 | 53.09 | 928 | 64.25 | - | - | 1500 |
| 44 | 1.25 | 17.00 | 21.20 | 44.96 | 698 | 57.66 | 930 | 69.39 | - | - | 1500 |
| 45 | 1.27 | 15.00 | 19.00 | 43.26 | 687 | 47.85 | 916 | 58.20 | - | - | 1400 |
| 46 | 1.28 | 12.50 | 16.00 | 36.59 | 680 | 34.70 | 906 | 42.54 | 1367 | 51.99 | 1180 |
| 47 | 1.29 | 13.20 | 17.00 | 35.24 | 676 | 38.07 | 901 | 46.61 | 1359 | 56.48 | 1180 |
| 48 | 1.29 | 14.00 | 18.00 | 37.33 | 677 | 42.27 | 902 | 51.63 | 1361 | 61.78 | 1250 |
| 49 | 1.31 | 19.00 | 24.80 | 50.53 | 667 | 67.99 | 889 | 80.77 | - | - | 1700 |
| 50 | 1.32 | 17.00 | 22.40 | 49.00 | 660 | 58.46 | 880 | 70.41 | - | - | 1600 |

* - See page 18

8V BELTS

| | Ratio | Pitch Driver | Pitch Driven | Center Distance | RPM Driver = 870 | | RPM Driver = 1160 | | RPM Driver = 1750 | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|------------------|-----------|-------------------|-----------|-------------------|-----------|--------------|
| | | in. | in. | in. | Driven | HP / Belt | Driven | HP / Belt | Driven | HP / Belt | |
| | | | | | RPM | 8V | RPM | 8V | RPM | 8V | |
| 51 | 1.33 | 15.00 | 20.00 | 42.45 | 653 | 47.99 | 870 | 58.40 | - | - | 1400 |
| 52 | 1.33 | 16.00 | 21.20 | 45.72 | 657 | 53.25 | 875 | 64.49 | - | - | 1500 |
| 53 | 1.34 | 22.40 | 30.00 | 64.75 | 650 | 85.04 | - | - | - | - | 2120 |
| 54 | 1.36 | 12.50 | 17.00 | 35.77 | 640 | 34.88 | 853 | 42.80 | 1287 | 52.43 | 1180 |
| 55 | 1.36 | 13.20 | 18.00 | 37.93 | 638 | 38.63 | 851 | 47.33 | 1283 | 57.46 | 1250 |
| 56 | 1.36 | 14.00 | 19.00 | 40.02 | 641 | 42.83 | 855 | 52.34 | 1289 | 62.76 | 1320 |
| 57 | 1.38 | 18.00 | 24.80 | 51.29 | 631 | 63.64 | 842 | 76.19 | - | - | 1700 |
| 58 | 1.40 | 16.00 | 22.40 | 44.74 | 621 | 53.29 | 829 | 64.58 | - | - | 1500 |
| 59 | 1.41 | 15.00 | 21.20 | 41.47 | 616 | 48.04 | 821 | 58.50 | - | - | 1400 |
| 60 | 1.42 | 21.20 | 30.00 | 59.65 | 615 | 79.31 | 820 | 92.57 | - | - | 2000 |
| 61 | 1.43 | 14.00 | 20.00 | 39.20 | 609 | 42.87 | 812 | 52.42 | 1225 | 62.95 | 1320 |
| 62 | 1.44 | 12.50 | 18.00 | 34.95 | 604 | 34.95 | 806 | 42.92 | 1215 | 52.66 | 1180 |
| 63 | 1.44 | 13.20 | 19.00 | 37.11 | 604 | 38.68 | 806 | 47.42 | 1216 | 57.67 | 1250 |
| 64 | 1.46 | 17.00 | 24.80 | 47.03 | 596 | 58.46 | 795 | 70.46 | - | - | 1600 |
| 65 | 1.49 | 15.00 | 22.40 | 45.49 | 583 | 48.67 | 777 | 59.29 | - | - | 1500 |
| 66 | 1.50 | 20.00 | 30.00 | 55.52 | 580 | 73.48 | 773 | 86.71 | - | - | 1900 |
| 67 | 1.51 | 14.00 | 21.20 | 42.21 | 575 | 43.36 | 766 | 53.04 | 1156 | 63.77 | 1400 |
| 68 | 1.52 | 12.50 | 19.00 | 37.63 | 572 | 35.37 | 763 | 43.45 | 1151 | 53.38 | 1250 |
| 69 | 1.52 | 13.20 | 20.00 | 36.28 | 574 | 38.67 | 766 | 47.42 | 1155 | 57.74 | 1250 |
| 70 | 1.55 | 16.00 | 24.80 | 47.77 | 561 | 53.86 | 748 | 65.30 | - | - | 1600 |
| 71 | 1.58 | 19.00 | 30.00 | 56.27 | 551 | 69.10 | 735 | 82.20 | - | - | 1900 |
| 72 | 1.58 | 22.40 | 35.50 | 66.22 | 549 | 85.37 | - | - | - | - | 2240 |
| 73 | 1.60 | 12.50 | 20.00 | 36.80 | 544 | 35.34 | 725 | 43.42 | 1094 | 53.39 | 1250 |
| 74 | 1.60 | 14.00 | 22.40 | 41.21 | 544 | 43.29 | 725 | 52.97 | 1094 | 63.74 | 1400 |
| 75 | 1.61 | 13.20 | 21.20 | 38.79 | 542 | 39.05 | 722 | 47.90 | 1090 | 58.37 | 1320 |
| 76 | 1.65 | 15.00 | 24.80 | 43.48 | 526 | 48.47 | 702 | 59.08 | - | - | 1500 |
| 77 | 1.67 | 18.00 | 30.00 | 51.97 | 522 | 63.87 | 696 | 76.54 | - | - | 1800 |
| 78 | 1.67 | 21.20 | 35.50 | 61.07 | 520 | 79.46 | 693 | 92.84 | - | - | 2120 |
| 79 | 1.70 | 12.50 | 21.20 | 35.78 | 513 | 35.24 | 684 | 43.32 | 1032 | 53.31 | 1250 |
| 80 | 1.70 | 13.20 | 22.40 | 37.77 | 513 | 38.94 | 684 | 47.78 | 1031 | 58.26 | 1320 |
| 81 | 1.76 | 17.00 | 30.00 | 52.70 | 493 | 59.27 | 657 | 71.49 | - | - | 1800 |
| 82 | 1.77 | 14.00 | 24.80 | 44.21 | 491 | 43.69 | 655 | 53.47 | 988 | 64.43 | 1500 |
| 83 | 1.78 | 20.00 | 35.50 | 61.95 | 490 | 74.28 | 654 | 87.71 | - | - | 2120 |
| 84 | 1.79 | 12.50 | 22.40 | 38.28 | 485 | 35.55 | 647 | 43.70 | 977 | 53.82 | 1320 |
| 85 | 1.79 | 22.40 | 40.00 | 68.45 | 487 | 85.48 | - | - | - | - | 2360 |
| 86 | 1.87 | 19.00 | 35.50 | 56.62 | 466 | 68.92 | 621 | 82.03 | - | - | 2000 |
| 87 | 1.88 | 13.20 | 24.80 | 39.75 | 463 | 39.15 | 617 | 48.06 | 931 | 58.66 | 1400 |
| 88 | 1.88 | 16.00 | 30.00 | 48.38 | 464 | 53.85 | 619 | 65.34 | - | - | 1700 |
| 89 | 1.89 | 21.20 | 40.00 | 63.26 | 461 | 79.51 | 615 | 92.93 | - | - | 2240 |
| 90 | 1.97 | 18.00 | 35.50 | 57.33 | 441 | 64.38 | 588 | 77.19 | - | - | 2000 |
| 91 | 1.98 | 12.50 | 24.80 | 40.25 | 439 | 35.74 | 585 | 43.95 | 882 | 54.16 | 1400 |
| 92 | 1.99 | 22.40 | 44.50 | 71.63 | 438 | 85.63 | - | - | - | - | 2500 |
| 93 | 2.00 | 15.00 | 30.00 | 49.10 | 435 | 49.08 | 580 | 59.85 | - | - | 1700 |
| 94 | 2.00 | 20.00 | 40.00 | 64.12 | 435 | 74.31 | 580 | 87.76 | - | - | 2240 |
| 95 | 2.09 | 17.00 | 35.50 | 52.98 | 417 | 58.98 | 555 | 71.17 | - | - | 1900 |
| 96 | 2.10 | 21.20 | 44.50 | 65.39 | 414 | 79.46 | 553 | 92.88 | - | - | 2360 |
| 97 | 2.11 | 19.00 | 40.00 | 58.75 | 413 | 68.90 | 551 | 82.03 | - | - | 2120 |
| 98 | 2.14 | 14.00 | 30.00 | 44.74 | 406 | 43.54 | 541 | 53.32 | 817 | 64.33 | 1600 |
| 99 | 2.22 | 16.00 | 35.50 | 53.69 | 392 | 54.27 | 523 | 65.86 | - | - | 1900 |
| 100 | 2.22 | 18.00 | 40.00 | 59.45 | 392 | 64.35 | 522 | 77.17 | - | - | 2120 |

*  See page 18

8V BELTS

8V BELTS

| | Ratio | Pitch Driver | Pitch Driven | Center Distance | RPM Driver = 870 | | RPM Driver = 1160 | | RPM Driver = 1750 | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|------------------|-----------|-------------------|-----------|-------------------|-----------|--------------|
| | | | | | Driven | HP / Belt | Driven | HP / Belt | Driven | HP / Belt | |
| | | in. | in. | in | RPM | 8V | RPM | 8V | RPM | 8V | |
| 101 | 2.23 | 20.00 | 44.50 | 66.23 | 391 | 74.25 | 521 | 87.71 | - | - | 2360 |
| 102 | 2.27 | 13.20 | 30.00 | 45.31 | 383 | 39.63 | 510 | 48.67 | 770 | 59.46 | 1600 |
| 103 | 2.34 | 19.00 | 44.50 | 60.82 | 371 | 68.81 | 495 | 81.93 | - | - | 2240 |
| 104 | 2.35 | 17.00 | 40.00 | 54.03 | 370 | 58.76 | 493 | 70.91 | - | - | 2000 |
| 105 | 2.37 | 15.00 | 35.50 | 49.29 | 368 | 48.74 | 490 | 59.44 | - | - | 1800 |
| 106 | 2.37 | 22.40 | 53.00 | 71.68 | 368 | 84.80 | - | - | - | - | 2650 |
| 107 | 2.40 | 12.50 | 30.00 | 40.70 | 363 | 35.52 | 483 | 43.69 | 729 | 53.89 | 1500 |
| 108 | 2.47 | 18.00 | 44.50 | 61.51 | 352 | 64.27 | 469 | 77.07 | - | - | 2240 |
| 109 | 2.50 | 16.00 | 40.00 | 54.72 | 348 | 54.06 | 464 | 65.61 | - | - | 2000 |
| 110 | 2.50 | 21.20 | 53.00 | 72.51 | 348 | 79.77 | 464 | 93.26 | - | - | 2650 |
| 111 | 2.54 | 14.00 | 35.50 | 49.99 | 343 | 43.89 | 457 | 53.76 | 690 | 64.89 | 1800 |
| 112 | 2.62 | 17.00 | 44.50 | 62.20 | 332 | 59.61 | 443 | 71.95 | - | - | 2240 |
| 113 | 2.65 | 20.00 | 53.00 | 73.34 | 328 | 74.55 | 438 | 88.07 | - | - | 2650 |
| 114 | 2.67 | 15.00 | 40.00 | 55.42 | 326 | 49.26 | 435 | 60.09 | - | - | 2000 |
| 115 | 2.69 | 13.20 | 35.50 | 45.40 | 323 | 39.26 | 431 | 48.21 | 651 | 58.94 | 1700 |
| 116 | 2.78 | 16.00 | 44.50 | 56.72 | 313 | 53.95 | 417 | 65.48 | - | - | 2120 |
| 117 | 2.79 | 19.00 | 53.00 | 66.30 | 312 | 68.82 | 416 | 81.95 | - | - | 2500 |
| 118 | 2.81 | 22.40 | 63.00 | 80.40 | 309 | 85.18 | - | - | - | - | 3000 |
| 119 | 2.84 | 12.50 | 35.50 | 45.88 | 306 | 35.82 | 408 | 44.07 | 616 | 54.38 | 1700 |
| 120 | 2.86 | 14.00 | 40.00 | 50.95 | 305 | 43.66 | 406 | 53.48 | 613 | 64.57 | 1900 |
| 121 | 2.94 | 18.00 | 53.00 | 66.98 | 295 | 64.28 | 394 | 77.09 | - | - | 2500 |
| 122 | 2.97 | 15.00 | 44.50 | 57.40 | 293 | 49.16 | 391 | 59.97 | - | - | 2120 |
| 123 | 2.97 | 21.20 | 63.00 | 81.21 | 293 | 80.14 | 390 | 93.71 | - | - | 3000 |
| 124 | 3.03 | 13.20 | 40.00 | 51.49 | 287 | 39.75 | 383 | 48.81 | 578 | 59.68 | 1900 |
| 125 | 3.12 | 17.00 | 53.00 | 67.66 | 279 | 59.63 | 372 | 71.98 | - | - | 2500 |
| 126 | 3.15 | 20.00 | 63.00 | 82.03 | 276 | 74.91 | 368 | 88.50 | - | - | 3000 |
| 127 | 3.17 | 22.40 | 71.00 | 90.93 | 274 | 86.10 | - | - | - | - | 3350 |
| 128 | 3.18 | 14.00 | 44.50 | 58.08 | 274 | 44.28 | 365 | 54.24 | 551 | 65.50 | 2120 |
| 129 | 3.20 | 12.50 | 40.00 | 51.97 | 272 | 36.27 | 363 | 44.63 | 547 | 55.08 | 1900 |
| 130 | 3.31 | 16.00 | 53.00 | 68.33 | 263 | 54.88 | 350 | 66.62 | - | - | 2500 |
| 131 | 3.32 | 19.00 | 63.00 | 72.28 | 262 | 68.70 | 350 | 81.81 | - | - | 2800 |
| 132 | 3.35 | 21.20 | 71.00 | 91.74 | 260 | 81.02 | 346 | 94.74 | - | - | 3350 |
| 133 | 3.37 | 13.20 | 44.50 | 52.37 | 258 | 39.49 | 344 | 48.50 | 519 | 59.30 | 2000 |
| 134 | 3.50 | 18.00 | 63.00 | 72.94 | 249 | 64.18 | 331 | 76.98 | - | - | 2800 |
| 135 | 3.53 | 15.00 | 53.00 | 61.69 | 246 | 48.99 | 328 | 59.77 | - | - | 2360 |
| 136 | 3.55 | 20.00 | 71.00 | 82.11 | 245 | 74.05 | 327 | 87.50 | - | - | 3150 |
| 137 | 3.56 | 12.50 | 44.50 | 52.83 | 244 | 36.04 | 326 | 44.34 | 492 | 54.72 | 2000 |
| 138 | 3.71 | 17.00 | 63.00 | 73.61 | 235 | 59.54 | 313 | 71.88 | - | - | 2800 |
| 139 | 3.74 | 19.00 | 71.00 | 82.77 | 233 | 69.60 | 310 | 82.89 | - | - | 3150 |
| 140 | 3.79 | 14.00 | 53.00 | 62.36 | 230 | 44.13 | 306 | 54.07 | 462 | 65.29 | 2360 |
| 141 | 3.94 | 16.00 | 63.00 | 74.27 | 221 | 54.80 | 295 | 66.53 | - | - | 2800 |
| 142 | 3.94 | 18.00 | 71.00 | 83.43 | 221 | 65.03 | 294 | 78.00 | - | - | 3150 |
| 143 | 4.02 | 13.20 | 53.00 | 62.88 | 217 | 40.18 | 289 | 49.36 | 436 | 60.37 | 2360 |
| 144 | 4.18 | 17.00 | 71.00 | 84.09 | 208 | 60.35 | 278 | 72.85 | - | - | 3150 |
| 145 | 4.20 | 15.00 | 63.00 | 74.93 | 207 | 49.96 | 276 | 60.95 | - | - | 2800 |
| 146 | 4.24 | 12.50 | 53.00 | 63.35 | 205 | 36.68 | 274 | 45.13 | 413 | 55.72 | 2360 |
| 147 | 4.44 | 16.00 | 71.00 | 84.74 | 196 | 55.55 | 261 | 67.44 | - | - | 3150 |
| 148 | 4.50 | 14.00 | 63.00 | 75.58 | 193 | 45.02 | 258 | 55.15 | 389 | 66.62 | 2800 |
| 149 | 4.73 | 15.00 | 71.00 | 85.40 | 184 | 50.65 | 245 | 61.80 | - | - | 3150 |
| 150 | 4.77 | 13.20 | 63.00 | 76.11 | 182 | 41.00 | 243 | 50.36 | 367 | 61.60 | 2800 |

* - See page 18

8V BELTS

| | Ratio | Pitch Driver | Pitch Driven | Center Distance | RPM Driver = 870 | | RPM Driver = 1160 | | RPM Driver = 1750 | | *Belt Number |
|-----|-------|--------------|--------------|-----------------|------------------|-----------|-------------------|-----------|-------------------|-----------|--------------|
| | | | | | Driven | HP / Belt | Driven | HP / Belt | Driven | HP / Belt | |
| | | in. | in. | in | RPM | 8V | RPM | 8V | RPM | 8V | |
| 151 | 5.04 | 12.50 | 63.00 | 76.57 | 173 | 37.44 | 230 | 46.06 | 347 | 56.87 | 2800 |
| 152 | 5.07 | 14.00 | 71.00 | 86.06 | 172 | 45.65 | 229 | 55.93 | 345 | 67.56 | 3150 |
| 153 | 5.38 | 13.20 | 71.00 | 86.58 | 162 | 41.58 | 216 | 51.08 | 325 | 62.48 | 3150 |
| 154 | 5.68 | 12.50 | 71.00 | 87.04 | 153 | 37.97 | 204 | 46.72 | 308 | 57.69 | 3150 |

* - See page 18



Contact your nearest Baldor Sales Office at these World Wide locations.

UNITED STATES

ARIZONA

Phoenix
Power Reps, Inc.
4211 South 43rd Place
Phoenix, AZ 85040
Tel.: 602-470-0407
Fax: 602-470-0464

ARKANSAS

Clarksville
Wade Black & Associates, Inc.
1001 College Avenue
Clarksville, AR 72830
Tel.: 479-754-9108
Fax: 479-754-9205

CALIFORNIA

Hayward
Golden Gate Baldor
21056 Forbes Street
Hayward, CA 94545-1116
Tel.: 510-785-9900
Fax: 510-785-9910

Commerce
Power Reps, Inc.
6480 Flotilla St.
Commerce, CA 90040
Tel.: 323-724-6771
Fax: 323-721-5859

COLORADO

Denver
Rocky Mountain Baldor, Inc.
3855 Forest Street
Denver, CO 80207
Tel.: 303-623-0127
Fax: 303-595-3772

CONNECTICUT

Wallingford
EMS, Inc.
65 S. Turnpike Road
Wallingford, CT 06492
Tel.: 203-269-1354
Fax: 203-269-5485

FLORIDA

Tampa
J.K. Kessler & Assoc. Inc.
3906 East 11th Avenue
Tampa, FL 33605
Tel.: 813-248-5078
Fax: 813-247-2984

GEORGIA

Alpharetta
Sarka Sales Agency, Inc.
62 Technology Drive
Alpharetta, GA 30005
Tel.: 770-772-7000
Fax: 770-772-7200

ILLINOIS

Bolingbrook

Windy City Baldor, Inc.
4 Sammons Court
Bolingbrook, IL 60440
Tel.: 630-296-1400
Fax: 630-226-9420

INDIANA

Indianapolis
The Scott Group, Inc.
5525 W. Minnesota St.
Indianapolis, IN 46241
Tel.: 317-246-5100
Fax: 317-246-5110

IOWA

Des Moines
Baldor Industrial Solutions
1800 Dixon St., Suite C
Des Moines, IA 50316
Tel.: 515-263-6929
Fax: 515-263-6515

MARYLAND

Elkridge
Baldor of Baltimore, LLC
6660 Santa Barbara Road,
Suite 22-24
Elkridge, MD 21075
Tel.: 410-579-2135
Fax: 410-579-2677

MASSACHUSETTS

Worcester
Redman & Associates
6 Pullman Street
Worcester, MA 01606
Tel.: 508-854-0708
Fax: 508-854-0291

MICHIGAN

Sterling Heights
Industrial Rotating Products
5993 Progress Drive
Sterling Heights, MI 48312
Tel.: 586-978-9800
Fax: 586-978-9969

MINNESOTA

Rogers
Perkins Power-Motion Products
21080 134th Ave. North
Rogers, MN 55374
Tel.: 763-428-3633
Fax: 763-428-4551

MISSOURI

Kansas City
RPM Solutions
1501 Bedford Ave.
Kansas City, MO 64116
Tel.: 816-587-0272
Fax: 816-587-3735

St. Louis
Alderson Industrial Sales, Inc.
10254 Page Industrial Drive
St. Louis, MO 63132-1314
Tel.: 314-426-0606
Fax: 314-426-0607

NEW JERSEY

Pennsauken
Childs & Assoc., Inc.
1035 Thomas Busch Hwy
Pennsauken, NJ 08110
Tel.: 856-661-1442
Fax: 856-663-6363

NEW YORK

Auburn
Baldor NY - Penn Inc.
One Ellis Drive
Auburn, NY 13021
Tel.: 315-255-3403
Fax: 315-253-9923

NORTH CAROLINA

Greensboro
Motion Resources, Inc.
1220 Rotherwood Road
Greensboro, NC 27406
Tel.: 336-272-6104
Fax: 336-273-6628

OHIO

West Chester
Baldor Cincinnati, Inc.
2929 Crescentville Road
West Chester, OH 45069
Tel.: 513-771-2600
Fax: 513-772-2219

Macedonia

Engineered Sales, Inc.
8929 Freeway Drive
Macedonia, OH 44056
Tel.: 330-468-4777
Fax: 330-468-4778

OKLAHOMA

Tulsa
Baldor Oklahoma
7170 S. Braden, Suite 140
Tulsa, OK 74136
Tel.: 918-366-9320
Fax: 918-366-9338

OREGON

Tualatin
D.L. Hermanson & Assoc.
20393 SW Avery Court
Tualatin, OR 97062
Tel.: 503-691-9010
Fax: 503-691-9012

PENNSYLVANIA

New Kensington
Baldor Pittsburgh
159 Prominence Drive
New Kensington, PA 15068
Tel.: 724-889-0092
Fax: 724-889-0094

TENNESSEE

Memphis
Baldor Power Solutions, LLC
3126 Norbrook Dr.
Memphis, TN 38116
Tel.: 901-346-4722
Fax: 901-346-4725

TEXAS

Dallas
Kilpatrick Sales
3040 Quebec St.
Dallas, TX 75247
Tel.: 214-634-7271
Fax: 214-634-8874

Houston
Baldor Electric of
Southern Texas
10355 W. Little York Road,
Suite 300
Houston, TX 77041
Tel.: 281-977-6500
Fax: 281-977-6510

UTAH

Salt Lake City
Rocky Mountain Baldor, Inc.
2230 South Main St.
Salt Lake City, UT 84115
Tel.: 801-832-0127
Fax: 801-832-8911

WISCONSIN

New Berlin
Baldor Power Solution, LLC
1960 South Calhoun Road
New Berlin, WI 53151
Tel.: 262-784-5940
Fax: 262-784-1215

CANADA

ALBERTA

Edmonton
DVB Power Inc.
4603 91st Ave.
Edmonton, AB T6B 2M7
Tel.: 780-453-6030
Fax: 780-451-4495

BRITISH COLUMBIA

Port Coquitlam
Canadian Electro Drive
(1982), Ltd.
1538 Kebet Way
Port Coquitlam, BC V3C 5M5
Tel.: 604-421-2822
Fax: 604-421-3113

MANITOBA

Winnipeg
Industrial Agencies
54 Princess Street
Winnipeg, MB R3B 1K2
Tel.: 204-942-5205
Fax: 204-956-4251

ONTARIO

Toronto
Baldor Electric Ontario, Inc.
2750 Coventry Road
Oakville, ON L6H 6R1
Tel.: 905-829-3301
Fax: 905-829-3302

QUEBEC

Montreal
Baldor Quebec Atlantique, inc.
5155, rue J.A. Bombardier
Saint-Hubert, QC J3Z 1G4
Tel.: 514-933-2711
Fax: 514-933-8639

MEXICO

Baldor Sales Office
Oficina Corporativa de Ventas y
Centro de Distribución
Blvd. al Aeropuerto Km. 2
Col. San José El Alto
León, Gto. CP 37545
Tel. (47) 7761 2030
Fax (47) 7761 2010

LATIN AMERICA REPRESENTATIVE

General Products Group
21546 Little Bear Lane
Boca Raton, FL 33428
Tel.: 561-477-0360
Fax: 561-479-4771



World Headquarters
P.O. Box 2400, Fort Smith, AR 72902-2400 U.S.A.,
Ph: (1) 479.646.4711, Fax (1) 479.648.5792, International Fax (1) 479.648.5895

BALDOR•MASKA®
180 Gagnon Blvd. Sainte-Claire, QC G0R 2V0
Tel.: 800-463-8928 - Fax. 418-883-3322 - Fax: 418-883-2020
www.maskapulleys.com

